



EXPO TENT



Let our structures cover your events

地址：江苏省常州市武进区遥观镇剑湖街198号

传真：0519-88712510

电话：0519-88710979

手机：13961231103

E-mail: sales@expotentchina.com

网址: www.expotentchina.com

www.expo-tent.cn

ADD: NO.198 Jianhu Street,Yaoguan,Wujin,Changzhou,Jiangsu,China

Fax: 0519-88712510

Tel: 0519-88710979

Phone: +8613775033077

WhatsApp: +8613775033077

Web: www.expotentchina.com

www.expo-tent.cn



常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO., LTD.



——专业提供租赁、设计、制造和服务
Provide professional tent rental,sales,design and manufacturing services.

中国·江苏



Company
■公司简介 Profile

世博篷房成立于2010年，世博篷房是一家集研制、开发、营销和租赁于一体的专业化公司。公司拥有多名国内篷房业精英，立足高的起点，高的质量和良好的团队服务，努力打造世博品牌，争创国内一流篷房公司。

经过我们的努力，公司已先后开发出了连体篷房（最大跨度60m），尖顶篷房（最大能做到 12m*12m）和异型篷房等三大系列的产品，产品远销亚、欧、美、非以及大洋洲，深受国内外用户的欢迎。

世博人 将奋力拼搏，扬名族志气，创知名品牌。我们热忱欢迎国内外客户来公司考察。

Changzhou Expo Tent Co.,LTD established in 2010,is a leading China tent company in designing,manufacturing, developing selling and renting aluminum and steel frame fabric structures, tents and marquees. With our structures ,we offer turnkey solutions for temporary, semi-permanent and permanent use for a variety of industries: fabric structures for retail and logistics,sports buildings and indoor training facilities, tents and marquees for all sorts of events and tent sales.

For the development of our products we make use of the latest technologies. Our structures meet the strictest and most recent standards and come in all sizes and shapes. We are able to satisfy the most demanding clients in over 40 countries worldwide. With our experienced team, we know our business inside and out.

Contact us for more info about our tents,marquees and halls.

Tent
■篷房简介 Profile

我公司采用了欧洲先进的篷房技术，其主体框架为高强度特制中空铝合金结构，连接部分采用国际焊接技术钢结构，可调解式基座可以弥补场地的不平，PVC 篷布具有不拉伸，防雨，防紫外线，自洁及不透光的良好性能，防火等级达到国家B1级别（相当欧洲的M2级），阻燃，离火三秒自灭，抗风等级达到80-100公里/小时。

我公司篷房具有体积小，储存方便，拆装灵活，易运输，无污染绿色环保等特点，安全性能可靠。现有篷房系列为：连体篷房，尖顶篷房，组合篷房。另外我们可以根据您的需求度身定制，为您的活动提供全方位的解决方案。

Our company chose the European advanced tents technology for our tent series, its main framework for the special high-strength aluminum hollow structure, connecting part chose the international steel welding technology, adjustable base is able to use for uneven grounds.PVC cover has good performance for none loose, waterproof, UV protection, self-cleaning and blackout,the B1 fire rating reaches the national level (equivalent to European M2, fire retardant, self-extinguishing after three seconds burning, and also the windproof level reaches to 80-100 km/hour.

Our tent is dismountable ,so it's easy to storage, removable , transport,and also comes with pollution-free, safe and reliable performance. Our tent series are including clear-span series, pagoda series,combination series etc. In addition, we can provide perfect solutions for your needs.



Beautiful party tents,providing the best services for you



常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO.,LTD.



XP series expo-tent


- XP series tent,with no interior poles,be designed to give maximum use of interior space.XP series tent with a standard 2.5m side height are available with structure sizes of 6m/8m/9m/10m/12m.Widely use for outdoor exhinition,sports event,party and wedding,trade show,advertising,festival,temperature warehouse and workshope,commercial and church activities,etc




XP series Expo-tent



铝合金型材 - 樑架图
aluminum frame structure & aluminum frame profile



Framework mail profile and application




XP series structure specification:

型号	跨度	边高	顶高	节距	坡度	最大风荷载
Ltem No.	Width(m)	Eave Height(m)	Ridge height(m)	Bay distance(m)	Roof pitch(m)	Max.wind loading
XP06003	6	2.5	3.5	3	20	80km/h
XP08003	8	2.5	3.9	3	20	80km/h
XP09003	9	2.5	4.1	3	20	80km/h
XP010003	10	2.5	4.3	3	20	80km/h
XP012003	12	2.5	4.6	3	20	80km/h

- XP系列高强度铝合金篷房，内部空间无支柱，宽敞稳固，为客户提供100%的使用空间，XP系列的篷房，有跨度 6m、8m,9m,10m,12m 5个常规尺寸，边高均为2.5m 广泛用于户外展览、体育赛事，节庆活动，户外PARTY 户外婚礼，市场推广，临时厂房和工业仓储等。

The most experienced professional designed



常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO., LTD.

TEL: +86 519-88710979
FAX: +86 519-88712510
www.expotentchina.com
www.expo-tent.cn



ZP series expo-tent


- ZP series tent, with no interior poles, be designed to give maximum use of interior space. ZP series tent with a standard 4m side height are available with structure sizes of 10m/12m/15m/18m/20m/21m/25m. Widely use for outdoor exhibition, sports event, party and wedding, trade show, advertising, festival, temperature warehouse and workshop, commercial and church activities, etc



ZP series expo-tent




铝合金型材 - 框架图
aluminum frame structure & aluminum frame profile



ZP series structure specification:

Framework mail profile and application



型号	跨度	边高	顶高	节距	坡度	最大风荷载
Ltem No.	Width(m)	Eave Height(m)	Ridge height(m)	Bay distance(m)	Roof pitch(m)	Max.wind loading
ZP01005	10	4	5.8	5	18	80km/h
ZP01205	12	4	6.1	5	18	80km/h
ZP01505	15	4	6.4	5	18	80km/h
ZP01805	18	4	6.9	5	18	80km/h
ZP02005	20	4	7.2	5	18	80km/h
ZP02105	21	4	7.4	5	18	80km/h
ZP02505	25	4	7.9	5	18	80km/h

- 中型篷房：主要跨度有10m/12m/15m/18m/20m/21m/25m；长度方向为5米为一个单元无限延长。主要用途为户外展览、婚庆活动、临时仓储、啤酒美食节等。客户可以根据自己需要可以定制全透明篷房，四周玻璃墙体篷房，四周ABS墙体篷房，四周三明治墙体篷房。

Big tent Strong structures




常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO., LTD.

TEL: +86 519-88710979
FAX: +86 519-88712510
www.expotentchina.com
www.expo-tent.cn



DP series expo-tent


- 1、Large span tent, with no interior poles, be designed to give maximum use of interior space. Clear span tent with a standard 4m side height are available with structure sizes of 30m/40m/50m/60m. Widely use for outdoor exhibition, sports event, party and wedding, trade show, advertising, festival, temperature warehouse and workshop, commercial and church activities, etc.
- 2、Optional accessories for Large Span tent are wood floor, glass door, glass wall, sandwich wall, ABS wall, PVC hard wall, transparent fabric, PVC-clear windows, rain gutters, carpet, decoration ceiling and curtains, etc.
- 3、Expo Tent using 120*310*6mm aluminum alloy for Large span tents frame structure; Surface finished method of steel components is hot galvanized; Thickness is over 60um. Roof & Gable fabric are 850g/sqm; Side wall fabric, sun shading are 660g/sqm. This series can be strong as reaching the wind loading of 100km/h.




DP series expo-tent



铝合金型材 - 框架图
aluminum frame structure & aluminum frame profile



Framework mail profile and application



DP series structure specification:

型号	跨度	边高	顶高	节距	坡度	最大风荷载
Ltem No.	Width(m)	Eave Height(m)	Ridge height(m)	Bay distance(m)	Roof pitch(m)	Max.wind loading
DP03005	30	4	8.8	5	18	80km/h
DP04005	40	4	10.6	5	18	80km/h
DP05005	50	4	12.5	5	18	80km/h
DP06005	60	4	13.8	5	18	80km/h

- 大型篷房，主要用于大型户外展览会，大型体育赛事，啤酒美食节等，该篷房主要优点在于：搭拆快，中间无支柱，空间100%利用，防雨、防风、阻燃等优点。

Pagoda tent for events



常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO., LTD.

TEL: +86 519-88710979
FAX: +86 519-88712510
www.expotentchina.com
www.expo-tent.cn




P series expo-tent




铝合金型材 - 框架图
aluminum frame structure & aluminum frame profile

P series expo-tent

- 1、Pagoda Tent as P series, with no interior poles, is designed to give maximum use of interior space. This series tents with a standard 2.5m side height are available with structure sizes of 3m/4m/5m/6m/8m/10m. Widely use for outdoor exhibition, sports event, party and wedding, trade show, advertising, festival, temperature warehouse and workshop, commercial and church activities, etc.
- Expo Tent using 48x100x3mm/68x122x3mm aluminum alloy for P series tents frame structure; Surface finished method of steel components is hot galvanized;
- Thickness is over 60um. Roof fabric are 850g/sqm;
- Side wall fabric, sun shading are 660g/sqm. This series can be strong as reaching the wind loading of 80km/h. Expo Tent using 48x100x3mm/68x122x3mm aluminum alloy for P series tents frame structure;
- Surface finished method of steel components is hot galvanized;
- Thickness is over 60um. Roof fabric are 850g/sqm; Side wall fabric, sun shading are 660g/sqm. This series can be strong as reaching the wind loading of 80km/h.



Framework mail profile and application



P series structure specification:

型号	跨度	边高	顶高	Longest Parts	最大风荷载
Ltem No.	Width(m)	Eave Height(m)	Ridge height(m)		Max.wind loading
P003003	3	2.5	3.7	2.9	80km/h
P004004	4	2.5	4.2	3.9	80km/h
P005005	5	2.5	4.7	4.9	80km/h
P006006	6	2.5	5.2	5.9	80km/h
P008008	8	2.5	6.4	3.9	80km/h
P0010010	10	2.5	6.4	4.9	80km/h

- 四角尖顶篷房系列，主要规格为3m/4m/5m/6m/8m/10m. 也可以根据客户的场地要求进行订做；最大可以达到12m 边长。还可以根据客人对围墙的要求提供选择，主要有 玻璃幕墙，三明治板围墙，ABS板围墙，透明pvc围墙。另外公司还可以定制 顶幔以及围幔进行装饰。



Hexagon tents with prefect solutions



常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO.,LTD.

TEL:+86 519-88710979
FAX:+86 519-88712510
www.expotentchina.com
www.expo-tent.cn



PJ series expo-tent


- PJ series tent,with no interior poles,be designed to give maximum use of interior space.
- PJ series tent with a standard 2.5m side height are available with diameter sizes of 6m/8m/9m/10m/12m.
- Widely use for outdoor exhibition,sports event,party and wedding,trade show,advertising,festival,temperature warehouse and workshope,commercial and church activities,etc
- Optional accessories for PJ series tent are wood floor,glass door,glass wall,sandwich wall,ABS wall,PVC hard wall,transparent fabric,PVC-clear windows,rain gutters,carpet,decoration ceiling and curtains,etc
- The structure of PJ series tent is safety under the modular design,can be extened to big space according to the scene.




PJ series expo-tent



铝合金型材 - 框架图
aluminum frame structure & aluminum frame profile



Framework mail profile and application



PJ series structure specification:


型号	直径	边高	顶高	节距	最大风荷载
Ltem No.	Diameter(m)	Eave Height(m)	Ridge height(m)	Bay distance(m)	Max.wind loading
PJ006	6	2.5	5	3	80km/h
PJ008	8	2.5	5.8	4	80km/h
PJ009	9	2.5	5.2	4.5	80km/h
PJ0010	10	2.5	6.6	5	80km/h
PJ0012	12	2.5	7.4	6	80km/h

Mutil-side tent,polygonal design



MT series expo-tent

- 1、High-Peak tent,with no interior poles,be designed to give maximum use of interior space.High Peak tent with a standard 3m/4m eave height are available with structure sizes of 10m/12m/15m/20m/25m/30m.Widely use for outdoor exhinition,sports event,party and wedding,trade show,advertising,festival,temperature warehouse and workshope,commercial and church activities,etc.
- 2、Optional accessories for High Peak tent are wood floor,glass door,glass wall,sandwich wall,ABS wall,PVC hard wall,transparent fabric,PVC-clear windows,rain gutters,carpet,decoration ceiling and curtains,etc
- 3、The structure of High Peak tent is safety under the modular design,can be extened to big space according to the scene.High strength aluminium frame is manufacturing under our advanced Computer numerical control equipment,very easy to assemble and dismantle,very convinient to transport and store.The double-coated PVC fabric is waterproof and anti-leakage,Anti-UV, Anti-mildew,flame retardant to DIN4102 B1/M2 standard,so the tents could serve a very long life.



常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO.,LTD.


TEL:+86 519-88710979
FAX:+86 519-88712510
www.expotentchina.com
www.expo-tent.cn




MT series expo-tent



铝合金型材 - 樑架图
aluminium frame structure & aluminium frame profile



Framework mail profile and application



MT series structure specification:

型号	跨度	边高	顶高	节距	坡度	最大风荷载
Ltem No.	Width(m)	Eave Height(m)	Ridge height(m)	Bay distance(m)	Roof pitch(m)	Max.wind loading
MT010	10	3	4.8	6.8	5	80km/h
MT012	12	4	5.6	8.1	5	80km/h
MT015	15	4	6.4	9.7	5	80km/h
MT020	20	4	7.2	11.2	5	80km/h
MT025	25	4	7.9	12.7	5	80km/h
MT030	30	4	8.8	14.4	5	80km/h

- High-Peak 篷房，主要服务于大型高端晚宴酒会，为社会上流人士提供户外休闲交际场所； 本公司可以提供的跨度有 10m/12m/15m/20m/25m/30m.高强度铝合金框架。高强度PVC篷布，阻燃等级DIN4102B1/M2.

Curved tent large indoor space




CP series expo-tent

- CP series tent,with no interior poles,be designed to give maximum use of interior space.
- CP series tent with an available with width of 12m/15m/20m/25m/30m/40m.Length can be extended to meet customer's need. Widely use for outdoor exhibition,sports event,party and wedding,trade show,advertising,festival,temperature warehouse and workshope,commercial and church activities,etc
- Optional accessories for CP series tent are wood floor,glass door,glass wall,sandwich wall,ABS wall,PVC hard wall,transparent fabric,PVC-clear windows,rain gutters,carpet,decoration ceiling and curtains,etc



常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO.,LTD.



TEL:+86 519-88710979
FAX:+86 519-88712510
www.expotentchina.com
www.expo-tent.cn



CP series expo - tent



框架图
constructure rp file



CP series structure specification:

型号	跨度	顶高	节距	最大风荷载
Ltem No.	Width(m)	Ridge height(m)	Bay distance(m)	Max.wind loading
CP012005	12	7	5	80km/h
CP015005	15	7.8	5	80km/h
CP020005	20	8.9	5	80km/h
CP025005	25	9.9	5	80km/h
CP030005	30	11.2	5	80km/h
CP040005	40	13.5	5	80km/h

Arcum tents beautiful design for you




常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO., LTD.

TEL:+86 519-88710979
FAX:+86 519-88712510
www.expotentchina.com
www.expo-tent.cn



YP series expo-tent



- YP series tent, with no interior poles, be designed to give maximum use of interior space.
- YP series tent with an available width of 12m/15m/20m/25m/30m/40m. Length can be extended to meet customer's need. Widely use for outdoor exhibition, sports event, party and wedding, trade show, advertising, festival, temperature warehouse and workshop, commercial and church activities, etc
- Optional accessories for YP series tent are wood floor, glass door, glass wall, sandwich wall, ABS wall, PVC hard wall, transparent fabric, PVC-clear windows, rain gutters, carpet, decoration ceiling and curtains, etc



YP series expo-tent



框架图
constructure .rp file



YP series structure specification:

型号	跨度	边高	顶高	节距	坡度	最大风荷载
Ltem No.	Width(m)	Eave Height(m)	Ridge height(m)	Bay distance(m)	Roof pitch(m)	Max.wind loading
YP010005	10	4	5.1	5	18	80km/h
YP012005	12	4	5.4	5	18	80km/h
YP015005	15	4	5.8	5	18	80km/h
YP020005	20	4	6.4	5	18	80km/h
YP025005	25	4	7.4	5	18	80km/h
YP030005	30	4	8.2	5	18	80km/h

The length can be extended by 5m bay such as 15m, 20m, 30m Customized size is available

- 弧形篷房: 常规规格: 10m/12m/15m/20m/25m/30m. 长度以5m为一个单元无限延长。公司还可以根据客户场地要求进行定制。公司提供租赁制造销售一站式服务。另外公司还可以配备布幔, 吊顶进行装饰。框架部分主要以高强度铝合金框架为主, 篷布部分, 高强度pvc篷布, 篷布主要有650g/m², 750g/m², 850g/m², 900g/m².

Mutil-side tent,polygonal design



MT series expo-tent




- 1、 Polygonal Tent ,with no interior poles,is designed to give maximum use of interior space.This series tents with a standard 2.5m side height are available with structure diameter sizes of 6m/8m/9m/10m/12m.Widely use for outdoor exhinition,sports event,party and wedding,trade show,advertising,festival, temperature warehouse and workshope,commercial and church activities,etc.
- 2、 Polygonal tents can be used as single unit or with rain gutter which can be combined to larger space and special structure styles.High strength is under our Expo-tent manufacturing advanced CNC Process Line control.Our fabric is fireproof,and the flame restardant is DIN4102 B1/M2,so the tents could serve long life.
- 3、 Optional accessories for Polygonal tent are wood floor,glass door,glass wall, sandwich wall,ABS wall,PVC hard wall,transparent fabric,PVC-clear windows,rain gutters,carpet,decoration ceiling and curtains,etc.



MT series expo-tent



框架图
 constructure rp file



MT series structure specification:

型号	直径	边高	顶高	节距	最大风荷载
Ltem No.	Diameter(m)	Eave Height(m)	Ridge height(m)	Bay distance(m)	Max.wind loading
MT006	6	2.5	3.5	3	80km/h
MT008	8	2.5	4.2	4	80km/h
MT009	9	2.5	4.5	4.5	80km/h
MT0010	10	2.5	4.8	5	80km/h
MT0012	12	2.5	5.1	6	80km/h

Polygon tent for big sports events



常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO., LTD.


TEL: +86 519-88710979
FAX: +86 519-88712510
www.expotentchina.com
www.expo-tent.cn




WP series expo-tent



铝合金型材 - 框架图
aluminum frame structure & aluminum frame profile



Framework mail profile and application



WP series structure specification:

型号	跨度	边高	顶高	节距	坡度	最大风荷载
Ltem No.	Width(m)	Eave Height(m)	Ridge height(m)	Bay distance(m)	Roof pitch(m)	Max.wind loading
WP01205	12	4	7.4	5	20	80km/h
WP01505	15	4	8.7	5	20	80km/h
WP01805	18	4	9.15	5	20	80km/h
WP02005	20	4	9.42	5	20	80km/h
WP02505	25	4	11.72	5	20	80km/h
WP03005	30	4	13.2	5	20	80km/h
WP04005	40	4	15.6	5	20	80km/h
WP05005	50	4	16	5	20	80km/h

WP series expo-tent



- 1. Polygonal Tent ,with no interior poles,is designed to give maximum use of interior space.This series tents with a standard 4m side height are available with structure sizes of 12m/15m/18m/20m/25m/30m/40m/50m.Widely use for outdoor exhinition,sports event,party and wedding,trade show,advertising, festival,temperature warehouse and workshope,commercial and church activities,etc.
- 2. Polygonal tents can be used as single unit or with rain gutter which can be combined to larger space and special structure styles.High strength is under our Expo-tent manufacturing advanced CNC Process Line control.Our fabric is fireproof,and the flame restardant is DIN4102 B1/M2,so the tents could serve long life.
- 3. Optional accessories for Polygonal tent are wood floor,glass door, glass wall,sandwich wall,ABS wall,PVC hard wall,transparent fabric,PVC-clear windows,rain gutters,carpet,decoration ceiling and curtains,etc.

Professional PVC tent tension fabric




RP series expo-tent

- The main span width for RP series tent is 6m/8m/9m/10m/12m, the length can be extended by 3m per unit, no limit. RP series tent is widely used as relief tent, temporary office, temporary command post, temporary houses during disaster reconstruction, etc. Also, the color for the tent cover can be customized according to customers’ requirements. For example, the color camouflage and military green are suitable for temporary command post.



常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO.,LTD.


TEL:+86 519-88710979
FAX:+86 519-88712510
www.expotentchina.com
www.expo-tent.cn




RP series expo-tent



铝合金型材 - 框架图
aluminum frame structure & aluminum frame profile



Framework mail profile and application



RP series structure specification:

型号	跨度	边高	顶高	节距	坡度	最大风荷载
Ltem No.	Width(m)	Eave Height(m)	Ridge height(m)	Bay distance(m)	Roof pitch(m)	Max.wind loading
RP006003	6	2.5	3.5	3	20	80km/h
RP008003	8	2.5	3.9	3	20	80km/h
RP009003	9	2.5	4.1	3	20	80km/h
RP0010003	10	2.5	4.3	3	20	80km/h
RP0012003	12	2.5	4.6	3	20	80km/h


- RP series tent,主要规格以6m/8m/9m/10m/12m 为主，长度以3米一个单元，无限延长,RP series tent,主要用于救灾，临时办公，临时指挥所，灾后重建临时住宅，还可以特殊要求，更换篷布颜色列如，迷彩，军用绿等，可以用于军事临时指挥所。

Dome tents



常州世博活动篷房有限公司
CHANGZHOU EXPO TENT CO., LTD.

TEL: +86 519-88710979
FAX: +86 519-88712510
www.expotentchina.com
www.expo-tent.cn




RP series expo-tent



铝合金型材 - 框架图

aluminum frame structure & aluminum frame profile



- Dome tent has a unique and beautiful shape, the special design is the best choice for people who wants to manage high-end events. This new-style tent are widely used for various events, such as weddings, parties, sports, tradeshow, warehouse, etc.



- 单面斜坡帐篷牢固耐用，因其特殊设计，可与其他建筑物相连接（如墙面、汽车等），拓展使用空间。
- Single slope tent have been designed to be strong and durable, it can be combined with other structure due to its design and provide more space



- 简易篷房安装拆卸方便，场地选择自由，可以在不同环境下搭建。广泛适用于商业展销、节日庆典、餐饮娱乐、户外休闲等等。
- Simple pagoda tent, easy installation and removal, site options, can be set up in different environments. This tent widely used in commercial fairs, festivals, restaurants and entertainment, outdoor recreation and so on.



- 多边形顶帐篷，拥有更大更高的内部使用空间，适用于各种体育赛事，例如网球，排球，篮球，泳池等等。
- The Polygon roof tents have big roof space, is ideal as covering for various sport terrains such as tennis, volleyball, basketball, swimming pool, etc...



- 双层篷房是针对空间限制的一个有效的处理方案。大大提高了空间的使用率，适用于地皮昂贵的场地。
- Double decker tent provide the ultimate space saving solution by creating additional floor coverage where space is at a premium.

- 尖顶组合帐篷，提供各种形状及可能性，适用于各种大型户外展示以及宴会等。
- The High-peak combined tent is one of our largest products providing vast temporary cover at large scale events such as exhibitions or larger outdoor events. This is accomplished through a higher eave than our Multispan products and a wider canopy meaning running out of space is rarely an issue.

墙体选择 Side wall select



ABS墙 ABS wall



茶色玻璃 Color glass wall



三明治板墙 Sandwich wall



透明ABS墙 Transparent ABS wall



白色玻璃 Glass wall



单层彩钢板 Steel sheet wall

固定方式 Fixed way



膨胀螺丝 Expand screws



地丁 Steel anchors



称重盘 Weight plates




顶幔 围幔 Lining and Curtain



地板系统 Floor system



卡式木地板 Casette floor



木地板 Wooden floor

灯系统 Lighting system





移门 Sliding glass door



推拉门 Double wing glass door



卷帘门 Rolling shutter



地毯 Carpet



人造草坪 Artificial grass



空调系统 Air-condition system



地毯 Carpet



人造草坪 Artificial grass



空调系统 Air-condition system



窗户 Windows

配件 Accessories



椅子Chair #1



椅子Chair #2



椅子Chair #3



椅子Chair #4



桌子Table #5



桌椅 Tables and Chairss #6



椅套Chair cover #7



桌布 table cover #8



遮阳篷Awning



玻璃窗 Glass window



斜坡 Ramp



舞台 Stage



拔钉器Anchor puller



天沟布 Rain gutter



全透明篷房 Transparent tent



全透明篷房 Transparent tent



全透明篷房 Transparent tent

服务承诺

世博篷房公司针对客户提供一些个性化、定制化的特殊服务。让客户买的称心，用的放心。

保质期

对于客户所购本公司产品，公司承诺在正常使用情况下，产品质保期为经验收合格后之次日起一年。对于在质保期内正常使用损坏的产品零件免费以旧换新。

服务承诺

客户采购世博公司的产品后，公司将免费提供一套篷房安装搭建演示光盘。

产品使用说明书

公司随货附有一份产品使用说明书，请客户仔细查看；

世博公司愿与所有客户建立战略合作关系，积极协助客户进行招展工作，协助客户开展业务租赁工作，在客户展篷数量不足时，我们力争强强联手，共同提高我们的市场占有率。努力提升客户在展篷租赁市场的知名度。

FAQ

1)Q:Are you a factory or trading company?

A:We are a professional tent factory.So we can offer you a competitive price and a fastdelivery time,can also control the quality well and supply constantly to insure the quantity.

2)Q:What is the life span of your tents?

A:Life span of the aluminium is 15-20 years,PVC fabric is 5-6 years.Good discount will be given you to get a new fabric from us after 5-6 years.

3)Q:How to assemble your tents?

A:We will provide the manual and video for you to study.If you need,we can send a technician to help you in your country.

4)Q:How to choose the size of tent?

A:The size depends on how many people you want to stand,sit or have dinner in this tent.And the size also depends on the land space you will put up this tent. Normally,we advise 1-1.5sq.m/person.

5)Q:What is the warranty and safety of your tents?

A:Our tent is made by European standards and we own the CE/SGS quality management system certificate. Besides,we can design your tents with the emergency door and exit & panic lights to make sure the safety when have an emergency situation.