




“专业”
Professionally 研发、制造、销售金属薄板冷弯成型设备
develop, manufacture and sell metal sheet cold-rolled shaping equipment



手机画册
Mobile Brochure



官网
Official Website



阿里巴巴
Alibaba

佛山市特瑞鑫机械设备有限公司 Foshan Teruixin Machinery Equipment Co.,Ltd

地址：佛山禅城区金澜南路石头段原石湾农科所 16 号之二
Address: 2nd, No.16, Previous Shiwan Agricultural Institute, Shitou Section, Jinlan South Road, Chancheng City, Foshan

电话 (Tel) : 0757-82901909

传真 (Fax) : 0757-88359050

阿里巴巴 (Alibaba) : <https://teruixin.1688.com>

网址 (Web) : www.teruixincn.com




佛山市禅城区特鑫机械厂
Foshan Chancheng Texin Machinery Equipment Co.,Ltd

佛山市特瑞鑫机械设备有限公司
Foshan Teruixin Machinery Equipment Co.,Ltd

“专业”10年
 Professionally 研发、制造、销售金属薄板冷弯成型设备
 develop, manufacture and sell metal sheet cold-rolled shaping equipment.

www.teruixincn.com



>>> COMPANY
PROFILE 公司简介

佛山市特瑞鑫机械设备有限公司最早成立于 2009 年，是专业研发、设计、制造、调试，销售各种金属薄板滚压成型机械设备的生产厂家。公司拥有专业研发设计团队，具有丰富的金属薄板滚压设计制造调试经验，从研发设计、生产到设备的调试都采用了行业先进技术。工厂面积占地 4000 平方米，员工人数 100 人，有各种专业生产设备和检测设备，工厂坐落于广东省佛山市禅城区。

佛山特瑞鑫常规产品月生产量可达 100 台每月，主要有：卷闸机，天花吊顶龙骨机，隔墙龙骨机，C 形钢机，压瓦机，楼承板机，门框机，卡槽机，防火阀机，货架立柱机等各种金属薄板成型设备。

佛山特瑞鑫研发设计制造出的设备成品率高，操作方便，使用寿命长，高性价比等优点，产品远销世界各国各地区，并受到广大用户的一致好评。

佛山特瑞鑫热烈欢迎广大客户莅临我公司参观指导，洽谈业务。



Foshan Teruixin Machinery Equipment Co.,Ltd is founded in 2009. It's a production factory integrating developing, design, manufacturing, commissioning and selling all forms of metal sheet shaping machinery equipments. The company has a professional designing team with rich experience in metal sheet pressing design, manufacturing and commissioning, which applies the advanced technology from the industry from development, design, production to commissioning. The factory covers an area of 4000 square meters with a total staff of 100 and various professional production facilities and test equipment. The factory is located in Chancheng, Foshan, Guangdong Province.

Foshan Teruixin Machinery Equipment Co.,Ltd can produce about 100 products each month mainly including Rolling shutter, Ceiling keel machine, Wall partition keel machine, C-shape metal machine, tile shaping machine, Floor board machine, door frame machine, slotting machine, fire valve machine, rack shelf post machine and metal sheet shaped equipments.

Foshan Teruixin Machinery Equipment Co.,Ltd has developed, designed and produced final equipments with full function, convenient operation, long-life usage and cost effectiveness etc. Our products are widely sold worldwide and have been positively commented by our users.

Foshan Teruixin Machinery Equipment Co.,Ltd welcomes your visit and guidance as well as business negotiation.

彩钢压瓦机组

Color steel tile press unit


产品优势 Product Advantage >>>

- 运行稳定、噪音小
Stable operation and low noise
- 全自动生产、操作简单
Full automatic production, easy operation
- 结构设计合理，坚固耐用
Reasonable structural design, harness for long-term use



彩钢压瓦机组

Color steel tile press unit




彩钢压瓦机组

Color steel tile machinery unit

产品优势 Product Advantage >>>

- 运行稳定、噪音小
Stable operation and low noise
- 全自动生产、操作简单
Full automatic production, easy operation
- 结构设计合理，坚固耐用
Reasonable structural design, harness for long-term use








彩钢压瓦机组

Color steel tile machinery unit


产品优势 Product Advantage >>>

- 运行稳定、噪音小
Stable operation and low noise
- 全自动生产、操作简单
Full automatic production, easy operation
- 结构设计合理，坚固耐用
Reasonable structural design, harness for long-term use




彩钢压瓦机组

Color steel tile machinery unit




彩钢压瓦机组

Color steel tile machinery unit




彩钢压瓦机组

Color steel tile machinery unit



彩钢压瓦机组

Color steel tile machinery unit




彩钢琉璃瓦机组

Color steel glazed tile machinery unit

产品优势 Product Advantage >>>

- 运行稳定、噪音小
Stable operation and low noise
- 全自动生产、操作简单
Full automatic production, easy operation
- 卓越的模具设计，保证生产的产品形状优美、层次感强
Excellent tooling design to produce nice shape for the products with enhanced layering.




彩钢琉璃瓦机组

Color steel glazed tile machinery unit

产品优势 Product Advantage >>>

- 运行稳定、噪音小
Stable operation and low noise
- 全自动生产、操作简单
Full automatic production, easy operation
- 卓越的模具设计，保证生产的产品形状优美、层次感强
Excellent tooling design to produce nice shape for the products with enhanced layering.





彩钢琉璃瓦机组

Color steel glazed tile machinery unit




彩钢琉璃瓦机组


Color steel glazed tile machinery unit



落水管设备 downspout equipment



天沟水槽机械 Gutter sink machinery



彩钢围挡设备机组 Color steel enclosure equipment unit

产品优势 Product Advantage >>>

- 运行稳定、噪音小
Stable operation and low noise
- 全自动生产，一人便可控制多条生产线
Fully automatic production with one person controlling multiple production lines
- 操作简单，维护便捷
Easy operation and convenient maintenance





集装箱板房设备机组

Container house equipment machinery unit

产品优势 Product Advantage >>>

- 运行稳定、精度高
Stable operation and high precision
- 全自动生产，操作简单
Full automatic production, easy operation
- 设计合理、高效节能
Reasonable design and energy saving



集装箱板房设备机组

Container house equipment machinery unit


产品优势 Product Advantage >>>

- 运行稳定、精度高
Stable operation and high precision
- 全自动生产，操作简单
Full automatic production, easy operation
- 设计合理、高效节能
Reasonable design and energy saving



楼承板机械设备机组



Deck Floor Machinery unit



楼承板机械设备机组



Deck Floor Machinery unit

TX50-200-600 闭口式楼承板冷轧成型机
TX50-200-600 closed deck floor board cold rolled shaping machine



进料板厚 (mm) Material thickness	进料宽度 (mm) Material width	有效板宽 (mm) Applicable board width	成型道次 forming pass	主要用途 Main Usage
1.0-1.2	1000	600	36	楼面结构钢承板 deck floor structure steel board

TX53-200-590 燕尾槽楼承板冷轧成型机
TX53-200-590 dovetail slot deck floor board cold rolled shaping machine



进料板厚 (mm) Material thickness	进料宽度 (mm) Material width	有效板宽 (mm) Applicable board width	成型道次 forming pass	主要用途 Main Usage
0.7-1.2 1.0-1.5	1000	590	30	楼面结构钢承板 deck floor structure steel board

C型檩条机组



C-shape Purlin machine unit

C型檩条机组

C-shape Purlin machine unit

产品优势 Product Advantage >>>

- 运行稳定、噪音小
Stable operation and low noise
- 全自动电控调节尺寸，一机多用，性价比高
Automatic electric control for size adjustment, multi-functional and cost-effective
- 结构设计合理，坚固耐用
Reasonable structural design, harness for long-term use



Z型檩条断面尺寸 Z-shape purlin section size >>>

型号	断面尺寸 Section size (mm)					孔距	备注
Model	H	B1	B2	C	T	hole distance (mm) h	note
TX100	100	55	50	20	2.0~3.0	40	檩条型号也可根据客户要求制作（可冲孔、翼缘孔） Purlin model number can also be produced as per user' s requirements. (Hole in the middle and wing edges can be punched.)
TX120	120	55	50	20	2.0~3.0	孔距可调 Adjustable hole distance	
TX140	140	55	50	20	2.0~3.0	孔距可调	
TX150	150	67	61	20	2.0~3.0	孔距可调	
TX160	160	67	61	20	2.0~3.0	孔距可调	
TX180	180	67	61	20	2.0~3.0	孔距可调	
TX200	200	67	61	20	2.0~3.0	孔距可调	
TX250	250	78	72	20	2.0~3.0	孔距可调	
TX280	280	78	72	20	2.0~3.0	孔距可调	
TX300	300	78	72	20	2.5~3.0	孔距可调	

C型檩条断面尺寸 C-shape purlin section size >>>

型号	断面尺寸 Section size (mm)					孔距	备注
Model	H	B1	B2	C	T	hole distance (mm) h	note
TX80	80	40	40	15	2.0~3.0	40	檩条型号也可根据用户要求制作（可冲孔） Purlin model number can also be produced as per user' s requirements. (Hole in the middle can be punched.)
TX100	100	50	50	20	2.0~3.0	孔距可调 Adjustable hole distance	
TX120	120	50	50	20	2.0~3.0	孔距可调	
TX140	140	50	50	20	2.0~3.0	孔距可调	
TX160	160	60	60	20	2.0~3.0	孔距可调	
TX180	180	60	60	20	2.0~3.0	孔距可调	
TX200	200	60	60	20	2.0~3.0	孔距可调	
TX220	220	70	60	20	2.0~3.0	孔距可调	
TX250	250	70	70	20	2.0~3.0	孔距可调	

轻钢别墅龙骨

galvanized steel villa stud




龙骨机械设备机组

Keel mechanical equipment unit

匠心独具·品质卓越
INGENUITY WITH
EXCELLENT QUALITY

龙骨机 Keel machine >>>

产品优势 Product Advantage >>>





- 冲孔、成型、一次性成型
Hole punching, shaping and one-time shaping
- 生产速度快，每分钟 80 米
Fast production at 80 meters in every minute
- 伺服追剪，追冲孔，高效精准
Servo chasing keel, punching with high efficiency and precision






龙骨机械设备机组

Keel mechanical equipment unit

伺服追剪龙骨设备 Servo chasing keel stud machine >>>





75 隔墙龙骨机 75 partition stud machine >>>



龙骨机械设备机组

Keel mechanical equipment unit

T 型龙骨机械 T-shape stud machinery >>>



边骨机械 Side stud machinery >>>






广告扣板机械 Advertisement tile machinery >>>



龙骨机械设备机组

Keel mechanical equipment unit


铝方通机械 Aluminium square tube machinery >>>



龙骨机械设备机组

Keel mechanical equipment unit


38 主骨机 38 Main Channel Machine >>>



产品优势 Product Advantage >>>

- 技术成熟，运行稳定
Mature technology and stable operation
- 操作简单，维护便捷
Easy operation and convenient maintenance
- 一人便可操作多条生产线
production with one person controlling multiple production lines


三角龙骨机 Triangular keel machine >>>



龙骨机械设备机组

Keel mechanical equipment unit


卡式龙骨机械 Buckle stud machinery >>>



产品优势 Product Advantage >>>

- 冲孔成型一次性完成
Punching can be done one time
- 技术成熟，质量保证
Mature technology and guaranteed quality
- 操作简单，维护便捷
Easy operation and convenient maintenance


卡式龙骨机械 Block keel machinery >>>





龙骨机械设备机组

Keel mechanical equipment unit

50 副骨机 50 sub-stud machine >>>



小帽龙骨机械 Cap stud machinery >>>







卷帘门设备机组

Shutter door machinery unit

底梁机械 Base pillar machinery >>>

产品优势 Product Advantage >>>


- 半自动型生产线，操作简单，灵活便捷
Semi automatic production line with easy, flexible and convenient operation
- 物美价廉，性价比高
Excellent products at cheap price, cost effective
- 技术成熟，质量保证
Mature technology and guaranteed quality



卷帘门设备机组

Shutter door machinery unit

导槽机械 Guide groove mechanical >>>



产品优势 Product Advantage >>>


- 半自动型生产线，操作简单，灵活便捷
Semi automatic production line with easy, flexible and convenient operation
- 物美价廉，性价比高
Excellent products at cheap price, cost effective
- 技术成熟，质量保证
Mature technology and guaranteed quality



卷帘门设备机组

Shutter door machinery unit


抗风卷帘机 Windproof brake winder >>>



卷帘门设备机组



Shutter door machinery unit

抗风卷帘机 Windproof brake winder >>>



产品优势 Product Advantage >>>

- 技术成熟，运行稳定
Mature technology and stable operation
- 操作简单，维护便捷
Easy operation and convenient maintenance
- 一人便可操作多条生产线
production with one person controlling multiple production lines




卷帘门设备机组


Shutter door machinery unit

消声卷帘机 Silencer roller shutter >>>

500 毫米卷帘门成型图集 500mm rolling gate shape pictures




1 米卷帘门成型图集 1m rolling gate shape pictures



产品优势 Product Advantage >>>



- 运行稳定、噪音小
Stable operation and low noise
- 全自动生产，一人便可控制多条生产线
Fully automatic production with one person controlling multiple production lines
- 操作简单，维护便捷
Easy operation and convenient maintenance



卷帘门设备机组


Shutter door machinery unit

卷帘门花型 Scroll door pattern >>>



货架机械设备机组 shelves machinery equipment unit

货架背板机械设备 shelves back panel machinery equipment >>>




产品优势 Product Advantage >>>

- 冲孔、成型一次性完成
Hole punching, shaping and one-time shaping
- 设计合理、运行稳定
Reasonable design and smooth operation
- 质量卓越、经久耐用
Excellent quality and durable to use

货架机械设备机组 shelves machinery equipment unit





货架立柱机械设备 shelves pillar machinery >>>



防火阀机械 Fire damper machinery

产品优势 Product Advantage >>>




- 运行稳定、噪音小
Smooth operation and low noise
- 全自动生产，操作简单
Full automatic production, easy operation
- 一人便可操作多条生产线
production with one person controlling multiple production lines



光伏支架设备 Photovoltaic pillar machinery


产品优势 Product Advantage >>>

- 冲孔、成型、一次性成型
Hole punching, shaping and one-time shaping
- 精密设计，精度高
Precise design High precision
- 全自动生产，操作简单
Full automatic production, easy operation




高速公路防撞护栏设备

High speed road crash barrier equipment







产品优势 Product Advantage >>>

- 运行稳定、噪音小
Stable operation and low noise
- 全自动生产，操作简单
Full automatic production, easy operation
- 合理设计，维护便捷
Reasonable design and convenient for maintenance



门框机机组

Door frame machinery unit



产品优势 Product Advantage >>>

- 精密设计，成型合理
Precise design and reasonable shaping
- 生产的产品，形状优美，无刮痕
Nice product shape without any scratch
- 运行稳定，操作简单，维护便捷
Stable and easy operation and convenient for maintenance



温室大棚卡槽机械

Greenhouse slot machine





产品优势 Product Advantage >>>

- 运行稳定、噪音小
Stable operation and low noise
- 全自动生产，操作简单
Fully automatic production, simple operation
- 合理设计，维护便捷
Reasonable design, convenient maintenance



重型起重机吊轨设备

Heavy crane rail equipment



咬口制管机组

Seizing tube production machinery unit

产品优势 Product Advantage >>>

- 精密设计，成型合理
Smooth operation and low noise
- 技术成熟，质量保证
Large transmission ratio, strong carrying capacity
- 操作简单，维护便捷
Compact structure, high efficiency and energy saving
- 高效环保，彩涂板成型产品，无需再喷涂
Efficient, environmental friendly, colored board shaping products, no need to paint again.



异型设备机组

Special shape machinery unit


产品优势 Product Advantage >>>

- 运行稳定、噪音小
Stable operation and low noise
- 操作简单，维护便捷
Easy operation and convenient maintenance
- 结构设计合理，坚固耐用
Reasonable structural design, harness for long-term use



异型设备机组



Special shape machinery unit



全自动纵剪分条主机

Fully automatic vertical cutting slotting machine

全自动分条生产流程图 Production flow chart of automatic slitter >>>



纵剪分条主机主要特性

The feature of Full-automatic Slitting Machine

- 该系列纵剪分条线用于将不同规格的卷材，经过开卷，分条，收卷成为所需定宽尺寸的卷料，以供各种冲压生产线及焊管生产线使用。
- 适合加工卷板材料，冷泵，热泵卷板，硅钢板，不锈钢板，彩板，铝板及电镀后或涂装后的各类金属材料。
- This series of slitting lines are used to make the coils of different specifications into the coils with required width after uncoiling, slitting and winding, which can be used in various stamping production lines and welding pipe production lines.
- Suitable for processing coil material, cold pump, heat pump coil, silicon steel plate, stainless steel plate, color plate, aluminum plate and electricity All kinds of metal materials after plating or coating.

主要特性

Main features


- 采用程式控制，根据材料性质自动切换生产线高低速模式得以提高机械使用寿命及降低保养频率。
- 开卷机及胀缩轴油缸，采用一体化设计，故障率低。
- 开卷机配有高效率碟式刹车装置，以空压四路调整，降低板材张力时间，并于特定情况下自动作业瞬间刹车动作，以免钢卷松脱并用提供动力，使之能自动与主机比例连动。
- 纵剪主机采用一体式底座，分离式传动结构，有效提高机械结构刚性，降低振动保障品质。
- 刀轴平面跳动控制在 0.006mm 以内，能确保刀具寿命及产品精度。
- Using program control, the high and low speed mode of production line can be automatically switched according to material properties to improve the service life of machinery and reduce the maintenance frequency.
- Decoiler and expansion and contraction shaft cylinder adopt integrated design with low failure rate.
- The uncoiler is equipped with high efficiency disc brake device, which can adjust by air pressure four ways, reduce the tension time of sheet metal, and automatically operate instantaneous brake action under specific conditions, so as to avoid loosening of coil and provide power, so that it can automatically connect with the main engine in proportion.
- Longitudinal shear machine adopts integrated base and separate transmission structure, which can effectively improve the steel structure of locust and reduce the quality of vibration protection.
- The tool axis plane runout is controlled within 0.006mm, which can ensure the tool life and product precision.



焊管机械设备机组

Welded pipe machinery unit


主图 Main picture >>>



成型组 Shaping unit >>>



焊接组 Welding unit >>>




焊管机械设备机组

Welded pipe machinery unit

打磨组 Grinding unit >>>



定径调直 Diameter fixer and >>>




切割台 Cutting platform >>>



下料架 Material preparation shelf >>>



出料 Material outcome >>>



Steel ball slide cold-rolled series

产品优势 Product Advantage >>>

- 精密设计，成型尺寸公差小
Precise design, small size tolerance
- 技术成熟，质量保证
Mature technology and guaranteed quality
- 操作简单，维护便捷
Easy operation and convenient maintenance



型号	长度	速度	功率
Model	Length (mm)	Speed (m/min)	Power (kw)
TX-45	4-6	6-10	15
TX-36	4-6	6-10	13
TX-35	3-5	6-10	13
TX-27	3-5	6-10	11
TX-17	3-5	6-10	11
隐藏式导轨 hidden slide	4-6	6-10	15
重型导轨 Heavy-duty slide	4-8	6-10	18



液压放料架

Hydraulic material rack

600mmx3Ton 液压放料机 >>>
600mmx3Ton Hydraulic material rack



额定功率 (kw)	额定承重 (Ton)	放料宽度 (mm)	钢卷内径 (mm)
Rated power	The rated load	The feeding width	Coil diameter
1.5	3	600	451-530




校平覆分条设备机组

Leveling and slitting equipment unit

产品优势 Product Advantage >>>

- 运行稳定、噪音小
Smooth operation and low noise
- 结构设计合理，坚固耐用
Reasonable structural design, harness for long-term use
- 操作简单，维护便捷
Easy operation and convenient maintenance



合作伙伴 partners



特瑞鑫机械·只为您定制
Teruixin Machinery, only tailor for you!



我们期待与您真诚合作，共创辉煌未来！
We look forward to sincere cooperation with you for a commonly bright future!



公司厂房 Company plant

