

**温馨提示** Warm prompt

1. 本公司多款铝材外型已申请专利，模仿必究。
2. 部分产品还在升级换代，推陈出新，若有变化，请以实物为准！
3. 本图册各项产品颜色因摄影以及印刷的缘故、与实物会有所偏差、以实物为准。
4. 本图册产品版权所有，翻印必究。

1. Multiple aluminum profiles of our company have been patented; imitation will be investigated.
2. Some products are still undergoing upgrades and iterations; if there are changes, please refer to the actual product!
3. The colors of the products in this catalog may vary from the actual items due to photography and printing; please refer to the actual product.
4. All products in this catalog are protected by copyright; unauthorized reproduction is prohibited.

**佛山市谭龙建材有限公司**

FOSHAN TANLONG BUILDING MATERIALS CO., LTD

地址 ADDRESS: 广东省佛山市南海区大沥镇大镇东祠路 8 号自编 2 号

Guangdong Province, Foshan City, Nanhai District, Dali Town,  
Dazhen Dongci Road No. 8, Self-numbered Unit 2

邮箱 EMAIL:361547201@QQ.COM 固话 TELEPHONE:0757-85219048

全国服务热线 NATIONAL SERVICE HOTLINE: **4006-119-532**



"人无我有 人有我优 人优我特"

FOCUS ON  
ALUMINUM HOME ALUMINUM

专注全铝家居铝型材



# NANBEIWANG

COMPANY  
PROFILE  
公司简介



“人无我有  
人有我优  
人优我特”

I HAVE NOTHING  
PEOPLE HAVE  
ME PEOPLE'S  
SPECIAL

2013<sup>年</sup>  
创立时间  
Founded

10000<sup>个</sup>  
产品品种  
product variety

300<sup>个</sup>  
产品系列  
Product Series

300<sup>人</sup>  
现有员工  
existing employees

南北旺铝业集团，创立于 2013 年，是一家集全铝全屋整装（门、墙、顶、柜）材料的研发、生产、设计、成品加工（全屋定制）及销售服务为一体的“综合服务型”国家高新技术企业。以“人无我有，人有我优，人优我特”的经营理念，研发创新全屋整装“环保智能系列”300 多个产品、1000 多个品种，获得多项国家发明专利和多项实用新型专利，倾力打造出高品位的全屋整装材料——竹琨板。

历经多年的蓬勃发展，南北旺铝业集团现有员工已达 300 多人，公司旗下拥有“南北旺全铝家居”、“尚百年全铝全屋定制”、“蓝霸天艺术顶墙”、“书香名门室内门垭口套”、“明跃焊接板”等多个品牌，保证了产品技术的先进性和服务团队的专业性；实现了从材料采购、家装设计、成品定制及安装售后的一站式服务，提供最全面最强大的服务保障。

Nanbei Wang Aluminum Industry Group Founded in 2013, Nanbei Wang Aluminum Industry Group is a national high-tech enterprise integrating R&D, manufacturing, design, finished product processing (whole-house customization), and sales services for “all-aluminum whole-house finishing” materials (doors, walls, ceilings, cabinets). Guided by the business philosophy of “What others don’t have, we have; what others have, we excel; what others excel at, we specialize,” the company has independently developed over 300 eco-friendly smart whole-house finishing products, covering more than 1,000 varieties, and holds multiple national invention patents and utility model patents. It is committed to crafting premium whole-house finishing material — Zhu Kun Board.

After years of rapid growth, the group now employs more than 300 staff members and operates multiple sub-brands, including “Nanbei Wang All-Aluminum Home,” “Shang Bai Nian All-Aluminum Whole-House Customization,” “Lan Ba Tian Artistic Ceiling & Wall,” “Shu Xiang Ming Men Indoor Door & Architrave Sets,” and “Ming Yue Welded Panel.” These ensure technological advancement and professional service teams. The company delivers a one-stop service from material sourcing, interior design, custom production, to installation and after-sales support — providing the most comprehensive and robust service guarantee for customers.



# PART 1 我们的优势

**南北旺全铝家居**  
NANBEIWANG ALL-ALUMINUM FURNITURE

## OUR ADVANTAGES

Because of focus, we achieve excellence;  
because of innovation, we stay ahead.



品质  
QUALITY



服务  
SERVICE



价值  
VALUE

# 1



## 01 BRAND ADVANTAGE 品牌优势

中国家具协会执行会长单位  
大沥全铝家具协会副会长单位  
全国全铝型材首批研发企业

Executive President Unit of China Furniture Association, Vice President  
Unit of Dali All-aluminum Furniture Association, and First Batch of  
R&D Enterprises of National All-aluminum Profiles



## 02 R&D ADVANTAGE 自主研发设计优势

公司拥有自主研发团队，现已研发创新设计出 300 多款全铝家具产品  
并已申请多项国家新型结构、外观专利，远超同行款式

The company boasts an independent R&D team, which has innovatively designed over 300 all-aluminum furniture products and has applied for multiple national patents for new structures and appearances, surpassing the styles of its peers



专利证书号 Patent Certificate Number

201420545068.3	201610429168.3	201620656312.2
201620588204.6	201920920173.3	201920544575.8
201920116199.2	201920116264.1	201920920173.3



## 03 ADVERTISING RESOURCE ADVANTAGE 广告资源优势

百度搜索、搜狗、网易、新浪微博、阿里巴巴、360、谷歌、天猫、合作商

Baidu Search, Sogou, NetEase, Sina Weibo, Alibaba, 360, Google, Tmall, and our partners



## 04 PRODUCTION ADVANTAGE 生产优势

公司拥有自主研发团队，现已研发创新设计出 300 多款全铝家具产品  
并已申请多项国家新型结构、外观专利，远超同行款式

The company possesses an independent R&D team, which has innovatively designed and developed over 300 full-aluminum furniture products. It has also applied for numerous national utility model and design patents, far exceeding the variety of designs offered by competitors.



大型挤压厂  
Large-scale extrusion factory

自主拥有大型挤压厂只要您有好的创意，  
我们将免费为您开模定制。


We have our own large-scale extrusion factory. As long as you have a good idea, we will provide free mold customization for you.



大型木纹厂  
Large-scale wood grain factory

自主拥有大型木纹厂千种木纹让您随心定制。

We have our own large-scale wood grain factory, offering thousands of wood grain options for you to customize as you wish.



全自动生产设备  
Fully automated production equipment

自主拥有全自动铝板材生产设备，使您的产品实现无缝拼接。

We have our own fully automated aluminum plate production equipment, enabling seamless splicing of your products.

## 05 INVENTORY ADVANTAGE 库存优势

现有现货库存仓库 10000 平方，现货库存千吨以上，实现下单 24 小时发货。

We maintain a ready-stock warehouse of 10,000 square meters, with over a thousand dry metric tons of inventory on hand, ensuring dispatch within 24 hours of order placement.



库存仓库  
Inventory Warehouse

我们的库存您看得到，下单即发货。

You can see our inventory, and your order will be shipped immediately upon placement.

### 货物自提

Goods Self Pickup

上门自提，装完就走。

Pick up at our doorstep, load and leave.



### 日常发货

Daily Shipment

日均发货量 30-50 吨。

The average daily shipment volume is 30-50 tons.

**30-50**

# 06 COLLABORATIVE ADVANTAGE

合作优势

## 全方位完善的服务 让您 2 万即可轻松做老板

Comprehensive and well-rounded services allow you to easily become a boss with just 20,000.

# 2

12 年行业经验的专家  
免费为您做销售策划和指导网络营销

Experts with 12 years of industry experience

Provide you with free sales planning and online marketing guidance

# 12



### 政策支持

Policy Support

政策支持提供品质保证，  
技术服务，售后服务。

Policy support provides quality assurance,  
technical services, and after-sales service.

### 运营支持

Operational Support

运营支持完整的运作方法，免费策划，  
指导市场营销。

Operational support includes comprehensive  
operational methods, free planning,  
and guidance for marketing activities.

### 宣传支持

Promotional Support

宣传支持提供丰富细致的电子版产品宣传  
资料吸引客户下单。

Promotional support provides rich and detailed  
electronic promotional materials for products to  
attract customers and encourage orders.

## 一直被模仿 从未被超越 Always imitated, never surpassed.

无钱 无业 无学历 给你绝无仅有的震撼

No money, no job, no education—this presents an unparalleled opportunity for a breakthrough.



### 没学历 可以做

No education required.

整厂输出手把手扶持  
直至盈利

Whole factory output with hands-on support until  
profitability



### 没资金可以做

No capital required.

最低只需 2 万元  
零风险启动

Only 20,000 yuan is required for a risk-free start-up



### 没经验可以做

No experience required.


专业系统讲解培训  
轻松掌握技术

Professional and systematic explanation and training  
to easily master technology

## 07 TRAINING ADVANTAGES 培训优势

我们提供专业师傅一对一教学且包教包会，涵盖设计软件培训的线上线下教学，还可上门指导直至教会为止。

We provide professional one-on-one training with a guarantee of mastery, covering both online and offline instruction for design software, and can even offer on-site guidance until you're fully proficient.



### 包教包会

Guaranteed mastery.

专业师傅一对一教学  
包教包会

Professional master one-on-one teaching, guaranteed to teach and ensure mastery

### 设计教学

Design Instruction

设计软件培训  
线上线下教学

Design software training for both online and offline teaching

### 登门教会

On-site instruction until mastery.

上门指导  
教会为止

Provide on-site guidance until the church is ready

## 08 DESIGN ADVANTAGES 设计软件优势

独家研发 3D720°  
全景家居设计软件

Exclusively developed 3D720°  
panoramic home design software.



来厂免费学习  
让您成为家装设计师。

Come to the factory for free training  
and become a home decor designer.

绝无仅有的优势  
让设计变得简单

Unparalleled advantages  
make design simple.

1 拥有全国所有楼盘的户型图，只要输入楼盘名字，3D户型图即可出来。

We have floor plans for all real estate developments nationwide; simply input the property name, and the 3D floor plan will be generated.

2 拥有与户型图匹配的各种海量样板间，只需鼠标一点，设计即完成。

We have a vast library of sample rooms that match floor plans; with just a click of the mouse, the design is complete.

3 渲染图片效果高清与真实照片一样快速，画图一分种内就搞定。

Rendering produces high-definition images that look as realistic as photographs, and it's done quickly—rendering is completed in under a minute.

## 09 SHIPPING ADVANTAGE 发货优势

发货团队 20 多人，自主拥有发货车队，并与多家大型物流企业达成成长年合作计划。

The shipping team consists of over 20 members, with its own fleet of delivery vehicles, and has established long-term cooperative agreements with multiple large logistics companies.



### PARTIAL LOGISTICS PARTNERS 部分合作物流

安能ane

德邦  
专注你的托付

xb 新邦物流

龍興物流

威輝物流



创新求精 永不放弃  
Innovate for Excellence, Never Give Up

敬业乐群 感恩分享  
Dedication and Unity, Gratitude and Sharing

勤奋好学 诚信正直  
Diligent and Eager to Learn, Honest and Upright

## 10 DESIGN ADVANTAGES 售后服务优势

公司拥有强大的销售售后团队，从开单到售后，一对一服务，不管您遇到任何生产制作、网络销售等问题，我们将竭诚为您服务。我们唯一的赢利点只有型材，只有您的大卖才有我们的成长。

The company has a robust sales and after-sales team, providing one-on-one service from order placement to after-sales support. No matter what issues you encounter, whether in production, manufacturing, or online sales, we are committed to serving you wholeheartedly. Our only profit point is the profiles—only your success fuels our growth.



生菌

昂贵

受潮即软

不环保

开裂变形

变色起斑

NANBEIWANG 14



**传统木质家居的危害与缺点**  
Hazards and Drawbacks of Traditional Wooden Furniture

制作时间长

甲醛

发霉

不耐用

不防火

不安全

**甲醛超标，**  
Formaldehyde levels exceed the standard.  
易损害人体健康  
Easily harmful to human health.

**遇热开裂变形，**  
Cracks and deforms when exposed to heat.  
受潮即软，不耐用  
Softens when damp, not durable.

**几年后就变旧，**  
Becomes outdated after just a few years.  
心痛丢弃，不环保  
Heartbreaking to discard, not environmentally friendly.

**遇水既生菌，**  
Mold grows when exposed to water.  
遇火既烧，不安全  
Catches fire upon contact with flame, unsafe.

**日久变色起斑，**  
Discolors and develops spots over time.  
处处发霉，不美观  
Everywhere molds, unsightly.

**制作时间长**  
Long production time  
人工费用高，不经济  
High labor costs, not economical.

## 选择全铝家居的十大理由

Choose all-aluminum furniture  
Top ten reasons

**GREEN AND ECO-FRIENDLY, ZERO FORMALDEHYDE EMISSIONS.**

**绿色环保，零甲醛释放**

绿色环保，远离甲醛。非传统板式材料，由全铝合金制造，健康环保。

Green and eco-friendly, free from formaldehyde. Unlike traditional panel materials, it is made entirely of aluminum alloy, promoting health and environmental sustainability.

**STURDY AND DURABLE, WITH A LONG SERVICE LIFE.**

**坚固耐用，使用寿命长**

全铝家居表面刀切无损，经深度氧化后达到室外幕墙质量要求。

The surface of all-aluminum furniture remains undamaged by knife cuts and, after deep oxidation treatment, meets the quality standards for exterior curtain walls.

**MOLD-RESISTANT, EASY TO CLEAN, ODOR-FREE.**

**不发霉、易清洁、无异味**

绿色环保，远离甲醛。非传统板式材料，由全铝合金制造，健康环保。

Green and eco-friendly, free from formaldehyde. Unlike traditional panel materials, it is made entirely of aluminum alloy, promoting health and environmental sustainability.

**EXCELLENT SOUNDPROOFING AND THERMAL INSULATION PERFORMANCE.**

**隔音、隔热性能佳**

全铝材料由于两层面板之间的空气层被铝蜂窝芯分隔成多封闭孔隙，使声波和热量的传播受到很大的限制，因而具有良好的隔音、隔热性能。

Due to the aluminum honeycomb core dividing the air layer between the two panel layers into numerous sealed pores, the propagation of sound waves and heat is greatly restricted, resulting in excellent sound and thermal insulation performance.

**RICH COLOR SYSTEM, SURFACE TEXTURE SURPASSING THAT OF SOLID WOOD.**

**色彩体系丰富、超越实木表面触感**

铝材的木纹采用真空转印，颜色多种多样，纹理清晰逼真，款式时尚大方，不仅有于实木同等的真实视觉感，更具备超越实木表面触感。

The wood grain on aluminum profiles is created through vacuum transfer printing, offering a wide variety of colors, clear and realistic textures, and stylish designs. Not only does it match the authentic visual appeal of solid wood, but it also surpasses the surface texture of solid wood.

**WATERPROOF, FIRE-RESISTANT, AND INSECT-PROOF.**

**防水、防火，防虫蛀**

全铝家居坚硬无比，铝合金材料各项性能指标均符合规定要求，可防白蚁虫蚀。

Full aluminum furniture is exceptionally sturdy, with all performance indicators of the aluminum alloy material meeting specified requirements, making it termite-proof and resistant to insect damage.

**IMPACT-RESISTANT, RESISTANT TO DEFORMATION, WITH A SOLID STRUCTURE.**

**抗撞击、不易变形、结构牢固**

具有良好的抗冲击能力，在外力情况下变形小。

It has excellent impact resistance and exhibits minimal deformation under external forces.

**DOES NOT SWELL OR CRACK.**

**不发胀，不开裂**

铝合金经过表面处理，材质性能十分稳定，可长时间泡水，不会受环境影响而热胀冷缩导致开裂变形。

After surface treatment, aluminum alloy exhibits extremely stable material properties, can withstand prolonged soaking in water, and resists cracking or deformation due to environmental factors like thermal expansion and contraction.

**STREAMLINED PROCESS, QUICK INSTALLATION.**

**精简工序，安装快捷**

采用新工艺和先进的设备制作，跟板式家具生产工艺一样可实现全自动智能化生产，完全不用担心延误工期等问题。

Utilizing new processes and advanced equipment, production is fully automated and intelligent, just like the manufacturing process of panel furniture, with no concerns about delays.

**RECYCLABLE, REUSABLE.**

**可回收，循环利用**

可实现循环利用，拆装便捷，随心带走，回收价值高，再也不用担心更换新家具的昂贵代价。

It is recyclable, easy to assemble and disassemble, portable as desired, and has high recycling value, eliminating concerns about the high cost of replacing furniture.

15 NANBEIWANG

# PART 2 成品效果展示

**南北旺全铝家居**  
NANBEIWANG ALL-ALUMINUM FURNITURE

## DISPLAY OF FINISHED PRODUCT EFFECT

Because of focus, we achieve excellence;  
because of innovation, we stay ahead.



品质  
QUALITY




服务  
SERVICE



价值  
VALUE

# 2



NO DEFORMATION, RESISTANT TO INSECT INFESTATION 不变形防虫蛀



当冷峻的铝，遇见温暖的木纹与纯色，  
打破金属的刻板印象，用多样化的表面处理工艺，  
为您呈现媲美实木的质感，超越石材的格调。

When cool aluminum meets the warmth of wood grain and solid colors, it breaks the stereotypes of metal. With diverse surface treatment techniques, it presents a texture comparable to solid wood and a style that surpasses stone.



## HOME OFFICE

分区合理，井井有条：可自由设计层板高度，轻松容纳高跟鞋、靴子、运动鞋等不同鞋款，让每一双鞋都有它的“家”，告别杂乱无章。

Reasonable zoning, well-organized: Freely adjustable shelf heights easily accommodate high heels, boots, sneakers, and other types of footwear, giving every shoe its "home" and putting an end to clutter.





# DAWN

极致的意式经典元素  
自然分为悄然流露

THE ULTIMATE ITALIAN  
CLASSIC ELEMENTS NATURALLY  
FLOW OUT QUIETLY



# HOME SPACE

它的价值，在于时间：无需担心受潮膨胀，无需忧虑烈日开裂，它默默坚守，陪伴您度过每一个日常。

Its value lies in time: there is no need to worry about moisture and expansion, no need to worry about cracking under the scorching sun, it silently sticks to it, accompanying you through every day.





## BOOKCASE

智慧之选，在于洞见未来：舍去木质变形的风险，舍去普通材质的老化焦虑。  
得到的是数十年如一日的稳定性能，与日俱增的安心价值。

A wise choice lies in foreseeing the future: abandoning the risk of wood deformation and the anxiety of aging with ordinary materials. What you gain is decades of stable performance and ever-increasing peace of mind value.

**NB** 南北旺全铝家居  
NANBEIWANG ALL-ALUMINUM FURNITURE



# PART 3 板材系列

南北旺全铝家居  
NANBEIWANG ALL-ALUMINUM FURNITURE

## BOARD SERIES

Because of focus, we achieve excellence;  
because of innovation, we stay ahead.



品质  
QUALITY




服务  
SERVICE




价值  
VALUE

# 3



## 01 ALL-ALUMINUM BAMBOO CORE BOARD 全铝竹琨板



优选竹  
Premium Bamboo



热解炭化  
Pyrolysis  
Carbonization



破碎研磨  
Crushing and  
Grinding



挤压成型  
Extrusion Molding



贴合铝板  
Laminated  
Aluminum Panel



竹琨板  
Bamboo Composite  
Panel

# 10

## 竹琨板铝家居十大优势

Ten Major Advantages of Bamboo-Kun Aluminum Integrated Home Furnishings



BAMBOO KUN PLATE ALUMINUM HOUSEHOLD TEN ADVANTAGES

### GREEN, ECO-FRIENDLY, ZERO FORMALDEHYDE EMISSIONS, CAPABLE OF PURIFYING FORMALDEHYDE.

#### 绿色 环保 零甲醛释放 可净化甲醛

通过专业检测机构检测，竹琨板零甲醛释放，甲醛净化率达 72.8%( 提供检测报告 )

Tested by professional inspection agencies, bamboo composite panels have zero formaldehyde emissions and a formaldehyde purification rate of 72.8% (inspection report provided).

### CAN BE SOAKED IN WATER WITHOUT SWELLING.

#### 可泡水 不发胀

通过专业检测机构检测，竹琨板含水率为 0.5%，吸水厚度膨胀率 0.0%( 提供检测报告 )

Tested by professional inspection agencies, bamboo composite panels have a moisture content of 0.5% and a water absorption thickness expansion rate of 0.0% (inspection report provided).

### IMPACT-RESISTANT AND NOT EASILY DEFORMED.

#### 抗撞击不易变形

通过专业检测机构检测，竹琨板静曲强度为 33.4Mpa

Tested by professional inspection agencies, the static bending strength of bamboo composite panels is 33.4 Mpa.

### SOUNDPROOFING AND THERMAL INSULATION PERFORMANCE.

#### 隔音隔热性能

竹琨板采用双面铝板，中间全实芯竹琨板，使声波和热量的传播受到很大的限制，因而具有良好的隔音、隔热性能

Bamboo composite panels are constructed with double-sided aluminum plates and a fully solid bamboo core, which significantly restricts the propagation of sound waves and heat, resulting in excellent soundproofing and thermal insulation properties.

### RICH COLOR OPTIONS, LOW INVENTORY BACKLOG.

#### 颜色丰富 积压库存少

木纹系列、肌肤系列、高光系列，上千种颜色随意订制，一款板材做遍全屋订制，库存压力更小

Wood grain series, skin-touch series, high-gloss series, with thousands of colors available for custom orders. One type of panel for whole-house customization, reducing inventory pressure.

### MOLD-RESISTANT, EASY TO CLEAN, ANTIBACTERIAL.

#### 不发霉 易清洁可抗菌

通过专业检测机构检测，竹琨板对大肠杆菌的抗菌率达 99.9%，金色葡萄球菌的抗菌率达 99.9%( 提供检测报告 )

Tested by professional inspection agencies, bamboo composite panels achieve a 99.9% antibacterial rate against E. coli and a 99.9% antibacterial rate against Staphylococcus aureus (inspection report provided).

### FIREPROOF AND INSECT-PROOF.

#### 防火防虫蛀

竹琨板表面均采用双面铝板，可有效阻燃，防止虫蚁侵蚀

The surface of bamboo composite panels is made of double-sided aluminum plates, which effectively resist flames and prevent insect and pest infestation.

### THE STRUCTURE IS EVEN MORE ROBUST.

#### 结构更加牢固

竹琨板采用高密度活性竹材质，结构更牢固

Bamboo composite panels are made from high-density activated bamboo material, resulting in a more robust structure.

### THE PRODUCT HAS A SUBSTANTIAL FEEL, CLOSELY RESEMBLING SOLID WOOD.

#### 产品厚重感好接近实木

单张 1.22x2.44、1.22x2.75 标准，18 厘板材达 30kg 以上，做出的门板更加厚重敲击无空洞声

Due to the aluminum honeycomb core dividing the air layer between the two panel layers into numerous sealed pores, the propagation of sound waves and heat is greatly restricted, resulting in excellent sound and thermal insulation performance.

### MATURE TECHNOLOGY ENABLES FASTER PRODUCTION SPEED.

#### 工艺成熟生产速度更快

可全部采用板式家居生产工艺，实现自动化生产

It can fully adopt panel furniture production processes, enabling automated manufacturing.

## 环保板材

### 从“芯”出发探索之旅

Environmental protection plate From the "core" set out to explore the journey

### FORMALDEHYDE EMISSION CLASSIFICATION REQUIREMENTS

#### ●甲醛释放量分级要求

室内用人造板及其制品的甲醛释放量分三个等级，具体分级要求应符合下表：

The formaldehyde emission of wood-based panels and their products for interior use is divided into three grades. Specific classification requirements shall comply with the table below.

甲醛释放量等级 Formaldehyde Emission Limit Grades	限量值 (单位: 毫克 / 每立方米) Limit Value (Unit: mg/m <sup>3</sup> )	标识 Labeling.
E1	<0.124	E1
E0	<0.050	E0
Enf	<0.025	Enf

#### 01 耐磨纹理层

Wear-resistant texture layer.

#### 02 铝板

Aluminum Plate.

#### 03 活性竹碳基材


Activated Bamboo Charcoal Substrate.

#### 04 铝板

Aluminum Plate.

#### 05 耐磨纹理层

Wear-resistant texture layer.



#### 可净化甲醛

Capable of purifying formaldehyde



#### 防晒

Sunproof



#### 无异味

Odorless



#### 防霉抗菌

Mold-resistant and antibacterial



#### 防水

Waterproof



#### 不开裂

Does not crack



#### 防虫蚁

Insect and ant resistant



#### 防火

Fireproof

产品名称：升级版竹琨板

表面处理：双面铝板，表面可做木纹热转印，喷涂等工艺

生产流程：毛竹，经 681°高温热解炭化，研磨，造粒，高温挤压，一次成型，质检，铝板贴合，检验（3 到 5 天）发货

环保等级：0 甲醛，远超 ENF 级标准

适用范围：50 多种颜色供您选择。适用于做柜体，一门通顶平开门，护墙板，房门墙板，卫生间隔，集成吊顶等领域用板

常规尺寸：宽度 1220mm× 长度 2440mm/ 宽度 1220mm× 长度 2750mm，厚度有 5mm/9mm/10mm/12mm/16mm/18mm，(可定做颜色 / 尺寸 / 厚度)

Product Name: Bamboo Composite Panel

Surface Treatment: Double-sided aluminum plates, with surface options such as wood grain heat transfer printing, spraying, and other processes.

Production Process: Raw bamboo undergoes pyrolysis carbonization at 681° C, grinding, pelletizing, high-temperature extrusion, one-time molding, quality inspection, aluminum plate lamination, inspection (3 to 5 days), and shipping.


Environmental Grade: Zero formaldehyde, far exceeding the ENF standard.

Application Scope: Over 50 colors to choose from. Suitable for cabinet bodies, full-height flat doors, wall panels, door panels, bathroom partitions, integrated ceilings, and other areas.

Standard Dimensions: Width 1220mm x Length 2440mm / Width 1220mm x Length 2750mm. Thickness options: 5mm, 9mm, 10mm, 12mm, 16mm, 18mm (custom colors, dimensions, and thicknesses available).

# 竹琨板检测报告 Bamboo Composite Panel Test Report

做再多的广告 不如实实在在的检测  
No amount of advertising can compare to genuine testing.




## TRAINING ADVANTAGES 国内外板材环保级别纵览

"无醛战"非噱头，高环保标准板材成标配，人造板国标升级促环保与话语权，创造需求反哺发展，且因甲醛挂钩对家具企业影响大。

"The War on Formaldehyde" is not a marketing gimmick; high environmental protection standards for panels have become the norm. The upgrade of national standards for artificial boards promotes environmental protection and strengthens industry influence. This initiative creates demand that, in turn, fuels development, and given the significant link between formaldehyde and furniture companies, the impact on the furniture industry is substantial.


### 国内环保级别

DOMESTIC ENVIRONMENTAL PROTECTION LEVEL



### 国外各类板材环保级别

ENVIRONMENTAL PROTECTION LEVELS OF VARIOUS TYPES OF BOARDS ABROAD



# 01 ALUMINUM HONEYCOMB PANEL

## 全铝蜂窝板



● 名称 Name	全铝蜂窝板 Full Aluminum Honeycomb Panel.
● 材质 Material	铝合金 Aluminum Alloy.
● 厚度 Thickness	5、10、16、18mm
● 颜色 Color	72种现货颜色，支持订做 72 in-stock colors, custom orders supported.
● 规格 Size	1.22*2.75、1.22*2.44m 可任意定制规格厚度 can be customized in any specification and thickness.



颜色定制  
Color Customization.



尺寸可选  
Dimensions Optional.



厚度可选  
Thickness Optional.

## ● 蜂窝板的 10 大优势 TEN ADVANTAGES OF HONEYCOMB BOARD

**HEALTHY, SAFE, ENERGY-EFFICIENT, AND ECO-FRIENDLY.**

### 1. 健康安全，节能环保

通过专业检测机构检测，竹琨板零甲醛释放，甲醛净化率达 72.8% (提供检测报告)

Tested by professional inspection agencies, bamboo composite panels have zero formaldehyde emissions and a formaldehyde purification rate of 72.8% (inspection report provided).

**MOLD-FREE, CRACK-RESISTANT.**

### 2. 不发霉、不开裂

铝合金材质性能十分稳定，具有防腐特性，在潮湿的环境中也不霉变，不会受环境的影响而热胀冷缩导致开裂。

Aluminum alloy material exhibits highly stable performance with corrosion-resistant properties. It remains mold-free even in humid environments and does not crack due to thermal expansion and contraction caused by environmental changes.

**WATERPROOF, EASY TO CLEAN.**

### 3. 防水、易清洁

铝合金面板直接使用，可直接水冲水洗。

Aluminum alloy panels can be used directly and are suitable for rinsing and washing with water.

**FIREPROOF, MOISTURE-PROOF.**

### 4. 防火、防潮

面板和芯层均由铝合金制成，本身化学稳定性好，耐腐蚀，可有效起到防火阻燃等作用。

Both the panel and core layer are made of aluminum alloy, offering excellent chemical stability, corrosion resistance, and effective fire retardancy.

**THERMAL INSULATION, HEAT INSULATION.**

### 5. 保温、隔热

蜂窝板是以蜂窝铝为芯材，两面粘结铝板的复合板材。铝蜂窝板结构为封闭式夹心结构，有一定的隔热和保温效果。

Honeycomb panels are composite sheets with an aluminum honeycomb core bonded to aluminum plates on both sides. The aluminum honeycomb panel features a closed sandwich structure, providing certain thermal insulation and temperature retention effects.

**SOUNDPROOFING, SOUND ABSORPTION.**

### 6. 隔音、吸声

蜂窝板内的蜂窝核分隔成多个封闭的小空间，阻碍空气流动，使声波受阻，起到隔声作用。根据室内声学设计，在铝蜂窝板的面板和背板上进行不同的穿孔率设计，并在一定范围内控制结构的吸音系数。

The honeycomb core inside the honeycomb panel is divided into multiple enclosed small spaces, which obstruct airflow and impede sound waves, providing sound insulation. Based on indoor acoustic design, different perforation rates are applied to the panel and back plate of the aluminum honeycomb panel, allowing control of the structure's sound absorption coefficient within a certain range.

**LIGHTWEIGHT MATERIAL.**

### 7. 材质轻

铝蜂窝板是由两片铝板与铝蜂窝芯材复合而成，重量轻，应用于家装、工装、自建别墅车船轻装和隔断隔墙等轻量化领域。

Aluminum honeycomb panels are composed of two aluminum sheets bonded to an aluminum honeycomb core, offering lightweight properties. They are widely used in residential and commercial decoration, self-built villas, vehicle and ship lightweight interiors, partition walls, and other lightweight applications.

**HIGH STRENGTH, RESISTANT TO DEFORMATION.**

### 8. 高强度、不变形

铝蜂窝板的结构以工字梁为力学原理，结构稳定，不易变形，强度和平整度都很高。

The structure of aluminum honeycomb panels is based on the engineering principle of I-beams, offering stability, resistance to deformation, and high strength and flatness.

**HIGH DECORATIVE APPEAL.**

### 9. 装饰性强

表面色彩体系丰富，造型多样。铝蜂窝板有多种表面处理，喷涂、银涂、木纹热转印覆膜 (PVC 或 PETG 膜，包覆天然木皮或竹皮等，色彩体系丰富，能满足设计师对各种颜色或外观的要求。

The surface offers a rich color palette and diverse styling options. Aluminum honeycomb panels are available with various surface treatments, including painting, silver coating, and wood-grain heat transfer lamination (with PVC or PETG films, wrapped in natural wood veneer or bamboo skin, etc.). The extensive color system can meet designers' requirements for a wide range of colors and appearances.

**STREAMLINED PROCESS, QUICK INSTALLATION.**


### 10. 精简工序、安装快捷

铝蜂窝板优异的结构使它可以做超大板而不用背衬加强筋，其板可达 1220mmx6000mm，规格厚度可任意订做，采用创新工艺和先进的设备制作，跟板式家居生产工艺一样可实现全自动化智能化生产，完全不用担心延误工期的问题。

The excellent structure of aluminum honeycomb panels allows for the production of oversized sheets without the need for backing reinforcement ribs, with dimensions up to 1220mm x 6000mm. Specifications and thickness can be customized arbitrarily. Utilizing innovative processes and advanced equipment, production is fully automated and intelligent, just like the panel furniture manufacturing process, completely eliminating concerns about construction delays.


## ● 蜂窝板结构分解图


- 01 耐磨纹理层  
Exploded View Diagram.
- 02 铝板  
Aluminum Plate.
- 03 无醛胶层  
Formaldehyde-free adhesive layer.
- 04 铝蜂窝  
Aluminum Honeycomb.
- 05 无醛胶层  
Formaldehyde-free adhesive layer.
- 06 铝板  
Aluminum Plate.
- 07 耐磨纹理层  
Exploded View Diagram.



## ● 无胶蜂窝板分解图


- 01 肤感膜  
Soft-Touch Film.
- 02 铝合金板  
Aluminum Plate.
- 03 无胶流延膜  
Adhesive-Free Cast Film.
- 04 蜂窝铝芯  
Honeycomb Aluminum Core.
- 05 无胶流延膜  
Adhesive-Free Cast Film.
- 06 铝合金板  
Aluminum Plate.
- 07 肤感膜  
Soft-Touch Film.






**FY-A105 L 型窄边门框**  
L-shaped Narrow Edge Door Frame.

米重 Weight: 0.258kg/m




**FY-A106 L 型拉手**  
L-shaped Pull Handle.

米重 Weight: 0.536kg/m





**FY-A107 G 型拉手**  
G-shaped Pull Handle.

米重 Weight: 0.621kg/m




**FY-A108 中腰拉手**  
Waist-high Pull Handle.

米重 Weight: 0.606kg/m



**FY-A121 18 厘 C 槽封边**  
18mm C-channel Edge Banding.




壁厚 Thickness:1.2mm  
米重 Weight:0.069kg/m




直角效果  
Right-angle effect.



圆角效果  
Rounded corner effect.



**JSLY-013 免铣槽 G 型拉手**  
Milling-Free G-shaped Pull Handle.



米重 Weight:0.306kg/m




封边折弯  
Edge Banding and Bending.



G 型拉手堵头  
G-shaped Pull Handle End Cap.



**G-084 18 厘铝封边条**  
18mm Aluminum Edge Banding



壁厚 Thickness:1.2mm  
米重 Weight:0.606kg/m




C 槽封边堵头  
C-channel Edge Banding End Cap.



18 门板封边合金护角  
18mm Door Panel Edge Banding Alloy Corner Guard.



**PC-G-088 18 门板拇指款拉手**  
18mm Door Panel Thumb-style Pull Handle.



壁厚 Thickness:1.2mm  
米重 Weight:0.076kg/m




**免上下顶专利外框门**


一种材料即可制作,适用于所有门板,可配套多种拉手。

Patent-pending outer frame door without top and bottom edges, made from a single material, suitable for all door panels, and compatible with various handles.


**FY-A129 万能外框**  
Universal Outer Frame.




壁厚 :0.7mm  
米重 :0.133kg/m



**FY-A130 万能外框免拉手**  
Universal Outer Frame without Pull Handles.




壁厚 :0.8mm  
米重 :0.294kg/m






**HQB-010 拼接条**  
Splicing Strip




壁厚 Thickness:-mm  
米重 weight:0.190kg/m




**HQB-011 外圆弧阳角**  
External Radius Cove Corner




壁厚 Thickness:-mm  
米重 weight:0.278kg/m




**HQB-012 直阳角**  
Straight Cove Corner




壁厚 Thickness:-mm  
米重 weight:0.310kg/m




**HQB-013 内圆弧阴角**  
Internal Radius Cove Corner



壁厚 Thickness:-mm  
米重 weight:0.312kg/m




**HQB-014 小圆弧阳角**  
Small Radius Cove Corner



壁厚 Thickness:-mm  
米重 weight:0.256kg/m




**HQB-015 灯槽**  
Light Trough



壁厚 Thickness:-mm  
米重 weight:0.372kg/m




**HQB-016 9厘板格栅**  
9mm Board Grille





壁厚 Thickness:-mm  
米重 weight:0.369kg/m



**HQB-006 收口**  
Edge Finishing



壁厚 Thickness:-mm  
米重 weight:0.079kg/m



它的价值，在于时间：无需担心受潮膨胀，无需忧虑烈日开裂，它默默坚守，陪伴您度过每一个日常。

Its value lies in time: there is no need to worry about moisture and expansion, no need to worry about cracking under the scorching sun, it silently sticks to it, accompanying you through every day.



正面拼接

Six Major Highlights of Full Aluminum Seamless Honeycomb Wall Panel  
全铝密拼蜂窝墙板六大亮点


1. 开槽密拼: 更少留缝 极致简约
2. 纳米抗油污涂层: 抗油污 易清洗
3. 全铝材质: 真正做到防水防火防虫蛀, 并具有回收价值
4. 安全环保: 0 甲醛, 可即装即住
5. 全铝材质: 面对造型, 可通过背后锣槽完成安装
6. 性能稳定: 不热胀冷缩, 使用寿命可达 30 年



规格: 宽度 600/1200mm 高度 2750mm 厚度: 9mm  
Specifications: Width 600/1200mm, Height 2750mm, Thickness: 9mm

1. Grooved Seamless Fit: Minimal Joints, Ultimate Minimalism
2. Nano Oil-Resistant Coating: Oil-Resistant, Easy to Clean
3. Full Aluminum Material: Truly water-resistant, fire-resistant, and pest-proof, with recycling value.
4. Safe and Eco-friendly: 0 Formaldehyde, Ready for Occupancy Upon Installation
5. Full Aluminum Material: For complex shapes, installation can be completed by creating grooves on the back.
6. Stable Performance: No thermal expansion or contraction, with a service life of up to 30 years.






护墙板子母板扣件  
Wall Panel Male-Female Fastener





### 安装 3 步骤 Installation in 3 Steps

- 按实际需求切割好底座 (可整支或分段间距使用)  
1. Cut the base to the required length as needed (can be used as a whole piece or in segmented sections with spacing).
- 墙面打孔塞进胶粒, 平口自攻固定底座 (阴阳角 / 左右堵头, 同步插进底座锁扣)  
2. Drill holes in the wall, insert plastic wall plugs, and secure the base with flat-head self-tapping screws (cove corners/left-right plug ends are simultaneously inserted and locked into the base buckle).
- 扣上面板 (在拼接同步安装上中接扣 / 完毕)  
3. Snap on the face panel (while splicing, simultaneously install the connecting buckle / completion).




# PART 4 型材系列

## PROFILE SERIES

Because of focus, we achieve excellence;  
because of innovation, we stay ahead.



# 4





200 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:2.0kg/m



250 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:2.4kg/m



300 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:2.0kg/m



350 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:2.4kg/m



400 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:2.7kg/m



450 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:3.0kg/m



500 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:3.6kg/m



550 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:3.9kg/m




600 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:4.2kg/m



650 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:4.2kg/m



700 焊接整板 welding whole plate  
壁厚 Thickness:0.8mm 米重 weight:4.2kg/m



背板 Back Panel  
整板 Full Panel  
封边条 Edge Banding



焊接板三合一锁扣  
Welded Plate Tri-in-One Lock




18 小圆头锁扣  
18mm Small Round Head Lock




隐形锁扣  
Hidden Locking Clip


GT18-05 整板 10 厘双向背板条  
Full 10mm Double-Directional Back Panel Strip




壁厚 Thickness:0.8mm  
米重 weight:0.12kg/m




GT18-04 整板 10 厘背板条  
Full 10mm Back Panel Strip




壁厚 Thickness:0.8mm  
米重 weight:0.121kg/m




NBW-426 50\*18 横拉  
Horizontal Pull




壁厚 Thickness:0.8mm  
米重 weight:0.298kg/m




NBW-435 100\*18 横拉  
Horizontal Pull



壁厚 Thickness:0.8mm  
米重 weight:0.57kg/m




NBWGT18-08 整板 5 厘背板条  
Full 5mm Back Panel Strip




壁厚 Thickness:0.8mm  
米重 weight:0.11kg/m




NBW-476 10 厘工字背板条  
10mm I-beam backer strip



壁厚 Thickness:0.8mm  
米重 weight:0.115kg/m




GT18-06 整板 18 内封边  
Full 18mm Inner Edge Banding




壁厚 Thickness:0.8mm  
米重 weight:0.059kg/m




NBW18-08B 整板 18 外封边  
Full 18mm Outer Edge Banding



壁厚 Thickness:0.8mm  
米重 weight:0.044kg/m




NBW-552 18 圆弧转角立柱  
18 Arc Corner Post




壁厚 Thickness:0.8mm  
米重 Weight:0.304kg/m




**GT18-029 46Y 型层板条**  
46 Y-Type Shelf Strip




壁厚 Thickness:0.8mm  
米重 Weight:0.468kg/m




**GT18-030 46 双斜层板条**  
46 Double-Bevel Shelf Strip




壁厚 Thickness:0.8mm  
米重 Weight:0.502kg/m




**GT18-031 层板内装饰条**  
Shelf Inner Decorative Strip




壁厚 Thickness:0.031mm  
米重 Weight:0.345kg/m




**GT18-032 46 圆弧层板条**  
46 Arc Shelf Strip




壁厚 Thickness:0.8mm  
米重 Weight:0.437kg/m




**PC-305 小圆弧通体拉手**  
Small Arc Integrated Pull Handle




壁厚 Thickness:0.8mm  
米重 Weight:0.448kg/m




**GT18-028 18 圆弧层板条**  
18 Arc Shelf Strip




壁厚 Thickness:0.8mm  
米重 Weight:0.18kg/m




**NBW-255 18 厘 255 小顶线**  
18mm 255 Small Crown Molding




壁厚 Thickness:0.8mm  
米重 Weight:0.541kg/m




**G-072 卡 18 厘罗马柱**  
Snap-on 18mm Roman column.




壁厚 Thickness:0.8mm  
米重 Weight:0.385kg/m




**NBW-386 免拉手横拉**  
Pull-Free Horizontal Sliding Handle



壁厚 Thickness:0.7mm  
米重 Weight:0.492kg/m




**上柜拉手**  
Upper cabinet handle.




壁厚 Thickness:-mm  
米重 Weight:-kg/m




**HW-1268 中柜拉手**  
Middle Cabinet Pull Handles




壁厚 Thickness:1.2mm  
米重 Weight:0.426kg/m




**H-1269 下柜拉手**  
Lower Cabinet Pull Handles



壁厚 Thickness:0.8mm  
米重 Weight:1.79kg/m




**5 厘格栅装饰面板**  
5mm Grille Decorative Panel



壁厚 :0.75mm  
米重 :0.339kg/m




**NBW-578 5 厘格栅板**  
5mm Grille Panel




壁厚 :-mm  
米重 :0.28kg/m




**NBW-588 7 厘格栅**  
7mm Grid




壁厚 :0.75mm  
米重 :0.289kg/m




**G-116 10 厘圆弧格栅条**  
10mm Rounded Grille Strip




壁厚 :0.75mm  
米重 :0.115kg/m




**NBW-594 10 厘圆弧格栅板**  
10mm Rounded Grille Panel



壁厚 :0.8mm  
米重 :0.324kg/m



**NBW-579 10 厘格栅装饰面板**  
10mm Grille Decorative Panel




壁厚 :0.9mm  
米重 :0.39kg/m







它的价值，在于时间：无需担心受潮膨胀，无需忧虑烈日开裂，它默默坚守，陪伴您度过每一个日常。

**NBW-YZB1249 小波浪格栅板 (定制)**  
Small Wave Grille Panel (Customizable).



壁厚 Thickness:1.1mm  
米重 Weight:0.482kg/m

**NBW-567 新款 10 厘格栅板**  
New Style 10mm Grille Board



壁厚 Thickness:0.9mm  
米重 Weight:0.384kg/m

**NBW-YZB1105 三圆格栅板 (定制)**  
Three-Circle Grille Panel (Customizable).



壁厚 Thickness:0.8mm  
米重 Weight:0.97kg/m

**NBW-YZC1340 15 方形格栅板 (定制)**  
15 Square Grille Panel (Customizable)



壁厚 Thickness:0.9mm  
米重 Weight:0.519kg/m

**NBW-YZC1345 30 方形格栅板 (定制)**  
30 Square Grille Panel (Customizable)





壁厚 Thickness:1.0mm  
米重 Weight:0.859kg/m

**NBW-YZC1370 20 公分格栅**  
20cm Grille



壁厚 Thickness:0.8mm  
米重 Weight:0.623kg/m


**NBW-438 10 厘格栅板**  
10mm Grille Panel



壁厚 Thickness:1.0mm  
米重 Weight:0.708kg/m



Its value lies in time: there is no need to worry about moisture and expansion, no need to worry about cracking under the scorching sun, it silently sticks to it, accompanying you through every day.

**FWB-005 小圆弧**  
Small arc





壁厚 Thickness:1.0mm  
米重 Weight:0.159kg/m

**FWB-004 小斜边**  
Small bevel



壁厚 Thickness:1.0mm  
米重 Weight:0.15kg/m



**FWB-006 小方形**  
Small square



壁厚 Thickness:1.0mm  
米重 Weight:0.164kg/m





**FWB-007 小方形带凸**  
Small square with protrusion



壁厚 Thickness:1.0mm  
米重 Weight:0.181kg/m

**FWB-008 大斜边**  
Large bevel



壁厚 Thickness:1.0mm  
米重 Weight:0.223kg/m

**G-080**  
48 极窄边框  
18.8  
5.1  
47.2  
40.75

壁厚 wall thickness:0.7mm  
米重 weight:0.24kg/m

**G-081**  
48 极窄拇指款拉手  
8  
38  
5.1  
47.2


壁厚 wall thickness:0.7mm  
米重 weight:0.36kg/m

**G-082**  
48 斜度拉手  
18.8  
66.5  
12.6

壁厚 wall thickness:0.7mm  
米重 weight:0.33kg/m

**G-083**  
48L 形拉手  
10.5  
18.87  
79.2  
12.6


壁厚 wall thickness:0.7mm  
米重 :0.375kg/m



48 极窄门框角码  
名称 :3 号大角  
功能 :可加装锌合金护角  
48 Ultra-Narrow Door Frame Corner Brace  
Name: No. 3 Large Corner  
Feature: Can be equipped with zinc alloy corner guard



48 斜度拉手合金堵头  
48 Slanted Pull Handle Alloy End Cap.



48L 型拉手合金堵头  
48 L-shaped Pull Handle Alloy End Cap.



3 号铰链垫片  
No. 3 Hinge Shim.

**056-033 卡 5 厘隐边门框**  
Snap-on 5mm Hidden Edge Door Frame  
52.82  
13.88  
5.4  
44.91  
20.48

壁厚 Thickness:0.8mm  
米重 Weight:0.272kg/m

**G-086 10 厘全隐框**  
10mm Fully Concealed Frame  
19.95  
10.2  
47.2  
9.75

壁厚 Thickness:-mm  
米重 Weight:0.322kg/m

**NBW-74 70 门扇**  
70-inch door leaf.  
26.77  
11.11  
70  
10.2  
18.42

壁厚 Thickness:0.8mm  
米重 Weight:0.43kg/m

**NBW-241 63 门框**  
63-inch door frame.  
46.05  
10.3  
62.85  
20

壁厚 Thickness:0.8mm  
米重 Weight:0.41kg/m

**G-055 卡 10 厘隐边门框**  
Snap-on 10mm Hidden Edge Door Frame.  
3.5  
10.3  
20.5  
40

壁厚 Thickness:0.8mm  
米重 Weight:0.224kg/m

**NBW-596 5 厘门框**  
5mm door frame.  
3.8  
18.4  
41.6  
12.4

壁厚 Thickness:0.8mm  
米重 Weight:0.225kg/m

**NBW-76 80 门扇**  
80 -inch door leaf.  
24  
10.2  
80  
18

壁厚 Thickness:0.8mm  
米重 Weight:0.46kg/m

**FY-A131 18 厘法式门框**  
18mm French door frame  
23.7  
20  
2.7  
24.3

壁厚 Thickness:-mm  
米重 Weight:0.153kg/m

**NBW-587 7 厘隐边门框**  
7mm Hidden Edge Door Frame.  
3.4  
77  
17.6  
41.4

壁厚 Thickness:0.7mm  
米重 Weight:0.208kg/m

**G-015 60 门框**  
60-inch door frame.  
18  
60  
10.5

壁厚 Thickness:0.75mm  
米重 Weight:0.354kg/m


**NBW-209 209 门扇**  
209-inch door leaf.  
26.5  
10.5  
77  
19.7

壁厚 Thickness:0.9mm  
米重 Weight:0.516kg/m


**NBW-403 5 厘 15 门框**  
5mm 15 Door Frame  
14.89  
24  
5.3  
41.5  
12.8

壁厚 Thickness:0.8mm  
米重 Weight:0.287kg/m


**G-23 46 门扇**  
46mm Door Leaf.



壁厚 Thickness:0.8mm  
米重 Weight:0.291kg/m




**G-024 门框转换条**  
Door Frame Transition Strip.



壁厚 Thickness:0.8mm  
米重 Weight:0.157kg/m




**NBW-335 55 平板门框**  
55mm Flat Door Frame




壁厚 Thickness:1.1mm  
米重 Weight:0.45kg/m




**NBW-336 55 平板门框转换条**  
55mm Flat Door Frame Transition Strip.




壁厚 Thickness:0.7mm  
米重 Weight:0.099kg/m




**NBW-344 70 装饰门框**  
70mm Decorative Door Frame.




壁厚 Thickness:0.8mm  
米重 Weight:0.43kg/m




**NBW-348 70 装饰条**  
70mm Decorative Strip.




米重 Weight:0.026kg/m




**NBW-A005 32 横框**  
32mm Horizontal Frame.




壁厚 Thickness:0.7mm  
米重 Weight:0.155kg/m




**NBW-A05 竖框**  
Vertical Frame.




壁厚 Thickness:0.6mm  
米重 Weight:0.097kg/m




**NBW-114 波浪板**  
Wave Panel.



壁厚 Thickness:0.8mm  
米重 Weight:0.358kg/m




**NBW-002 10 厘拼板**  
10mm Interlocking Panel.



壁厚 Thickness:0.7mm  
米重 Weight:0.483kg/m




**PC-G-112 10 厘扣板**  
10mm Snap-on Panel.




壁厚 Thickness:0.6mm  
米重 Weight:0.387kg/m




**NBW-112 百叶板**  
Louvered Panel.



壁厚 Thickness:0.6mm  
米重 Weight:0.391kg/m




**PC-CMJ-A014 四叶百叶板**  
Four-Blade Louvered Panel.



壁厚 Thickness:0.6mm  
米重 Weight:0.356kg/m




**NBW-G-014 百叶条**  
Louver Strip.



壁厚 Thickness:0.8mm  
米重 Weight:0.13kg/m




**G-064 5 厘工字条**  
5mm I-Beam Strip.




壁厚 Thickness:0.6mm  
米重 Weight:0.034kg/m




**G-065 10 厘工字条**  
10mm I-Beam Strip.




壁厚 Thickness:0.6mm  
米重 Weight:0.039kg/m



**PC-14X10 方管**  
10x14 Square Tube.




壁厚 Thickness:0.6mm  
米重 Weight:0.074kg/m



新款免开门铰 20 框 New Model, No Opening Hinge Required, 20mm Frame


**FY-A097 卡 5 厘免开铰链孔 F 款拉手**  
Snap-on 5mm Hinge Hole-Free F-Style Pull Handle.



壁厚 Thickness:1.8mm  
米重 Weight:0.376kg/m



**FY-A098 卡 5 厘免开铰链孔小框**  
Snap-on 5mm Hinge Hole-Free Small Frame.



壁厚 Thickness:1.8mm  
米重 Weight:0.242kg/m




**FY-A100 卡 5 厘免开铰链孔拇指拉手**  
Snap-on 5mm Hinge Hole-Free Thumb-style Pull Handle.




壁厚 Thickness:1.8mm  
米重 Weight:0.440kg/m



**FY-A104 免开铰链孔后盖**  
Hinge Hole-Free Rear Cover.




壁厚 Thickness:0.8mm  
米重 Weight:0.065kg/m



F 款铣型拉手图 F-Style Milled Pull Handle Diagram.


F 款拉手 1: 2.8 米均分 7 段短拉手居中 220mm

Type F handle 1: 2.8 meters divided into 7 sections, with a short handle centered at 220mm




F 款拉手 2: 2.8 米均分 4 段短拉手居中 220mm

Type F handle 2: 2.8 meters divided into 4 sections, with a short handle centered at 220mm




F 款拉手 3: 2.8 米均分 2 段短拉手居中 220mm

F type handle 3: 2.8 meters divided into 2 sections, with a short handle centered at 220mm





F 款拉手 4: 2.8 米长拉手 1.1 米 + 短拉手 220mm 分左右

Type F handle: 4.28 meters long handle with 1.1 meters + short handle with 220mm divided into left and right




F 款拉手 5: 2.8 米长拉手 1.1 米分左右


F type handle 5: 2.8 meters long handle, approximately 1.1 meters in width




FY-A084 20 框拉手  
20 Frame Handles




壁厚 Thickness: 1.8mm  
米重 Weight: 0.512kg/m




FY-A085 20 框小边  
20 Frame Edges




壁厚 Thickness: 1.8mm  
米重 Weight: 0.35kg/m




**NBW-71 前扣板**  
Front Snap Panel




壁厚 Thickness:0.8mm  
米重 Weight:0.655kg/m




**NBW-70 大扣板**  
Large Snap Panel




壁厚 Thickness 厚 :0.8mm  
米重 Weight:0.65kg/m




**NBW-73 小扣板**  
Small Snap Panel




壁厚 Thickness:0.8mm  
米重 Weight:0.316kg/m




**NBW-72 后扣板**  
Rear Snap Panel



壁厚 Thickness:0.8mm  
米重 Weight:0.341kg/m




**NBW-131 30 背扣板**  
30mm back strike plate.




壁厚 Thickness:0.8mm  
米重 Weight:0.233kg/m




**NBW-108 45 背板扣**  
45 Back Panel Clip



壁厚 Thickness:0.8mm  
米重 Weight:0.3kg/m




**NBW-118 75 背板扣**  
75 Back Panel Clip



壁厚 Thickness:0.8mm  
米重 Weight:0.45kg/m




**NBW-195 105 背板扣**  
105 Back Panel Clip



壁厚 Thickness:0.7mm  
米重 Weight:0.539kg/m




**NBW-115 125 背板扣**  
125 Back Panel Clip




壁厚 Thickness:0.8mm  
米重 Weight:0.666kg/m




**NBW-150 4 厘背板**  
4mm Back Panel




壁厚 Thickness:0.6mm  
米重 Weight:0.287kg/m




**NBW-16-06 16 内封边**  
16 Internal Edge Banding




壁厚 Thickness:1.0mm  
米重 Weight:0.085kg/m




**NBW-162 16 包边**  
16 Edge Banding




壁厚 Thickness:0.6mm  
米重 Weight:0.04kg/m




**NBW-004 罗马柱 1**  
Roman Column 1




壁厚 Thickness:0.8mm  
米重 Weight:0.358kg/m




**PC-G-30 16 小顶线**  
16 Small Top Line




壁厚 Thickness:0.8mm  
米重 Weight:0.391kg/m




**NBW-003 顶线**  
Top Line




壁厚 Thickness:1.0mm  
米重 Weight:0.625kg/m




**NBW-100 锡脚线**  
Tin Foot Rail




壁厚 Thickness:1.0mm  
米重 Weight:0.433kg/m




**NBW-105 加厚前扣 (定制)**  
Reinforced Front Snap (Custom)




壁厚 Thickness:1.0mm  
米重 Weight:1.25kg/m




**NBW-101 加厚大扣板 (定制)**  
Reinforced Large Snap Panel (Custom)




壁厚 Thickness:1.0mm  
米重 Weight:1.458kg/m




**NBW-116 130 镜框扣**  
130 Mirror Frame Clip




壁厚 Thickness:0.8mm  
米重 Weight:0.618kg/m



**PC-G-029 方形柜脚**  
Square Cabinet Feet




壁厚 Thickness:0.8mm  
米重 Weight:0.316kg/m




**柜体连接件 Cabinet Body Connectors**


**PC-G-098 16 转角料**  
16 Corner Trim




壁厚 Thickness:1.0mm  
米重 Weight:0.316kg/m




**NBW-18-005 第六代卡条**  
Sixth Generation Clamping Strip




壁厚 Thickness:0.65mm  
米重 Weight:0.121kg/m




**PC-SBN-21 18 卡条**  
18 Clamping Strip




壁厚 Thickness:-mm  
米重 Weight:0.122kg/m




**NX-A036 移门上轨**  
Sliding door top track.




壁厚 Thickness:0.8mm  
米重 Weight:0.541kg/m




**NX-A048 移门下轨**  
Sliding Door Lower Track




壁厚 Thickness:0.8mm  
米重 Weight:0.225kg/m




**WZB-115 极简移门竖框**  
Minimalist Sliding Door Vertical Frame



壁厚 Thickness:1.0mm  
米重 Weight:0.3kg/m




**WZB-116 极简移门上方**  
Minimalist Sliding Door Upper Rail



壁厚 Thickness:0.67mm  
米重 Weight:0.225kg/m




**WZB-117 极简移门中隔**  
Minimalist Sliding Door Center Partition



壁厚 Thickness:0.6mm  
米重 Weight:0.165kg/m




**WZB-118 极简移门下方**  
Minimalist Sliding Door Lower Rail




壁厚 Thickness:0.8mm  
米重 Weight:0.381kg/m




**A-081 61 门框**  
61 Door Frame




壁厚 Thickness:0.9mm  
米重 Weight: -kg/m




**NX-A082 61 上中下**  
61 Upper Middle Lower




壁厚 Thickness:0.9mm  
米重 Weight: 0.55kg/m




**NBW-374 氧化香槟衣通管**  
Anodized champagne clothing rail tube.



壁厚 Thickness:0.6mm  
米重 Weight:0.18kg/m



**NBW-A15 衣通管**  
Clothing Tube/Pipe



壁厚 Thickness:0.8mm  
米重 Weight:0.269kg/m




移门配件 Sliding Door Accessories




北欧款角码 Nordic Style Corner Bracket




**NBW-345 北欧大圆弧框**  
Nordic Large Arc Frame




壁厚 Thickness:0.9mm  
米重 Weight:0.43kg/m




**NBW-346 北欧背板条**  
Nordic Back Panel Strip




壁厚 Thickness:0.9mm  
米重 Weight:0.17kg/m



**NBW-347 北欧三角边**  
Nordic Triangle Edge




壁厚 Thickness:0.9mm  
米重 Weight:0.27kg/m







**NBW-361 20X30 方管**  
20x30 Square Tube




壁厚 Thickness:0.7mm  
米重 Weight:0.185kg/m




**NBW-508 50X30 带螺孔方管**  
50x30 Square Tube with Screw Holes




壁厚 Thickness:0.9mm  
米重 Weight:0.444kg/m




**NBW-507 100X30 床邦**  
100x30 Bed Rail




壁厚 Thickness:0.9mm  
米重 Weight:0.811kg/m




**NBW-509 50X30 方管**  
50x30 Square Tube




壁厚 Thickness:0.9mm  
米重 Weight:0.38kg/m




**NBW-511 30 封边**  
30 Edge Banding




壁厚 Thickness:0.8mm  
米重 Weight:0.12kg/m



**NBW-512 50X50 大柱**  
50x50 Large Post




壁厚 Thickness:1.2mm  
米重 Weight:0.78kg/m




居所细节处的独具匠心，让主人的饮食起居均在居室得到了自由呼吸，不局促，也不肆意。只有这样妥帖的混搭趣味，才可谓之“家”。  
Of place of residence detail show originality, the food that lets hostdaily life all got free breath in the bedroom, not cramped, also notwanton. Only such proper mix build gout, ability may be said of"home".


**NBW-513 50 封边**  
50 Edge Banding



壁厚 Thickness:0.8mm  
米重 Weight:0.18kg/m




**NBW-514 75X75 大柱**  
75x75 Large Post




壁厚 Thickness:1.2mm  
米重 Weight:1.2kg/m




**NBW-515 T 字条**  
T-Shaped Strip



壁厚 Thickness:1.2mm  
米重 Weight:0.19kg/m



**NBW-516 50X30 带槽方管**  
50x30 Slotted Square Tube



壁厚 Thickness:0.9mm  
米重 Weight:0.499kg/m






高精度 650 开料机  
High Precision 650 Cutting Machine



柜体 600 开槽机  
Cabinet 600 Grooving Machine



拉槽机  
Slotting machine.



三数显护角一体机  
Three-Digit Display Corner Protection Integrated Machine.



铰链钻孔机  
Hinge Drilling Machine.



蜂窝板气动切割机  
Honeycomb panel pneumatic cutting machine.



简易推台锯  
Simple sliding table saw.



18 宽体锁扣冲孔器  
18 Wide-Body Snap-Lock Punch.



蜂窝板合页拉姆枪  
Honeycomb panel hinge staple gun.

