

Your health is our expectation!

h@althmate®
海斯曼

宁波海斯曼健康科技股份有限公司
Ningbo Healthmate Health Technology Co.,Ltd.

Ningbo Healthmate Health Technology Co.,Ltd.



2022
MASSAGE 健身 康复 按摩
FITNESS
TRAINING

-  Treadmill
-  Walking Pad
-  Vibration Plate
-  Exercise Bike
-  X-Bike
-  Spinning Bike
-  Rowing Machine
-  Foot Massage



打开网页浏览器

输入网址：
www.1688.com

找“工厂”或“挑好货”类目
输入“海斯曼”



Open the web page

Enter URL:
www.alibaba.com

Select the "Manufacturer" or
"Supplier" category
and enter "healthmate"



Open the web page

Enter URL:
www.made-in-china.com

Select the "Products" or
"Suppliers" category
and enter "healthmate"



工厂地址：浙江-宁波-宁海西店大路工业区
电话：86-574-83518889
传真：86-574-83518880
E-mail: info@healthma.com
http:// www.healthma.com

Address: Dalu Industry Zone, Xidian Town,
Ninghai County, Ningbo, China
Tel: 86-574-83518889
Fax: 86-574-83518880
E-mail: info@healthma.com
http:// www.healthma.com

国际贸易部：浙江省宁波市鄞州区百丈街道
宁铸尊府3幢6单元3403室
电话：86-574-88382628
E-mail: info@healthma.com
http:// www.healthma.com

International Trading Department:
Room 3403, Unit 6, Building 3, Ningzhu Junfu
Baizhang Subdistrict, Yinzhou District
Ningbo, Zhejiang Province, China
Tel: 86-574-88382628
E-mail: info@healthma.com
http:// www.healthma.com



100000M²+

Healthmate
International Trade

60000M²+



Company Introduction

Since our beginning in 2007, Ningbo Healthmate Health Technology Co.,Ltd. has been specialized in the design, production and marketing of fitness equipments and healthcare products, which are exported to various parts of the globe. With about 1200 employees, we are the leading manufacturer of home-use fitness equipment in China.

The main products categories are:

- Home-use Treadmills
- Elliptical Trainers, Spinning Bikes
- Crazy Fit & Vibration massagers
- Swing Massagers
- Magnetic X-bikes, Upright Bikes
- Electric Mini Bikes
- Massage Chairs
- Spinning Bike
- Others

We are the OEM/ODM factory of about 200 famous fitness brands in the world, main market in Europe, USA, Japan, Korea, India, Middle East, South America etc. With 90% of parts/accessories produced by our own workshops, strict quality control system and rich experience of OEM/ODM, we are the best partner for OEM/ODM clients.

The factory is located in the seaside city of NINGBO which is ideal for transportation of its goods through Ningbo Port and Shanghai Port.

Our objective is to increase our market penetration in the world. To this end, we actively seek to cooperate with our clients to develop our business together.

PATENTS AND CERTIFICATIONS



More Authoritative Certifications

205 ITEMS Appearance patent	96 ITEMS Utility model patent	30 ITEMS Patent for invention
---------------------------------------	---	---

Deadline: 2024.5

HONOR



LABORATORY 1000M²



ELECTRIC TREADMILL SERIES

HSM-MT70 Series

- LED LIGHTS
- HYDRAULIC CYLINDER
- MUSIC PLAYER
- 150KGS
- AUTOMATIC INCLINE
- BRUSHLESS MOTOR

0-26 Level



Lighting Effect



WIRELESS CHARGING (Option)



CONTAINER Q`TY (PCS)
(20`/40`/40H)
MT700:55 / 122 / 145
MT700BL:59/ 121 / 144

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT700	Speed / Dist./Time /Cal./Pulse	1300x500mm 1400x500mm	DC2.5HP	16P /1-20km/h	64/74	1530x890x1475mm (Unfold) 990x890x1475mm (Folded)	1630x880x325mm
HSM-MT700BL	Speed / Dist./Time /Cal./Pulse	1300x500mm 1400x500mm	BLDC 2.0HP	16P /1-20km/h	72/82	1560x890x1475mm (Unfold) 930x890x1475mm (Folded)	1545x900x310mm



ELECTRIC TREADMILL SERIES

HSM-MT29 Series

- LED LIGHTS
- HYDRAULIC CYLINDER
- MUSIC PLAYER
- 150KGS
- AUTOMATIC INCLINE
- MASSAGE SET




CONTAINER Q'TY (PCS)
(20' /40' /40H)
MT296: 56 / 128 / 145



HSM-MT19 Series

- HYDRAULIC CYLINDER
- HAND PULSE
- MULTIFUNCTION CONNECTION
- 150KGS
- AUTOMATIC INCLINE
- MASSAGE SET



Option	
MODE	N.W./G.W.(KGS)
MT190	71/77
MT192	87/95
MT195	88/102
MT196	73/81



CONTAINER Q'TY (PCS)
(20' /40' /40H)
MT19: 42 / 90 / 103

HSM-MT296

- HYDRAULIC CYLINDER
- HAND PULSE
- MULTIFUNCTION CONNECTION
- 150KGS
- AUTOMATIC INCLINE
- MASSAGE SET



MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT19	Speed / Dist./Time /Cal./Pulse	1300x480mm	DC2.5HP	12P /1-18km/h	Option	1705x835x1380mm (Unfold) 1120x870x1490mm (Folded)	1930x870x380mm
HSM-MT296	Speed / Dist./Time /Cal./Pulse	1200x520mm	DC2.0HP	16P /1-20km/h	64/72	1580x865x1300mm (Unfold) 910x865x1345mm (Folded)	1610x870x320mm

MOTORIZED TREADMILL

Household Fashion Treadmill

HSM-MT80 Series



HYDRAULIC CYLINDER



HAND PULSE



150KGS



MULTIFUNCTION CONNECTION



CONTAINER Q'TY (PCS)

(20' / 40' / 40H)
49 / 82 / 97



7" LCD Screen

3 Control Areas

Heart Rate Handle




Comfort Armrest

Damping System

Hydraulic Cylinder

Easy to move roller



Incline

15 LEVEL



Power Fan

LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
Speed / Dist./Time/Cal./Pulse	1320x480mm	DC 2.5HP	12P /1-20km/h	62/77	1750x805x1380mm (Unfold) 1125x805x1500mm (Folded)	2280x840x330mm

HSM-MT60 Series



HYDRAULIC CYLINDER



HAND PULSE



MULTIFUNCTION CONNECTION



150KGS



HSM-MT60



CONTAINER Q'TY (PCS)

(20' / 40' / 40H)

MT60 : 58 / 118 / 137
MT60PRO: 48 / 100 / 112
MT60 Ultra : 42 / 91 / 104

HSM-MT60 PRO

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT60	Speed / Dist./Time /Cal./Pulse	1320x460mm	DC 2.0HP	12P /1-18km/h	57.5/71	1750X780X1325mm(Unfold) 1165X780X1470mm(Folded)	1820X820X330mm
HSM-MT60 Pro	Speed / Dist./Time /Cal./Pulse	1320X520mm	DC 2.5HP	12P /1-18km/h	70/83	1750X840X1425mm(Unfold) 1220X840X1435mm(Folded)	1800X860X300mm
HSM-MT60 Ultra	Speed / Dist./Time /Cal./Pulse	1400X520mm	DC 2.5HP	12P /1-18km/h	72/82	1820X840X1425mm(Unfold) 1295X840X1475mm(Folded)	1870X860X300mm



HSM-MT91



- HYDRAULIC CYLINDER
- HAND PULSE
- 150KGS
- MUSIC PLAYER
- AUTOMATIC INCLINE



- AUTOMATIC INCLINE
- HYDRAULIC CYLINDER
- HAND PULSE
- MULTIFUNCTION CONNECTION
- 120KGS



HSM-MT356



CONTAINER Q`TY (PCS)
 (20`/40`/40H)
 MT354: 70 / 157 / 186
 MT306: 72 / 162 / 192



HSM-MT198



- HYDRAULIC CYLINDER
- HAND PULSE
- 150KGS



CONTAINER Q`TY (PCS)
 (20`/40`/40H)
 MT91: 52 / 120 / 142
 MT198: 36 / 80 / 91



HSM-MT306

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT91	Speed / Dist./Time / Cal./Pulse	1320x460mm	DC 2.0HP	12P /1-18km/h	60/69	1825x780x1355mm (Unfold) 1180x780x1470mm (Folded)	1815x815x320mm
HSM-MT198	Speed / Dist./Time / Cal./Pulse	1280x480mm	DC 2.5HP	12P /1-20km/h	69/81	1730x810x1385mm (Unfold) 1120x810x1480mm (Folded)	1910x880x420mm

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT306	Speed / Dist./Time / Cal./Pulse	1200x420mm	DC 1.5/ 2.0HP	12P /1-16km/h	58.5/60.7	1560x750x1250mm (Unfold) 985x750x1375mm (Folded)	1650x760x280mm
HSM-MT356	Speed / Dist./Time / Cal./Pulse	1200x420mm	DC 2.0HP	12P /1-20km/h	51.2/58.5	1560x750x1285mm (Unfold) 1000x750x1375mm (Folded)	1650x770x290mm



HSM-MT55 Series

- HAND PULSE
- MULTIFUNCTION CONNECTION
- WIRELESS CHARGING
- 150KGS
- AUTOMATIC INCLINE
- HYDRAULIC CYLINDER
- BRUSHLESS MOTOR



0-24 Level



Incline



7"

10.1"

15.6"




CONTAINER Q'TY (PCS)
(20' / 40' / 40H)
37 / 81 / 92

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT550	Speed / Dist./Time / Cal./Pulse	550x1350mm	DC 2.5HP	16P /1-22km/h	81/91	1790x910x1525mm(Unfold) 1125x910x1525mm(Folded)	1830X940X350mm

HSM-MT45 Series

- 150KGS
- HYDRAULIC CYLINDER
- AUTOMATIC INCLINE
- WIRELESS CHARGING



WIRELESS CHARGING (Option)



Incline



CONTAINER Q'TY (PCS)
(20' / 40' / 40H)
74 / 153 / 164

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT45I	Speed / Dist./Time / Cal./Pulse	1250X450mm	2.0HP	12P /1-18km/h	57/65	1560X754X1287mm(Unfold) 1547X733X318mm(Folded)	1640X780X320mm

MOTORIZED TREADMILL

CLASSIC COLLECTION



HSM-MT06

- HYDRAULIC CYLINDER
- HAND PULSE
- 120KGS
- MULTIFUNCTION CONNECTION

Option
Massager



Auto Incline



CONTAINER Q`TY
(PCS)
(20`/40`/40H)
60 / 170 / 192

HSM-MT226

- HYDRAULIC CYLINDER
- HAND PULSE
- 120KGS
- AUTOMATIC INCLINE



CONTAINER Q`TY
(PCS)
(20`/40`/40H)
75 / 158 / 180



SPRING DAMPING



HSM-MT05X

- HAND PULSE
- MANUAL INCLINE
- HYDRAULIC CYLINDER
- 120KGS



CONTAINER Q`TY
(PCS)
(20`/40`/40H)
80 / 170 / 192

LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
Speed / Dist./Time/Cal./Pulse	1200x420mm	DC1.5/ 2.0HP	12P /1-12km/h	42/48	1560x750x1270mm(Unfold) 1000x730x1345mm(Folded)	1645x750x280mm

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT226	Speed / Dist./Time /Cal./Pulse	1200x420mm	1.5/DC 2.0HP	12P /1-16km/h	45.5/54	1650x740x1230mm(Unfold) 910x740x1455mm(Folded)	1745x745x280mm
HSM-MT05X	Speed / Dist./Time /Cal./Pulse	1200x400mm	1.5HP	12P /1-12km/h	45/49.2	1560x730x1240mm(Unfold) 850x715x1380mm(Folded)	1645x750x285mm

LUBRICATION

Lubricating your treadmill running belt will ensure superior performance and extend its life expectancy. When you receive your treadmill please apply some lubricant into each oil pipe. After the first 25 hours of use (or 2-3 months) apply some lubricant and repeat for every following 50 hours of use (or 5-8 months).




HSM-MT026M



CONTAINER Q'TY (PCS)
 (20' /40' /40H)
 MT02: 89 / 198 / 232
 MT026M: 76 / 172 / 200

HSM-MT02



HSM-MT23B



CONTAINER Q'TY (PCS)
 (20' /40' /40H)
 MT23: 82 / 172 / 197
 MT05: 97 / 216 / 252

HSM-MT05G1



MODEL	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT02	1200x460mm	1.5/2.0HP	12P /1-12km/h	30.5/39	1465x750x1100mm(Unfold) 1465x750x200mm(Folded)	1565x765x245mm
HSM-MT026M	1200x460mm	1.5/2.0HP	12P /1-12km/h	46/51.5	1465x750x1150mm(Unfold) 1465x750x390mm(Folded)	1530x790x280mm


MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT23B	Speed / Dist./Time /Cal./Pulse	1200x400mm	1.5/DC2.0HP	12P /1-12km/h	37/42	1490x720x1100mm(Unfold) 690x720x1400mm(Folded)	1580x740x290mm
HSM-MT05G1	Speed / Dist./Time/ Cal./Pulse	1100x400mm	1.5HP	12P /1-12km/h	33/38	1350x720x1150mm(Unfold) 710x720x1250mm(Folded)	1435x755x255mm



THERE IS ALWAYS A STYLE THAT YOU NEED



HSM-MT28 Series




HSM-MT280GM



CONTAINER Q'TY (PCS)
(20' /40' /40H)
MT280GM: 92 / 206 / 242

MODEL	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT280GM	1200x420mm	1.5HP	12P /1-12km/h	32.5/38	1455x675x1105mm(Unfold) 1455x675x340mm(Folded)	1540x715x255mm



HSM-MT280M



HSM-MT270



CONTAINER Q'TY (PCS)
(20' /40' /40H)
MT270: 92 / 206 / 242
MT280M: 92 / 206 / 242



MODEL	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT270	1200x420mm	1.5HP	16P /1-12km/h	35/41.6	1465x730x1120mm(Unfold) 1455x710x350mm(Folded)	1540x715x255mm
HSM-MT280M	1200x420mm	1.5HP	16P /1-12km/h	32.5/38	1455x675x1105mm(Unfold) 1455x675x340mm(Folded)	1540x715x255mm



HSM-MT05L



HSM-MT05TI



CONTAINER Q'TY (PCS)

(20' / 40' / 40H)


MT05L: 80 / 170 / 189
MT05TI: 80 / 170 / 192



Lighting Effect



HSM-MT05G



HSM-MT05G6



CONTAINER Q'TY (PCS)

(20' / 40' / 40H)

MT05G: 70 / 150 / 178
MT05G6: 70 / 150 / 172



MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT05L	Speed / Dist./Time/ Cal./Pulse	1200x400mm	1.5HP	12P /1-12km/h	39/46	1560x690x1240mm(Unfold) 810x700x1420mm(Folded)	1625x715x280mm
HSM-MT05TI	Speed / Dist./Time/ Cal./Pulse	1200x400mm	1.5HP	12P /1-12km/h	39/43	1580x710x1250mm(Unfold) 700x700x1480mm(Folded)	1630x720x280mm

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT05G	Speed / Dist./Time /Cal./Pulse	1250x400mm	DC 2.0HP	12P /1-16km/h	42/47	1590x735x1150mm(Unfold) 615x735x1515mm(Folded)	1645x775x280mm
HSM-MT05G6	Speed / Dist./Time/ Cal./Pulse	1250x400mm	DC 2.0HP	12P /1-16km/h	48/53	1580x735x1170mm(Unfold) 615x735x1515mm(Folded)	1650x780x280mm



HSM-MT05F6I

- HAND PULSE
- MUSIC PLAYER
- 120KGS
- AUTOMATIC INCLINE



CONTAINER Q'TY (PCS)
 (20' / 40' / 40H)
 121 / 249 / 286

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-MT05F6I	Speed / Dist./Time/ Cal./Pulse	1200x420mm	2.0HP	12P /1-16km/h	40.2/45.5	1450x740x1070mm(Unfold) 810x700x1420mm(Folded)	1530x700x220mm



Lighting Effect



HSM-W20

- 110KGS
- HAND PULSE
- MULTIFUNCTION CONNECTION
- BRUSHLESS MOTOR



CONTAINER Q'TY (PCS)
 (20' / 40' / 40H)
 117 / 237 / 254

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W20	Speed / Dist. /Time/Cal.	1260X480mm	2.0HP	16P /1-16km/h	40/46.5	1530X810X1150mm(Unfold) 1530X755X195mm(Folded)	1635x830x220mm



WALKING TREADMILL

HSM-W03 Series




B MASSAGE MACHINE



A WALK MACHINE

CONTAINER Q'TY (PCS)
(20' /40' /40H)
W03S: 294 / 607 / 665



FOOT MASSAGE



REMOTE CONTROLLER



110KGS



2-SIDED WALKING MACHINE



3 REVERSE COUNTING FUNCTIONS

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W03S	Speed / Dist./Time/Cal./Pulse	1000x400mm	1.0HP	6P /1-8km/h	20/23	1190x555x140mm(Unfold)	1230x550x120mm



WALK / RUN

Hidden Storage

Save Space

HSM-W04 Series



TABLET HOLDER



REMOTE CONTROLLER



110KGS



RETAINING NUT



CONTAINER Q'TY (PCS)
(20' /40' /40H)
W04D: 230 / 515 / 605
W04D1: 220 / 493 / 579
W04D2/3: 202 / 452 / 528



HSM-W04D

HSM-W04D1

HSM-W04D2

HSM-W04D3



MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04D	Speed / Dist. /Time/Cal.	1000x400mm	0.75HP	6P / 1-6km/h	19/21	1250x520x125mm	1325x585x145mm
HSM-W04D1	Speed / Dist. /Time/Cal.	1000x400mm	0.75HP	6P / 1-10km/h	20/22	1250x590x1080mm(Unfold) 1310x590x125mm(Folded)	1355x600x145mm
HSM-W04D2	Speed / Dist. /Time/Cal.	1000x400mm	0.75HP	6P / 1-10km/h	21/24	1210x590x1090mm(Unfold) 1350x590x125mm(Folded)	1405x605x150mm
HSM-W04D3	Speed / Dist. /Time/Cal.	1000x400mm	0.75HP	6P / 1-10km/h	21/24	1210x590x1090mm(Unfold) 1350x590x125mm(Folded)	1405x605x150mm

HSM-W04L2D



CONTAINER Q'TY (PCS)
(20' /40' /40H)
108 / 629 / 740



MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04L2D	Speed / Dist. /Time/Cal.	920x380mm	1.0HP	6P / 1-6km/h	16/18	1087x500x115.5mm(Unfold) 1087x500x143mm(Folded)	1120x515x117mm



HSM-W04L1BL



CONTAINER Q'TY (PCS)
(20' /40' /40H)
W04L1BL: 524 / 924 / 1050
W04L2B: 364 / 738 / 806

HSM-W04L2B



MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04L1BL	Speed / Dist. /Time/Cal.	900x380mm	0.75HP	6P / 1-6km/h	17.5/21	1130x510x91mm	1130x510x91mm
HSM-W04L2B	Speed / Dist. /Time/Cal.	900x380mm	0.75HP	6P / 1-6km/h	16/19	1090x495x120mm	1120x515x123mm

HSM-W04M1A




0-30cm

CONTAINER Q'TY (PCS)
(20' /40' /40H)
108 / 629 / 740



MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04M1A	Speed / Dist. /Time/Cal.	920X380mm	0.75HP	6P / 1-10km/h	19.2/21.6	1080X575X1328mm(Unfold) 1080X570X112.5mm(Folded)	1120X580X120mm

HSM-W04M2A



CONTAINER Q'TY (PCS)
(20' /40' /40H)
W04M2A: 108 / 629 / 740




MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04M2A	Speed / Dist./Time/ Cal./Pulse	920X380mm	0.75HP	6P /1-10km/h	17.8/20.2	1078X542X114mm(Unfold) 1139.5x541x114.2mm(Folded)	1230x575x135mm



REMOTE CONTROLLER



100KGS



TABLET HOLDER



HYDRAULIC CYLINDER



CONTAINER QTY (PCS)

(20' /40' /40H)

W04F: 238 / 528 / 618
W04F1: 222 / 495 / 580



HSM-W04F1



HSM-W04F

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04F	Speed / Dist. /Time/Cal.	1000x400mm	0.75HP	6P / 1-6km/h	17.6/20.2	1250x520x115mm	1320x575x145mm
HSM-W04F1	Speed / Dist. /Time/Cal.	1000x400mm	0.75HP	6P / 1-8km/h	20/24	1250x590x1080mm(Unfold) 1310x590x125mm(Folded)	1350x600x145mm



RETAINING NUT

TABLET HOLDER

FOLDING



REMOTE CONTROLLER



100KGS



HSM-W04L4



CONTAINER QTY (PCS)

(20' /40' /40H)

W04L1: 313 / 699 / 880
W04L4: 259 / 578 / 685

HSM-W04L1

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04L4	Speed / Dist. /Time/Cal.	900x380mm	1.0HP	6P / 1-12km/h	18.6/21.0	1155x570x1065mm(Unfold) 1140x570x115mm(Folded)	1220x600x137mm
HSM-W04L1	Speed / Dist. /Time/Cal.	900x380mm	0.75HP	6P / 1-6km/h	16/19	1080x500x115mm	1150x555x130mm



100KGS



REMOTE CONTROLLER



AUTOMATIC INCLINE



HSM-W04C1



CONTAINER QTY (PCS)

(20' /40' /40H)

W04C1: 185 / 412 / 485
W04H1: 150 / 335 / 392



HSM-W04B

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04B	Speed / Dist. /Time/Cal.	1000x400mm	1.0HP	4P / 1-6km/h	23.8/27.2	1290x510x150mm	1330x560x170mm
HSM-W04C1	Speed / Dist. /Time/Cal.	1000x400mm	1.0HP	6P / 1-6km/h 1-12km/h	25.5/30	1255x615x1115mm	1350x610x170mm



REMOTE CONTROLLER

RETAINING NUT



AUTOMATIC INCLINE

110KGS



Remote Controller



HSM-W04H

CONTAINER QTY (PCS)

(20' /40' /40H)

W04B:205/458/ 537
W04H: 132 / 296 / 340

HSM-W04H1

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04H1	Speed / Dist. /Time/Cal.	1000x400mm	0.75HP	6P / 1-8km/h	27/32	1260x580x158mm	1375x645x195mm
HSM-W04H	Speed / Dist. /Time/Cal.	1000x400mm	0.75HP	6P / 1-8km/h;12km/h	32.6/38	1300x650x1010mm(Unfold) 1350x650x155mm(Folded)	1445x695x195mm




HSM-W04G5D



HSM-W04G5C

CONTAINER Q'TY (PCS)
(20' / 40' / 40H)
W04G5: 340 / 740 / 851
W04G5C: 247 / 513 / 594

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04G5D	Speed / Dist./Time/Cal./Pulse	900x400mm	1.0HP	6P / 1-6km/h	15.8/18.6	1097x521x109.3mm	1185x585x135mm
HSM-W04G5C	Speed / Dist./Time/Cal./Pulse	1000x400mm	1.0HP	6P / 1-10km/h	19.6/23	1197X592X1095mm(Unfold) 1258X592X106.5mm(Folded)	1320X600X120mm



HSM-W04L

HSM-W04L6

CONTAINER Q'TY (PCS)
(20' / 40' / 40H)
W04L: 255 / 568 / 660
W04L6: 232 / 518 / 608

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W04L	Speed / Dist./Time/Cal.	1000x400mm	0.75HP	6P / 1-6km/h	17.5/21	1190x520x108mm	1280x570x140mm
HSM-W04L6	Speed / Dist./Time/Cal.	1000x400mm	0.75HP	6P / 1-12km/h	21.6/24	1185x625x1060mm(Unfold) 1250x625x120mm(Folded)	1320x605x140mm

WALKING TREADMILL



HSM-W05B



CONTAINER Q'TY (PCS)
(20' / 40' / 40H)
256 / 575 / 672



MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W05B	Speed / Dist./Time/Cal.	670x400mm	0.5HP	3P / 0.5-5km/h	18.5/21.3	750x630x(817-1035)mm (UnFold) 810X630X175mm (Folded)	875x675x(227/115)mm



HSM-W06 Series



CONTAINER Q'TY (PCS)

(20' / 40' / 40H)

W06C2: 175 / 390 / 458
W06D5B: 162 / 362 / 425
W06C1: 180 / 402 / 472



HSM-W06C2



HSM-W06C1

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W06D5B	Speed / Dist. / Time / Cal.	1000x400mm	1.0HP	6P / 1-12km/h (1-6km/h)	26/29	1270x670x1050mm(Unfold) 1455x670x110mm(Folded)	1440x715x155mm
HSM-W06C2	Speed / Dist. / Time / Cal.	1000x400mm	1.0HP	6P / 1-10km/h	20.6 / 22.6	1260x645x1080mm(Unfold) 1320x645x110mm(Folded)	1390x690x155mm
HSM-W06C1	Speed / Dist. / Time / Cal.	1000x400mm	1.0HP	6P / 1-10km/h	22.5/25.5	1260x650x1310mm(UnFold) 1540x650x120mm(Folded)	1350x690x155mm




CONTAINER Q'TY (PCS)

(20' / 40' / 40H)

W08: 103 / 226 / 266
W08A: 72 / 162 / 192

HSM-W08A



QUICK FOLD



HSM-W08

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W08	Speed / Dist. / Time / Cal.	1200x450mm	DC 2.0HP	16P / 1-16km/h	42/47	1500x740x1150mm(Unfold) 1810x740x220mm(Folded)	1800x800x175mm
HSM-W08A	Speed / Dist. / Time / Cal.	1200x450mm	DC 2.0HP	16P / 1-16km/h	48/54	1525x745x1200mm(Unfold) 1820x745x305mm(Folded)	1810x810x240mm

HSM-W09 Series



CONTAINER Q'TY (PCS)

(20' / 40' / 40H)

W09E: 176 / 395 / 462



HSM-W09E



MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W09E	Speed / Dist./Time / Cal./Pulse	1100x400mm	DC1.5HP	6P 1-14km/h; (1-6km/h)	27.5/31	1335x665x1050mm (Unfold) 1500x665x135mm (Folded)	1475x720x138mm



HSM-W09C6



HSM-W09C



Incline



CONTAINER Q'TY (PCS)

(20' / 40' / 40H)

W09C: 146 / 326 / 382
W09C6: 125 / 280 / 330



(W09B)



(W09B1)



HSM-W09B1



HSM-W09B



CONTAINER Q'TY (PCS)

(20' / 40' / 40H)

W09B: 140 / 310 / 363
W09B1: 140 / 310 / 363

RUNNING WALKING




MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W09C	Speed / Dist. / Time/Cal.	1100x400mm	DC2.0HP	4P; 1-14km/h; 1-6km/h	33/37	1370x715x1070mm(Unfold) 1440x690x115mm (Folded)	1530x750x155mm
HSM-W09C6	Speed / Dist. / Time/Cal.	1100x400mm	DC2.0HP	4P; 1-14km/h; 1-6km/h	39.5/44.2	1370x755x1115mm(Unfold) 1530x730x170mm (Folded)	1530x750x180mm

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W09B	Speed / Dist. / Time/Cal.	1100x400mm	DC2.0HP	4P 1-14km/h; 1-6km/h	34/38.5	1370x685x1120mm(Unfold) 1555x685x185mm (Folded)	1560x750x160mm
HSM-W09B1	Speed / Dist. / Time/Cal.	1100x400mm	DC2.0HP	4P 1-14km/h; 1-6km/h	34/38.5	1370x685x1120mm(Unfold) 1555x685x185mm (Folded)	1560x750x160mm



HSM-W11D5



CONTAINER Q`TY (PCS)
(20`/40`/40H)
146 / 328 / 385

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W11D5	Speed / Dist. / Time / Cal.	1100x440mm	1.5HP	6P / 1-10km/h	28/32	1335x690x1050mm(UnFold) 1520x690x110mm(Folded)	1550x735x155mm

HSM-W12 Series

HSM-W12A



HSM-W12A1

CONTAINER Q`TY (PCS)
(20`/40`/40H)
W12A: 239 / 533 / 622
W12A1: 196 / 440 / 515

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-W12A	Speed / Dist. / Time / Cal.	1000x420mm	0.75HP	6P / 1-8km/h	19.7/23	1246x542x113mm	1305x595x140mm
HSM-W12A1	Speed / Dist. / Time / Cal.	1000x420mm	0.75HP	6P / 1-12km/h	23/25.6	1245x633x1060mm(Unfold) 1285x633x113mm(Folded)	1340x675x145mm



HSM-T12 Series



HSM-T12C5



CONTAINER Q`TY (PCS)
(20`/40`/40H)
T12C1: 118 / 262 / 308
T12C5: 120 / 268 / 312



HSM-T12C1

HSM-T12C8

HSM-T12C11

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-T12C5	Speed / Dist. / Time / Cal. / Pulse	1000x400mm	1.0HP	12P / 1-12km/h	27/30	1280x620x1170mm(Unfold) 630x620x1170mm(Folded)	1340x660x245mm
HSM-T12C1	Speed / Dist. / Time / Cal. / Pulse	1000x400mm	1.0HP	12P / 1-12km/h	26.5/31	1250x620x1080mm(Unfold) 630x620x1170mm(Folded)	1335x660x250mm



HSM-T12D7

HSM-T12D12

CONTAINER Q'TY (PCS)
(20' /40' /40H)
T12D7 : 155 / 345 / 405
T12D7A : 158 / 356 / 415
T12D12 : 127 / 285 / 335



MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-T12D7	Speed / Dist./Time /Cal.	1000x400mm	1.5HP	12P /1-12km/h	26.2/29.2	1240x620x1060mm (Unfold) 1338x620x130mm (Folded)	1415x660x180mm
HSM-T12D7A	Speed / Dist./Time /Cal.	1000x400mm	1.5HP	12P /1-12km/h	27.5/29.9	1240x620x1070mm (Unfold) 1290x620x130mm (Folded)	1370x660x180mm
HSM-T12D12	Speed / Dist./Time /Cal./Pulse	1000x400mm	1.0HP	12P /1-10km/h	26.5/31.5	1280x660x1115mm (Unfold) 1250x660x205mm (Folded)	1345x660x230mm



HSM-T12F1B

HSM-T12D6

CONTAINER Q'TY (PCS)
(20' /40' /40H)
T12D6: 238 / 489 / 531
T12F1B: 149 / 308 / 400

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-T12F1B	Speed / Dist./Time /Cal./Pulse	1000x400mm	1.0HP	6P /1-12km/h	22.5/27	1227.7X644X1109mm (Unfold) 1228.7X614X167mm (Folded)	1275X630X220mm
HSM-T12D6	Speed / Dist./Time /Cal./Pulse	1000x400mm	1.0HP	12P /1-12km/h	24.5/28	1230X655X1030mm (Unfold) 1245X655X130mm (Folded)	1285x635x160mm

New Control Panel



MOTORIZED TREADMILL

MOTORIZED TREADMILL



HSM-T20 Series

- HAND PULSE
- 110KGS
- HYDRAULIC CYLINDER



CONTAINER Q'TY (PCS)
(20' / 40' / 40H)
T20: 130 / 260 / 310


MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-T20	Speed / Dist./Time/ Cal./Pulse	1100x400mm	1.5HP	6P / 1-14km/h	29.8/33.5	1474.3X604X1124mm(Unfold) 1334.5X604X220mm(Folded)	1380X625X225mm

Recommendations for the elderly

HSM-T04F8



- Folding
- 110KGS
- Manual Incline
- SAFETY HANDLE
- HYDRAULIC CYLINDER



HSM-W06G

- SAFETY HANDLE
- 110KGS
- HYDRAULIC CYLINDER



CONTAINER Q'TY (PCS)
(20' / 40' / 40H)
T04F8: 84 / 182 / 208
W06G: 123 / 275 / 336

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-T04F8	Speed / Dist./Time/Cal.	1000x340mm	1.0HP	12P / 1-10km/h	29/33	1370x620x1320mm(Unfold) 620x260x1320mm(Folded)	1350x650x330mm
HSM-W06G	Speed / Dist./Time/Cal.	1100x430mm	1.0HP	0.5-6km/h	31.5/ 37	1370x655x1110mm(Unfold)	1455x690x210mm

HSM-T09 Series



HSM-T09B4

- Folding
- 110KGS
- Manual Incline
- TRANSPORT WHEELS
- HYDRAULIC CYLINDER



CONTAINER Q'TY (PCS)
(20' /40' /40H)
149 / 308 / 400

- Folding
- 110KGS
- HYDRAULIC CYLINDER
- Manual Incline
- HAND PULSE




CONTAINER Q'TY (PCS)
(20' /40' /40H)
149 / 308 / 400



HSM-T09B6

MODEL	LCD Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-T09B4	Speed / Dist./Time/ Cal./Pulse	1000x340mm	1.0HP	12P / 1-10km/h	26/30	1230x635x1270mm(Unfold) 555x635x1270mm(Folded)	1295x620x210mm
HSM-T09B6	Speed / Dist./Time/ Cal./Pulse	1000x340mm	1.0HP	12P / 1-12km/h	26/30	1260x615x1240mm(Unfold) 590x615x1240mm(Folded)	1295x620x210mm

Others




MANUAL TREADMILL Mechanical Power



HSM-B8


LCD Screen : Speed / Dist./Time/Cal./Pulse
Runway Size: 1000 x 360 mm
N.W./G.W. : 23 / 26 KGs
Product Size: 1210x630x1330mm(Unfold)
 580x630x1230mm(Folded)
Carton Size: 1320x650x280mm
20'/40'/40H: 108 / 239 / 282



Folding Resistance Distance 80KGS

HSM-B5

LCD Screen : Speed / Dist./Time/Cal.
Runway Size: 1000 x 360 mm
N.W./G.W. : 23 / 26 KGs
Product Size: 1190x630x1080mm(Unfold)
 340x630x1180mm(Folded)
Carton Size: 1245x230x665mm
20'/40'/40H: 130 / 260 / 348




Folding Resistance Distance 80KGS



HSM-B4

LCD Screen : Speed / Dist./Time/Cal.
Runway Size: 750 x 270 mm
N.W./G.W. : 13 / 15 KGs
Product Size: 870x530x945mm(Unfold)
 390x530x945mm(Folded)
Carton Size: 965x525x200mm
20'/40'/40H: 264 / 528 / 672



Folding Distance 80KGS



Distance



80KGS

HSM-B1/B2

LCD Screen : Speed / Dist./Time/Cal.
Runway Size: 750 x 275 mm
N.W./G.W. : B1: 13/15kgs B2: 13/14.5kgs
Product Size: B1: 800x465x1000mm(Unfold)
 170x465x1000mm(Folded)
 B2: 800x490x1040mm(Unfold)
 250x490x1040mm(Folded)
Carton Size: B1: 990x510x190mm
 B2: 1015x530x225mm
20'/40'/40H: B1: 265 / 599 / 708
 B2: 210 / 469 / 558

HSM-B10

LCD Screen : Speed / Dist./Time/Cal.
Runway Size: 925x340mm
N.W./G.W. : 20/22 KGs
Product Size: 1040x525x(825-1132)mm (Unfold)
 1075x525x135mm (Folded)
Carton Size: 1125x550x150mm
20'/40'/40H: 288 / 630 / 750




Distance 80KGS SHIFT TELESOPING



HSM-B15M


LCD Screen : Speed / Dist./Time/Cal.
Runway Size: 1035x340mm
N.W./G.W. : 19.5/24 KGs
Product Size: 1284x630x1158mm (Unfold)
 400x630x1200mm (Folded)
Carton Size: 1260x645x280mm
20'/40'/40H: 119 / 256 / 304



Folding Manual Incline Elastic Ropes 120KGS

CAZY FIT MASSAGE

HSM-V200



ELASTIC ROPES



120KGS



CONTAINER Q'TY (PCS)
(20' / 40' / 40H)
810 / 1665 / 1887




LED Screen	Timing	Power	Speed	N.W./G.W. (KG)	Product Size	Carton Size
Speed / Time / Mode / PRO / Pulse	1-15mins	200W	99 Levels	9/10	577x332x124mm	630x375x150mm

Fitness Massager CRAZY FIT MASSAGER

HSM-08VW

Screen: Speed / Dist./Time/Mode
Timing: 1-15mins
Power: 500+300W
Speed: 20 Level
N.W./G.W.: 20.6/21.8KGS
Product Size: 775x430x180mm
Carton Size: 845x485x220mm
20'ft/40'ft/40HQ: 280 / 640 / 726



PULL ROD FUNCTION



VERTICAL MOTION



3D MOTION



110KGS

STRIP LIGHTS COLOR SELECTION



HSM-08VQ

Screen: Speed / PRO./Time/Mode
Timing: 1-10mins
Power: 500W+300W
Speed: 20 Level
N.W./G.W.: 20.88/24 KGS
Product Size: 805x450x190mm
Carton Size: 835x485x250mm
20'ft/40'ft/40HQ: 252 / 558 / 620



PULL ROD FUNCTION



VERTICAL MOTION



110KGS

HSM-08VB1

Screen: Speed / Dist./Time/Mode/PRO.
Timing: 1-10mins
Power: 500W+300W
Speed: 20 Level
N.W./G.W.: 19.6/20.8 KGS
Product Size: 800x450x150mm
Carton Size: 850x500x200mm
20'ft/40'ft/40HQ: 308 / 649 / 767



PULL ROD FUNCTION



VERTICAL MOTION



110KGS



HSM-08VU

Screen: Speed / Dist./Time/Mode/PRO.
Timing: 1-15mins
Power: 200W
Speed: 99 Level
N.W./G.W.: 9/11 KGS
Product Size: 565x323x129mm
Carton Size: 590x380x170mm
20'ft/40'ft/40HQ: 702 / 1520 / 1770




HSM-08VC

Screen: Speed / Dist./Time/Mode/PRO.
Timing: 1-10mins
Power: 200W
Speed: 16 Level
N.W./G.W.: 23/26 KGS
Product Size: 780x430x350mm
Carton Size: 835x485x390mm
20'ft/40'ft/40HQ: 368 / 368 / 432



HSM-08VM

Screen: Speed / Dist./Time/Mode/PRO.
Timing: 1-10mins
Power: 200W
Speed: 99 Level
N.W./G.W.: 8.5/11 KGS
Product Size: 530x320x145mm
Carton Size: 590x385x180mm
20'ft/40'ft/40HQ: 648 / 1440 / 1680



Adjustable range:
0-16 cm

Suitable for heights:
90-190 cm

①

HSM-08VX

① **Screen:** Speed / Dist./Time/Mode/PRO.
Timing: 1-20mins
Power: 300W
Speed: 20 Level
N.W./G.W.: 16.8/18.2 KGS
Product Size: 680x380x1105mm
Carton Size: 745x470x196mm
20'ft/40'ft/40HQ: 432 / 900 / 975



New leather for the pedal



HSM-08VX1

② **Screen:** Speed / Dist./Time/Mode/PRO.
Timing: 1-10mins
Power: 300W
Speed: 20 Level
N.W./G.W.: 11.5/14 KGS
Product Size: 680x380x120mm
Carton Size: 755x450x165mm
20'ft/40'ft/40HQ: 490 / 1086 / 1280



HSM-08VS

Screen: Speed / Dist./Time/Mode/PRO.
Timing: 1-10mins
Power: 200W
Speed: 99 Level
N.W./G.W.: 8.7/9.8 KGS
Product Size: 530x320x145mm
Carton Size: 635x390x160mm
20'ft/40'ft/40HQ: 700 / 1500 / 1720

New leather for the pedal



HSM-08VS1



HSM-08VK1

Screen: Speed / Dist./Time/Mode/PRO.
Timing: 1-10mins
Power: 300W
Speed: 99 Level
N.W./G.W.: 9.5 / 12 KGS
Product Size: 533x414x120mm
Carton Size: 595x475x145mm
20'ft/40'ft/40HQ: 672 / 1456 / 1638

- PULL ROD FUNCTION
- VERTICAL MOTION
- 90KGS



HSM-08VL

Screen: Speed / Dist./Time/Mode/PRO.
Timing: 1-10mins
Power: 200W
Speed: 99 Level
N.W./G.W.: 8/9.5 KGS
Product Size: 400x350x124mm
Carton Size: 465x415x155mm
20'ft/40'ft/40HQ: 837 / 1918 / 2100

- VERTICAL MOTION
- 90KGS




MINI PLATE



HSM-08VE

Screen: Speed / Dist./Time/Mode/PRO.
Timing: 1-10mins
Power: 200W
Speed: 99 Level
N.W./G.W.: 8.0/9. KGS
Product Size: 530x320x125mm
Carton Size: 590x380x145mm
20'ft/40'ft/40HQ: 799 / 1782 / 2092

New leather for the pedal



HSM-08VE1



HSM-V03

Screen: Speed /Time/Mode/PRO./Pulse
Timing: 1-10mins
frequency: 480-720RPM
Speed: 99 Levels
N.W./G.W.: 1.8/2.2 KGS
Product Size: 577x332x124mm
Carton Size: 370x245x85mm
20'ft/40'ft/40HQ: 2921 / 5865 / 6630

- VERTICAL MOTION
- 90KGS
- HEATING

HSM-FM100

Foot Massger 3-in-1
 Timing:1-10minutes; 10Levels
 Rated Power:30W
 Product Size:39.5x36x12.2cm
 Carton Size:42.5x41.5x16.5cm
 N.W./G.W.: 3.5 /4.7KGS
 20'ft/40'ft/40HQ:890/1840/2270



HSM-08VA



HSM-08V5

- 
 VERTICAL MOTION
- 
 110KGS
- 
 EXTENSION



CONTAINER Q 'TY (PCS)
 (20' /40' /40H)
 256 / 527 / 600



MODEL	LED Screen	Timing	Power	Speed	N.W./G.W. (KG)	Product size	Carton size
HSM-08V5	Speed /Time/Cal or Prog.	1-15mins	500W	15 Levels	15.5/17.5	540x570x1170mm	685x565x290mm
HSM-08VA	Speed /Time/Cal or Prog.	1-15mins	500W	15 Levels	15.5/17.5	520x520x1030mm	685x565x290mm

HSM-FM200

Foot Massger 3-in-1
 Timing:1-10minutes; 10Levels
 Rated Power:30W
 Product Size:39.5x36x12.2cm
 Carton Size:42.5x41.5x16.5cm
 N.W./G.W.: 3.5 /4.7KGS
 20'ft/40'ft/40HQ:890/1840/2270



HSM-08VR



- MUSIC PLAYER
- Vertical Motion
- 120kgs
- Elastic Ropes



CONTAINER Q'TY (PCS)
(20' /40' /40H)
200 / 420 / 476

LED Screen	Timing	Power	Speed	N.W./G.W. (KG)	Product Size	Carton Size
Speed /Time/Mode/PRO.	1-15mins	500W	15 Levels	20/22	620x580x1080mm	650x500x260mm

HSM-08VN

- MUSIC PLAYER
- Vertical Motion
- 120kgs
- Elastic Ropes



CONTAINER Q'TY (PCS)
(20' /40' /40H)
135 / 288 / 320

LED Screen	Timing	Power	Speed	N.W./G.W. (KG)	Product Size	Carton Size
Speed /Time/Mode/PRO.	1-15mins	500W	99 Levels	27.5/31	660x600x1180mm	1160x730x250mm

CAZY FIT MASSAGE



- Transport Wheels
- Vertical Motion
- 120kgs
- Elastic Ropes



CONTAINER Q'TY (PCS)
(20' /40' /40H)
135 / 288 / 320

08VF



08VD

08VT

LED Screen	Timing	Power	Speed	N.W./G.W. (KG)	Product Size	Carton Size
Speed /Time/Mode/PRO/Pulse	1-10mins	500W	99 Levels	27.5/31	710x700x1080mm	1160x730x250mm

HOT

MEDICAL RECOVERY BIKE

Easy assistance and reassurance

HSM-20CE

- 1-15mins TIMING
- Bidirection
- Distance
- 120KGS



CONTAINER Q'TY (PCS)
(20' /40' /40H)
238 / 500 / 600



Timing: 1-15 mins

Speed: 1-12 levels



Control Panel



Height adjustment by hydraulic cylinder

LED Screen	Speed	N.W. / G.W. (KG)	Power	Product Size	Carton Size
Speed / Dist./ Time /Cal.	1-12 Levels	16/18.5	70W x 2	700x640x1000mm	815x645x210mm

HSM-30CEB



HSM-20CEB



- 1-15mins TIMING
- Bidirection
- Distance
- 120KGS



CONTAINER Q'TY (PCS)
(20' /40' /40H)
230 / 480 / 528



LED Screen	Speed	N.W. / G.W. (KG)	Power	Product Size	Carton Size
Speed / Dist./ Time /Cal.	1-12 Levels	16/18.5	70W x 2	700x640x1000mm	810x700x210mm

ELECTRIC MINI BIKE

HSM-40CE ^{NEW}



1-20mins
TIMING



Voice
Broadcast



Bidirection



120KGS



Height adjustment
by hydraulic cylinder



Large LCD
screen display



Adjustable Angle

CONTAINER Q'TY
(PCS)

(20' /40' /40H)
206 / 458 / 540

LED Screen	Speed	N.W. / G.W. (KG)	Motor	Product Size	Carton Size
Speed / Dist./ Time /Cal./RPM	6 Levels / 12 Levels	14.1 / 16	70Wx2	600x420x950mm	705x635x280mm

HSM-50CEA



1-15mins
Timing



Calorie



Bidirection



110kgs



CONTAINER Q'TY
(PCS)

(20' /40' /40H)
675 / 1400 / 1540

LCD Screen	Speed	N.W. / G.W. (KG)	Power	Product Size	Carton Size
Speed / Dist./ Time /Cal.	12 Levels	4.5/6.0	70W	420x400x290mm	460x420x220mm

ELECTRIC MINI BIKE



Timing: 1-15 mins

Speed: 1-12 levels

Angle Adjustment

HSM-80CE



1-15mins
TIMING



Bidirection



Distance



120KGS



Control Panel



CONTAINER Q'TY
(PCS)

(20' /40' /40H)
196 / 439 / 515 (Host)
360 / 800 / 940 (Chair)

LED Screen	Speed	N.W. / G.W. (KG)	Motor	Product Size	Carton Size
Speed / Dist./ Time /Cal.	12 Levels	25.6/28	70Wx2	1485x666x1228mm(Unfold) 1376x666x910mm(Folded)	965x255x545mm(HOST) 700x235x435mm(CHAIR)

HSM-60CE



1-15mins
Timing



Calorie



Bidirection



110kgs



CONTAINER Q'TY
(PCS)

(20' /40' /40H)
610 / 1360 / 1595



Remote Control

LCD Screen	Speed	N.W. / G.W. (KG)	Motor	Product Size	Carton Size
Speed / Dist./ Time /Cal.	12Levels	4.5/6.0	70W	433x405x264mm	495x410x210mm

MAGNETIC EXERCISE BIKE Upright, Aerobic Trainer

MODEL	LCD Screen	Flywheel System	Resistance	Altitude Control	N.W./G.W. (KG)	Product Size	Carton Size
HSM-B135J3	Speed / Dist./Time /Cal./Pulse	1.5kg	8 Levels	7 Levels	14.4 / 16.7	940x465x1100mm	955x415x200mm
HSM-B135J4	Speed / Dist./Time /Cal./Pulse	1.5kg	8 Levels	7 Levels	16.6 / 18.9	1110x525x1100mm	955x415x200mm
HSM-B135J5	Speed / Dist./Time /Cal./Pulse	1.5kg	8 Levels	7 Levels	17 / 19.1	1110x525x1100mm	955x415x225mm

- Folding
- Distance
- 110kgs
- Transport Wheels



CONTAINER Q'TY (PCS)
 (20' / 40' / 40H)
 B135J3/J4 : 326 / 729 / 855
 B135J5 : 290 / 650 / 762



B131A

HSM-B130/131A

B130A



LCD Screen : Speed / Dist./Time/Cal.
Flywheel System : 1.5kg
Resistance : 8 Levels
Altitude Control : 7 Levels
N.W./G.W. : 14.5 / 17.0 kgs
Product Size : 930x420x1300mm
Carton Size : 1165x435x210mm
20'ft/40'ft/40HQ : 260 / 540 / 650

- Folding
- Transport Wheels
- Distance
- 110kgs



HSM-B133B

LCD Screen : Speed / Dist./Time/Cal.
Flywheel System : 1.5kg
Resistance : 8 Levels
Altitude Control : 7 Levels
N.W./G.W. : 15 / 17.4 kgs
Product Size : 1070x465x1100mm
Carton Size : 1165x415x200mm
20'ft/40'ft/40HQ : 269 / 600 / 706

- Folding
- Transport Wheels
- Distance
- 110kgs



MAGNETIC EXERCISE BIKE

MAGNETIC EXERCISE BIKE

HSM-B135EC

LCD Screen : Speed /Dist./Time/Cal./Pulse
Flywheel System : 1.5kg
Resistance : 8 Levels
Altitude Control : 7 Levels
N.W./G.W. : 21/23.5 kgs
Product Size : 1450x530x1100mm
Carton Size : 1165x435x245mm
20'ft/40'ft/40HQ : 206 / 450 / 499

- 
Folding
- 
Transport
Wheels
- 
Distance
- 
110kgs



HSM-B136D

LCD Screen : Speed / Dist./Time/Cal./Pulse
Flywheel System : 1.5kg
Resistance : 8 Levels
Altitude Control : 7 Levels
N.W./G.W. : 18 / 20 kgs
Product Size : 970x530x1125mm
Carton Size : 955x415x225mm
20'ft/40'ft/40HQ : 290 / 630 / 748

- 
Folding
- 
Transport
Wheels
- 
Distance
- 
110kgs



HSM-B139HI

LCD Screen : Speed /Dist./Time/Cal.
Flywheel System : 1.5kg
Resistance : 8 Levels
Altitude Control : 7 Levels
N.W./G.W. : 15 / 17 kgs
Product Size : 1025x535x1040mm
Carton Size : 910x415x200mm
20'ft/40'ft/40HQ : 336 / 750 / 878

- 
Folding
- 
Transport
Wheels
- 
Distance
- 
110kgs



HSM-B138B2

LCD Screen : Speed / Dist./Time/Cal.
Flywheel System : 1.5kg
Resistance : 8 Levels
Altitude Control : 7 Levels
N.W./G.W. : 18 / 20 kgs
Product Size : 830x460x1140mm
Carton Size : 1310x415x235 mm
20'ft/40'ft/40HQ : 220 / 460 / 506

- 
Folding
- 
Transport
Wheels
- 
110kgs



HSM-B138B5

LCD Screen : Speed / Dist./Time/Cal.
Flywheel System : 1.5kg
Resistance : 8 Levels
Altitude Control : 4 Levels
N.W./G.W. : 9 / 22 kgs
Product Size : 1090x535x1460mm
Carton Size : 1240x535x220mm
20'ft/40'ft/40HQ : 180 / 398 / 466

- 
Folding
- 
Transport
Wheels
- 
110kgs



B138B2




B138B5

Magnetic exercise Bike

Upright, Aerobic Trainer

HSM-B100F



CONTAINER Q 'TY (PCS)
(20' /40' /40H)
312 / 628 / 707



LCD Screen	Flywheel System	Resistance	Altitude Control	N.W./G.W. (KG)	Product Size	Carton Size
Scan/Speed /Time RPM/ Dist./Cal./A	2.5/3.5kg	8Levels	7Levels	17.5/20	500x500x1055mm	765x230x520mm



HSM-B300/M

HSM-B150T



HSM-B180T



CONTAINER Q 'TY (PCS)
(20' /40' /40H)
B300/M: 188 / 342 / 400
B180T: 192 / 428 / 520
B150T: 252 / 568 / 660



MODEL	LCD Screen	Flywheel System	Resistance	Altitude Control	N.W./G.W. (KG)	Product Size	Carton Size
HSM-B300	Speed / Dist./Time /Cal./Pulse/ODO.	4.0kg	8 Levels	7 Levels	24.8/28.0	970x490x1360 mm	980x285x600 mm
HSM-B300M	Speed / Dist./Time/Cal. /Pulse/RPM/ODO.	4.0kg	24 Levels Electric Control / P1-P19	7 Levels	24.8/28.0	970x490x1360 mm	980x285x600 mm
HSM-B180T	Speed / Dist./Time /Cal./Pulse	4.0kg	8 Levels	7 Levels	21.5/23.0	820x460x1300 mm	845x295x540mm
HSM-B150T	Speed / Dist./Time /Cal./Pulse	4.0kg	8 Levels	7 Levels	20/23.0	750x230x590mm	820x505x1220 mm

MAGNETIC EXERCISE BIKE

MAGNETIC EXERCISE BIKE

HSM-R300

- Distance
- 110kgs



CONTAINER QTY (PCS)
(20' /40' /40H)
102 / 228 / 268



LCD Screen	Flywheel System	Resistance	Altitude Control	N.W./G.W. (KG)	Product Size	Carton Size
Speed / Dist./Time/ Cal./Pulse	4.0kg	24 Levels Electric Control / P1-P19	7Levels	32/36	1325x640x1130mm	1365x280x640mm

FB60

- Folding
- Transport Wheels
- Distance
- 110kgs



CONTAINER QTY (PCS)
(20' /40' /40H)
280/872/645



LCD Screen	Resistance	Altitude Control	N.W./G.W. (KG)	Product Size	Carton Size
Speed / Dist./Time/ Cal.	24 Levels Electric Control / P1-P19	7Levels	18.5/20.5	940x620x220mm	895x205x592mm



- Transport Wheels
- Hande Pulse
- 110kgs

HSM-E300M



HSM-E150T



HSM-E180T



CONTAINER QTY (PCS)
(20' /40' /40H)
E150T: 175 / 240 / 419
E180T: 159 / 327 / 389
E300: 126 / 288 / 336

MODEL	LCD Screen	Flywheel System	Resistance	N.W./G.W. (KG)	Product Size	Carton Size
HSM-E150T	Speed / Dist./Time /Cal./Pulse	4.0kg	8 Levels	27/29.5	1120X500X1480mm	980x320x530mm
HSM-E180T	Speed / Dist./Time /Cal./Pulse	4.0kg	8 Levels	26.5/29.5	1120X500X1480mm	1035x325x530mm
HSM-E300	Speed / Dist./Time /Cal./Pulse	4.0kg	24 Levels Electric Control / P1-P19	30/33.2	1265x600x1650mm	1120x280x640mm

Parameter		Parameter		Parameter	
	Model: B130 Size: 16x20x3.5cm Battery: AAX2		Model: B135 Size: 13.5x17x3.5cm Battery: AAX2		Model: B137 Size: 20x20x5.5cm Battery: AAX2
	Model: B180 Size: 13.5x19x5cm Battery: AAX2		Model: B120 Size: 15x18x5cm Battery: AAX2		Model: B100T (ST6577) Size: 17x23x6.5cm Battery: AAX2
	Model: B100 Size: 17x21x5.5cm Battery: AAX2		Model: B136D Size: 18x23x6cm Battery: AAX2		Model: B150T Size: 12.8x17x5cm Battery: AAX2
	Model: B170 Size: 15.8x22x5cm Battery: AAX2		Model: B135J Size: 12x19.5x3cm Battery: AAX2		Model: 3533S Size: 12.5x17x5cm Battery: AAX2
<i>NEW</i> 	Model: B101 Size: 12x18x3cm Battery: AAX2	<i>NEW</i> 	Model: B102 Size: 14x18.5x5.2cm Battery: AAX2	<i>NEW</i> 	Model: B103 Size: 12x17x2cm Battery: CR2032 /CR2035
<i>NEW</i> 	Model: B104 Size: 11x16.3x3cm Battery: AAX2	<i>NEW</i> 	Model: B105 Size: 12x18x3.3cm Battery: AAX2	Panel List	



X-Bike Flywheel List				Upright Bike Flywheel List		
1.0kg	1.5kg	2.5kg	3.0kg	2.5kg	3.5kg	5.5kg



SPINNING BIKE - S302

- ✓ 1. Transport Wheels
- ✓ 2. Big Comfortable Seat Cushion
- ✓ 3. Tablet Holder
- ✓ 4. Refined Steel Structure



HSM-S302 Spinning Bike

Screen	APP LINK
Flywheel System	6.0 / 10.0 KG
Resistance	Stepless / APP 1-10 Levels
Altitude Control	Handrail(1-5 Levels) Cushion(1-7 Levels)
N.W./G.W.	25/28.5 KGS
Product Size	1075x252x1090mm
Carton Size	1010x255x780 mm
20'/40'/40H	129 / 288 / 340



Transport Wheels



120kgs



Tablet Holder



6Kg

or



10Kg



HSM-S50 Spinning Bike

Screen	/
Flywheel System	1.7 KG
Resistance	Stepless / APP 1-10 Levels
Altitude Control	Handrail(1-6 Levels) Cushion(1-6 Levels)
N.W./G.W.	13.5/16 KGS
Product Size	905x465x940mm
Carton Size	865x195x725 mm
20'/40'/40H	210 / 470 / 552



100kgs



Transport Wheels

HSM-S60 Spinning Bike

Screen	APP LINK
Flywheel System	4.0 / 6.0 KG
Resistance	Stepless / APP 1-10 Levels
Altitude Control	Handrail(1-5 Levels) Cushion(1-7 Levels)
N.W./G.W.	16.6/18.8 KGS
Product Size	907x490x1037mm
Carton Size	865x230x675 mm
20'/40'/40H	192 / 430 / 542



Transport Wheels



100kg



4Kg

or



6Kg

Spinning Bike

Upright, Aerobic Trainer



- 120kgs
- Transport Wheels
- SELF-GENERATING
- Tablet Holder



CONTAINER Q`TY (PCS)
(20`/40`/40H)
130 / 290 / 342

- 120kgs
- Transport Wheels
- Tablet Holder
- SELF-GENERATING



Optical Heart Rate



HSM-ES900



CONTAINER Q`TY (PCS)
(20`/40`/40H)
144 / 298 / 336

HSM-S800 Spinning Bike



LCD Screen	Flywheel System	Resistance	Altiude Control	N.W./G.W. (KG)	Product Size	Carton Size
Scan/Speed /Time RPM/ Dist./Cal.	4.0kg	1-24Levels	7Levels	25 / 28.5	1060x525x985mm	990x230x870mm

HSM-ES900 Spinning Bike



LCD Screen	Flywheel System	Resistance	Altiude Control	N.W./G.W. (KG)	Product Size	Carton Size
Scan/Speed /Time RPM/ Dist./Cal.	8.0kg	1-32Levels	9Levels	32.5/37	1130x545x1155mm	1050x230x850mm


HSM-R06

Optional


Rowing Machine

- ✓ 1. Vertical Storage
- ✓ 2. Comfort Cushion
- ✓ 3. Non-slip Foot
- ✓ 4. Removable Roller


Magnetron



Plug in



Self-generated





-  SELF-GENERATING
-  TABLET HOLDER
-  Transport Wheels
-  120kgs

LCD Screen	Flywheel System	Resistance	Slidaway Distance Refer	Handlebar Belt Length Refer	N.W./G.W. (KG)	Product Size	Carton Size
Stop/Scan/Time/DST./Taltal Strokes/Strokes	2.5kg	16Levels	0-705mm	0-1700mm	21.5/24.0	1666x504x623mm	970x220x595mm



HSM-R05

CONTAINER Q 'TY (PCS)
(20' /40' /40H)
210 / 466 / 576

-  TABLET HOLDER
-  TRANSPORT WHEELS
-  120kgs
-  SELF-GENERATING

LCD Screen	Flywheel System	Resistance	Slidaway Distance Refer	Handlebar Belt Length Refer	N.W./G.W. (KG)	Product Size	Carton Size
Stop/Scan / TMR/ Dist./Cal./ STROKES / TOTALSTROKES	2.5 KG	0-16Levels	0-705mm	0-1700mm	21.5/24.0	1660x500x620mm	965x560x230mm



HSM-R07

CONTAINER Q 'TY (PCS)
(20' /40' /40H)
210 / 466 / 576

-  TABLET HOLDER
-  TRANSPORT WHEELS
-  120kgs
-  SELF-GENERATING

LCD Screen	Flywheel System	Resistance	Slidaway Distance Refer	Handlebar Belt Length Refer	N.W./G.W. (KG)	Product Size	Carton Size
Stop/Scan / TMR/ Dist./Cal./ STROKES / TOTALSTROKES	2.5kg	1-16Levels	0-705mm	0-1700mm	20.8/25.8	1613x475x625mm	965x560x230mm

HSM-R08



CONTAINER Q`TY (PCS)
(20`/40`/40H)
210 / 466 / 576



- SELF-GENERATING
- TABLET HOLDER
- TRANSPORT WHEELS
- 120kgs

HSM-R09



CONTAINER Q`TY (PCS)
(20`/40`/40H)
312 / 576 / 624



- SELF-GENERATING
- TABLET HOLDER
- TRANSPORT WHEELS
- 120kgs

MODEL	LCD Screen	Resistance	Slideway Distance Refer	N.W./G.W. (KG)	Product Size	Carton Size
HSM-R08	Stop/Scan /TMR/ Dist./Cal/ STROKES/TOTALSTROKES	1-16Levels	0-705mm	20.8/25.8	1613x475x625mm	965x560x230mm
HSM-R09	Stop/Scan/TMR/ Dist./Cal/ STROKES/TOTALSTROKES	1-32Levels	0-705mm	19.8/22.8	1618x475x625mm	950x540x198mm



CONTAINER Q`TY (PCS)
(20`/40`/40H)
R03: 325 / 727 / 852
R03A : 299 / 668 / 782



HSM-R03

120kgs


MODEL	LCD Screen	Resistance	Slideway Distance Refer	N.W./G.W. (KG)	Product Size	Carton Size
HSM-R03	SCAN / TIME / COUNT / CAL REPS/MIN	1-12Levels	0-468mm	10.4 / 12.6	1454x550x675mm	985x360x225mm
HSM-R03A	SCAN / TIME / COUNT / CAL REPS/MIN	1-12Levels	0-468mm	11.6 / 13.8	1465x550x675mm	985x360x245mm



HSM-B120A

LCD Screen:
Speed / Dist./ Time /Cal./ODO./PRM/SACN/
Flywheel System: 1.5 kg
Expansion Range : 1-8 Levels
Product Size: 485x430x342mm
Carton Size: 560x225x390mm
N.W./G.W.: 9 /10kg
20`ft/40`ft/40HQ: 500 / 1050 / 1250

- Time
- Calorie
- Distance
- 110kgs




HSM-TB02

LCD Screen: TOTCNT/TMR / CAL./CNT/S
Flywheel System: 1.5 kg
Expansion Range : 1-8 Levels
Product Size: 590x420x300mm
Carton Size: 645x435x355mm
N.W./G.W.: 11.3/14kg
20`ft/40`ft/40HQ: 258 / 556 / 656



Electric stepper



HSM-TB100




HSM-TB200




HSM-TB100/200


LCD Screen: Mode / Auto / Resistance/
Time / CNT / RPM / Calorie /
Time : 1-20 min
Speed : 1-10 Levels
Tension : Electrodynamic damping and
Manual Tension
Feature : Forward / Reverse / Locked-rotor
protection
Product Size: 395x460x260mm
Carton Size: 510x450x295 mm
N.W./G.W.: 7.0 / 9.0 kg
20'ft/40'ft/40HQ: 385 / 858 / 1060




Non-Slip Pedal



Silent Motor



Transportation Wheels



Portable Handle

Safe and stress-free exercise




Stretch one's ankles Reduce knee injury Spinal pressure free



HSM-TB06

LCD Screen:
Speed / Dist./ Time /Cal./ODO./PRM/SACN/
Expansion Range : 1-9 Levels
Product Size: 610x560x(1150/950)mm
Carton Size: 510x500x310mm
N.W./G.W.: 11.5 / 13kg
20'ft/40'ft/40HQ: 329 / 734 / 860



Pet Treadmill



HSM-W04L1A

LED Screen:
Speed / Dist./ Time /Cal.
Runway : 900x380mm
Power : 0.75HP
Programs/Speed: 6P / 1-8km/h
N.W./G.W.: 20/24 kgs
Product Size:
1086x572x954mm(Unfold)
1150x572x115mm(Folded)
Carton Size: 1200x610x150mm
20'ft/40'ft/40HQ: 236 / 528 / 618



REMOTE CONTROLLER



100KGS



Swing Massager Series



HM01-08Y

Rated Power: 50W
Speed: 6 Adjustable Speeds
Max.Weight: 80KGS
Product Size: 33x32x22CM
Carton Size: 545x400x360 mm
N.W./G.W.: 8.3/10.5KGS
20'ft/40'ft/40HQ: 700/1440/1650PCS



HM01-08YA

Rated Power: 50W
Speed: Single Speed
Max.Weight: 80KGS
Product Size: 33x32x22CM
Carton Size: 545x400x360 mm
N.W./G.W.: 8.3/10.5KGS
20'ft/40'ft/40HQ: 700/1440/1650PCS



HM01-08YB

Swing Massager 3-in-1
Swing + Vibration + Infrared
Rated Power: 50W
Max.Weight: 80KGS
Product Size: 37x35x22CM
Carton Size: 520x430x410 mm
N.W./G.W.: 10.5 / 11.8 KGS
20'ft/40'ft/40HQ: 590 / 1250 / 1500PCS



HM01-08YD

Rated Power: 50W
Speed: 1-12 Levels
Max.Weight: 80KGS
Product Size: 37x34x22CM
Carton Size: 445x265x430mm
N.W./G.W.: 11/13KGS
20'ft/40'ft/40HQ: 650 / 1400 / 1600 PCS

Position display



4-IN-1

Walking Pad with Adjustable Incline

COLOR

Vibration



Walk Back



Running



Recovery



HSM-VT300

- WALK
- RUN
- 100KGS
- REMOTE CONTROLLER
- SHAKE
- Folding
- BRUSHLESS MOTOR

CONTAINER Q'TY (PCS)
 (20' / 40' / 40H)
 294 / 607 / 665

MODEL	LED Screen	Runway Size	Power	Programs/Speed	N.W./G.W. (KG)	Product Size	Carton Size
HSM-VT300	Speed / Dist./Time/ Cal./pulse	1000x400mm	1.0HP	6P/1-6km/h	18/21.5	1250X515X94mm(Unfold)	1250X540X100mm