

Global One-Stop Commercial
Vehicle And Parts Supply
.....

LUEN

山东鲁恩汽车有限公司
Shandong Luen Auto Co., Ltd.

LUEN版权所有 翻版必究



电话/TEL: +86-137 0547 9880

Whatsapp: +86 17686798823

E-mail: lhautoparts88@gmail.com

运营中心: 济南市高新区大数据产业基地A座2006室

Operation Center: Room 2006, Building A, Big Data Industry Base, High tech Zone, Jinan City

生产基地: 山东省济宁市梁山工业园区

Production Base: Liangshan Industrial Park, Jining City, Shandong Province



LUEN AUTO
— Global Strength, Enduring Quality —



LUEN GROUP COMPANY PROFILE | 公司简介

Shandong Luen Auto Co., Ltd. is a professional manufacturer and exporter of trailers and special purpose vehicles. It is a supplier of logistics and transportation and energy equipment in the same industry. LUEN products include tipper semi-trailers, flatbed semi-trailers, lowbed semi-trailers, tankers, dumpers, container semi-trailers and so on. We sell high quality semi-trailers and trucks at factory price and have been successful in many regional countries such as Africa, Southeast Asia, Central Asia, Middle East, Latin America, etc. We insist on providing high quality products to our customers!

山东鲁恩汽车有限公司是一家专业的拖车和专用车制造商和出口商。它是同行业的物流运输和能源设备供应商。鲁恩产品包括自卸半挂车、平板半挂车、低平板半挂车、油罐车、自卸车、集装箱半挂车等。我们以工厂价格销售高质量的半挂车和卡车，并已在非洲、东南亚、中亚、中东、拉美等许多地区国家取得成功，坚持为客户提供高质量的产品！





USED & NEW

DUMP TRUCK	05
TRACTOR TRUCK.....	07
WATER TANK TRUCK	11
FUEL TANK TRUCK	12
TRUCK MOUNTED CRANE	13
CONCRETE MIXER TRUCK	13
CARGO TRUCK.....	14
GARBAGE TRUCK	15
LIGHT DUTY TRUCK	15
CONCRETE PUMP TRUCK	15
SEMI-TRAILER	16
SPECIAL TRUCK	20
COASTER BUS	20
TOURISM BUS	21
SPARE PARTS	22






Product name	HOWO Dump Truck
Cab	HW06 Cab
Drive	6x4
Horsepower	371 /375 horsepower
Automatic/Manual	manual transmission
Engine	Sinotruk engine, Euro 2 or Euro3
Gearbox	Sinotruk Gearbox, left hand drive
Front axle	Reinforced wide body welded box shaped steel specific front axle
Rear axle	Sinotruk AC16 axle
Fuel tank	300L
Frame	Double deck frame(8+5/300)
Tire	12R22.5
Others	Cargo box: 5.6-5.8-meter cargo box can be optional Color: Optiona





Product name	HOWO Tractor
Cab	HW06 Cab
Drive	6x4
Horsepower	371 /375 horsepowel
Automatic/Manual	manual transmission
Engine	Sinotruk engine, Euro2/Euro3 Emission
Gearbox	Sinotruk Transmission
Front axle	Reinforced wide body welded box shaped steel specific front axle
Rear axle	Sinotruk AC16 axle
Fuel tank	400L
Frame	Double deck frame(8+5/300)
Tire	12R22.5
Others	Color: Optiona





Name	SINOTRUK HOWO 6X4 DUMP TRUCK
Engine	WD615.47,371HP(option: 336hp,371hp,375hp)
Axles	Front:HF7/HF9, Rear:HC16/ AC16
Cabin	HW76, with one bed, AC.LHD/RHD
Transmissiona	HW19710 Manual. 10F/2R
Bucket	5600x2500x1500mm,21m³volume,30-40T load Thickness: floor 8mm side 6mm
Lifting type	Front lift(Option HYVA brand)
Tire	12R22.5,12.00R20,13R22.5,295/80/R22,315/80/R22.5



Name	SINOTRUK HOWO 6X4 DUMP TRUCK
Engine	WD615.47,371HP(option: 336hp,371hp,375hp)
Axles	Front:HF7/HF9, Rear:HC16/ AC16
Cabin	HW76, with one bed, AC.LHD/RHD
Transmissiona	HW19710 Manual. 10F/2R
Bucket	5600x2500x1500mm,21m³volume,30-40T load Thickness: floor 8mm side 6mm
Lifting type	Front lift(Option HYVA brand)
Tire	12R22.5,12.00R20,13R22.5,295/80/R22,315/80/R22.5



Name	SHACMAN F3000 8X4 DUMP TRUCK
Drving model	6x4 8x4
Engine	WP10 380E 380HP(option:380hp 430hp)
Axles	Hande MAN16T
Transmissiona	Fast Manual Left or Right Drive
Bucket	7600/8000x2500x1500/1800mm,26-33m³volume,50-60T load Thickness: floor 8mm side 6mm
Lifting type	Front /Middle lift
Tire	12R22.5,12.00R20,13R22.5,295/80/R22,315/80/R22.5



Name	SINOTRUK HOHAN 6X4 DUMP TRUCK
Engine	WD615.47,371HP(option: 336hp,371hp,375hp)
Axles	Front:VGD 95 1x9500 KGS, Rear: HC16 2x16000 KGS Ratio:5.73
Cabin	HW76, with one bed, AC.LHD/RHD
Transmissiona	HW19710 +HW50(PTO)
Bucket	5600x2500x1500mm,21m³volume,30-40T load Thickness: floor 8mm side 6mm
Lifting type	Front lift(Option HYVA brand)
Tire	12R22.5,12.00R20,13R22.5,295/80/R22,315/80/R22.5



Name	SINOTRUK HOHAN 8X4 DUMP TRUCK
Engine	WD615.47,371HP(option: 336hp,371hp,375hp)
Axles	Front:VGD 95 1x9500 KGS, Rear: HC16 2x16000 KGS Ratio:5.73
Cabin	HW76, with one bed, AC.LHD/RHD
Transmissiona	HW19710 +HW50(PTO)
Bucket	7600/8000x2500x1500/1800mm,26-33m³volume,50T~60Tload Thickness: floor 8mm side 6mm
Lifting type	Front lift(Option HYVA brand)
Tire	12R22.5,12.00R20,13R22.5,295/80/R22,315/80/R22.5



Name	SINOTRUK HOWO 6X4 MINING DUMP TRUCK ZZ5707S3840AJ
Engine	WD615.47T2,371HP(option:D12.42T2,420HP)
Axles	Front: HF12,Rear:AC26
Cabin	HW7D Single type mining cabin.
Transmission &steering	HW21712 Manuel, 12F/2R,ZF8118 steering, Left or Right Drive
Bucket	5800*3100*1600/1700/1800mm,26-33m³volume,50T~60 loading capacity
Lifting type	Front lifting system(HYVA/Permco)
Tire	14.00-25(option.14.00R25)



Name	SINOTRUK HOWO TRACTOR TRUCK
Model	ZZ4187N3617
Cabin	HW76, Single bed with A/C HW79.2 beds with AC
Driving type	4x2
Engine	336hp, 371hp,375hp
Transmission	HW19710/HW19712
Axles	Front HF7/HF9, Rear ST16/MCY13Q/HC16
Fuel tank	400L
Tyre	295/80R22.5,315/80R22.5,11.00R20,12R22.5
Fifth wheel	50#/90#



Name	SINOTRUK HOWO TRACTOR TRUCK
Model	ZZ4257N32471ZZ4257V3247
Cabin	HW76, Single bed with A/C HW79.2 beds with AC
Driving type	6X4
Engine	336hp,371hp,375hp
Transmission	HW19710/HW19712
Axles	Front HF7/HF9, Rear ST16/MCY13Q/HC16
Fuel tank	400L/600L
Tyre	12.00R20/295/80R22 5,315/80R22.5,11 00R20 12R22 5
Fifth wheel	50#/90#



Name	SINOTRUK HOWO TRACTOR TRUCK
Model	ZZ4257N32471ZZ4257V3247
Cabin	HW79. Two beds with A/C
Driving type	6X4
Engine	336hp,371hp,375hp
Transmission	HW19710/HW19712
Axles	Front HF7/HF9, Rear ST16/MCY13Q/HC16
Fuel tank	400L/600L
Tyre	12.00R20/295/80R22 5,315/80R22.5,11 00R20 12R22 5
Fifth wheel	50#/90#



Name	SHACMAN F3000 TRACTOR TRUCK
Cabin	Shacman cabin.with one bed.AC
Driving type	6x4
Engine	380hp, 430hp
Transmission	12JS160T/ Fast Manual Left or Right Drive
Fuel tank	400L
Tyre	295180R22 5,315/80R22 5,11.00R20,12R22.5
Fifth wheel	50#/90#



Name	SINOTRUK HOHAN TRACTOR TRUCK
Model	ZZ4255N32361ZZ3317V286JF11ZZ4255N3446F1
Cabin	H77L , Single bed with AC
Driving type	6X4
Engine	336hp,371hp,375hp
Transmission	HW25712XSTCL
Fuel tank	400L/600L
Tyre	12.00R20/295/80R22.5.315/80R22.5,11.00R20,12R22.5
Fifth wheel	50#/90#



Name	SINOTRUK HOWO A7 TRACTOR TRUCK
Model	ZZ4257N32471ZZ4257V3247
Cabin	A7-G,2 beds with AiC,luxury type
Driving type	6X4
Engine	336hp,371hp,420hp
Transmission	HW19710/HW19712
Axles	Front HF7/HF9,Rear ST16/MCY13Q/HC16
Fuel tank	400L/600L
Tyre	12.00R20.295/80R22.5.315/80R22.5.11.00R20.12R22.5
Fifth wheel	50#/90#



Name	SITRAK C7H TRACTOR TRUCK
Driving type	4x2
Engine	440hp,460hp,510hp, 540hp (Sinotruk/ Man)
Transmission	ZF12TX2620/ZF16S2531/HW25712XAC
Wheelbase	3200+1400mm/3400+1400mm/3600mm
Tyre	12.00R20/295180R22.5,315180R22.5,11.00R20,12R22.5
Fifth wheel	50#/90#



Name	SITRAK C7H TRACTOR TRUCK
Driving type	6x4
Engine	440hp,460hp,510hp,540hp(Sinotruk / Man)
Transmission	ZF12TX2620/ZF16S2531/HW25712XAC
Wheelbase	3200+1400mm/3400+1400mm/3600mm
Tyre	12.00R201295180R22.5,315180R22.5,11.00R20,12R22.5
Fifth wheel	50#/90#



Name	SITRAK CNG TRACTOR TRUCK
Driving type	6x4
Engine	440hp,460hp, 510hp,540hp (Sinotruk / Man)
Transmission	ZF12TX2620/ZF16S2531/HW25712XAC
Wheelbase	3200+1400mm/3400+1400mm/3600mm
Tyre	12.00R20/295180R22.5,315180R22.5,11.00R20,12R22.5
Fifth wheel	50#/90#



Name	SINOTRUK HOWO TRACTOR TRUCK
Cabin	HW76, Single bed with Ac Hw79, 2 beds with A/C
Driving type	6X4
Engine	336hp,371hp,375hp
Transmission	HW19710/HW19712
Axle	Front HF7/HF9. Rear ST16/MCY13Q/HC16
Tyre	12.00R201295180R22.5,315/80R22.5,11.00R20,12R22.5
Fifth wheel	50#/90#



Name	MERCEDES-BENZ TRACTOR TRUCK
Model	AGTROS 3341/18411184612645
Driving type	4x2,6x4
Engine	OM501LAII128,OM501LA.V/3, OM 502LA
Transmission	G280-16/11.72-0.69.G240-16
Tyre	315170R22.5,295180 R22.5,12.00R24114.00 R20
Fifth wheel	50#/90#



Name	VOLVO TRACTOR TRUCK
Model	Volvo FM400
Driving type	6x4
Engine	Volvo D13
Transmission	Volvo V2512AT
Truck Size	6737*2495~2980(mm)
Tyre	315/70R22.5,295180 R22 5



Name	SINOTRUK HOWO 6X4 WATER TANK TRUCK
Driving type	6x4
Cabin	HW70.HW76
Engine	336hp,371hp,375hp
Axles	HF9.HC16
Tyre	11R22.5,12R22.5,295/80R22.5,315/80R22.5.11.00R20.12.00R20
Tank Capacity	15m ³ /18m ³ /20m ³ /25m ³



Name	SINOTRUK HOWO 8X4 WATER TANK TRUCK
Driving type	8x4
Cabin	HW70.H76
Engine	336hp,371hp,375hp
Axles	HF9.HC16
Tyre	11R22.5.12R22.5.295180R22.5.315/80R22.5.11.00R20.12.00R20
Tank Capacity	25m ³ /28m ³ /30m ³



Name	SINOTRUK HOWO 4X2 FUEL TANK TRUCK
Driving type	4x2
Cabin	HW70.HW76
Engine	336hp,371hp,375hp
Axles	HF9.HC16
Tyre	11R22,5,12R22,5.295180R22,5,315180R22.5.11.00R20,12.00R20
Fifth wheel	10m ³ /12m ³ /15m ³



Name	SINOTRUK HOWO 6X4 FUEL TANK TRUCK
Driving type	6x4
Cabin	HW70 HW76
Engine	336hp,371hp.375hp
Axles	HF9.HC16
Tyre	11R22.5,12R22.5.295180R22.5.315180R22.5.11.00R20.12.00R20
Tank Capacity	15m ³ /18m ³ /20m ³ /25m ³



Name	SINOTRUK HOWO 8X4 FUEL TANK TRUCK
Driving type	8x4
Cabin	HW70 HW76
Engine	336hp,371hp,375hp
Axles	HF9, HC16
Tyre	11R22.5,12R22.5,295180R22.5.315180R22.5.11.00R20.12.00R20
Tank Capacity	25m ³ /28m ³ /30m ³



Name	SINOTRUK HOWO TRUCK MOUNTED CRANE
Driving type	6x4
Engine	266hp,290hp,336hp 371hp
Axles	Front HF7/HF9.Rear ST16/MCY13Q/HC16:
Tyre	295/80R22.5 315180R22.5 11 00R20 12.00R20
Crane type	Straight boom, Folded boom
Crane liftingcapacity	6.8 10 12. 14T



Name	SINOTRUK HOWO TRUCK MOUNTED CRANE
Driving type	8x4
Engine	266hp,290hp,336hp,371hp
Axles	Front HF7/HF9,Rear ST16/MCY13Q/HC16;
Tyre	295/80R22.5,315180R22.5,11.00R20,12.00R20
Crane type	Straight boom, Folded boom
Crane lifting capacity	6.8 10.12.14T



Name	SINOTRUK HOWO CEMENT MIXER TRUCK
Driving type	6x4
Cabin	HW76
Engine	336hp/371hp
Axles	HF9,HC16
Tyre	11'R22.5,12R22.5,295180R22.5,315180R22.5,11.00R20,12.00R20
Carriage dimension	7m ³ /8m ³ /9m ³ /10m ³



Name	SINOTRUK HOWO CEMENT MIXER TRUCK
Driving type	8x4
Cabin	HW76
Engine	371hp
Axles	HF9,HC16
Tyre	11R22.5,12R22.5,295180R22.5,315/80R22.5,11.00R20,12.00R20
Carriage dimension	12m ³ /14m ³



Name	SINOTRUK HOWO T5G CEMENT MIXER TRUCK
Driving type	6x4 18x4
Cabin	HW76
Engine	MC07.34-50
Transmission	HW13710L
Tyre	11'R22.5,12R22.5,295180R22.5,315180R22.5,11.00R20,12.00R20
Carriage dimension	7m ³ / 8m ³ / 9m ³ / 10m ³



Name	SINOTRUK HOWO CARGO TRUCK 25T
Driving type	6x4
Cabin	HW70 HW76.HW79
Engine	266hp,290hp,336hp,371hp
Axles	Front HF7/HF9, Rear ST16/MCY13Q/HC16
Tyre	295/80R22.5,315180R22.5,11.00R20,12.00R20
Carriage length	7300mm,7600mm,8600mm,9500mm



Name	SINOTRUK HOWO CARGO TRUCK 30T
Driving type	8x4
Cabin	HW70.HW76.HW79
Engine	336hp, 371hp,375hp
Axles	Front HF7/HF9,Rear ST16/MCY130/HC16
Tyre	295180R22.5,315180R22.5,11.00R20,12.00R20
Carriage length	8600mm/9500mm



Name	GARBAGE TRUCK- COMPRESSED TYPE
Driving type	6x4/8x4
Cabin	HW70.HW76
Engine	266hp,290hp,336hp,371hp
Axles	Front HF7/HF9.Rear ST16/MCY13Q/HC16
Tyre	295180R22.5,315180R22.5,11.00R20,12.00R20
Carriage dimension	7m ³ /8m ³ /10m ³ /12m ³ /14m ³ /16m ³ /18m ³ /22m ³ /25m ³



Name	LIGHT CARGO BOX TRUCK
Driving type	4x2
Cabin	1880mm/2080mm extended cab.3seats.1 bed.AC
Engine	80hp,90hp.110hp,116hp,120hp.140hp.160hp
Tyre	7.5-16.8 0-16.8.25-16.9.00-20.10.0-20
Carriage dimension	3 850/4200148501515016250x2050x2050mm
Loading capacity	1.5T,4T,5T,6T,8T,10T,12T,15T



Name	CONCRETE PUMP TRUCK
Driving type	8x4
Engine	336hp,371hp
Axles	Front HF7/HF9.Rear ST16/HC16
Tyre	295/80R22.5.315/80R22.5.11.00R20.12.00R20
Output Capacity	120m/h, 172m/h
Boom length	42M/45M/48M/52M



Name	FLATBED/CONTAINER SEMI TRAILER
Whole Dimension	13000x2490x1557mm
Loading Capacity	40-80 ton
Container Type	1x 20 feet / 2x20feet/ 1x40 feet
Axle	3/4/5 axles, 13T axle. FUWA /BPW/SAF/LUEN
Suspension	Mechanical suspension(Germany or America Type)/Air suspension
Tyre	11R225,12R22.5,295/80R22 5 315180R22.5.11.00R20.12.00R20



Name	DUMPER SEMI TRAILER
Whole Dimension	10235x2730x3560mm
Dumper Dimension	9000x2500x1600mm
Loading Capacity	50-100 ton
Axle	3/4/5 axles.13T axle, FUWA /BPW/SAF/LUEN
Suspension	Mechanical suspension (Germany Type or America Type)
Tyre	12R22.5,315/80R22.5,11.00R20.12.00R20



Name	LOW BED SEMI TRAILER
Whole Dimension	13000mm*3000mm*1650mm
Loading Capacity	40-100 ton
Dimension	Height: 500mm,upper plate 18mm, middle plate 14mm, lowerplate 20mm
Axle	3/4/5 axles,16T axle, FUWA/BPW/SAF/LUEN
Suspension	Mechanical suspension(Gemmany Type or America Type)
Tyre	12R22 5,315180R22.5,11.00R20.12.00R20



Name	FOLDABLE GOOSENECK TRAILER
Whole Dimension	17000x2550x1300mm
Tank capacity	80T-100T
Axles	FUWA/BPW/SAF/LUEN
Tyre	245/70R17.5



Name	PULL-OUT LOW BED TRAILER
Whole Dimension	17000x2550x1300mm
Tank capacity	80T-100T
Axle	13T axle, FUWA/BPW/SAF/LUEN
Suspension	Front type air suspension
Tyre	245/70R17.5



Name	FULL SEMI TRAILER
Whole Dimension	7200x2500x3050mm
Tank capacity	50T
Axle	13T axle, FUWA/BPW/SAF/LUEN
Suspension	LUEN Mechanical suspension
Tyre	12R22.5



Name	CURTAIN SIDE TRANSPORT SEMI-TRAILER
Whole Dimension	13750x2550x4000mm
Tank capacity	60T
Axle	13T axle, FUWA/BPW/SAF/LUEN
Suspension	Air suspension
Tyre	385 65R22.5



Name	KELETO TRAILER
Whole Dimension	12500x2500x1650mm
Tank capacity	40T
Axle	13T axle, FUWA/BPW/SAF/LUEN
Suspension	LUEN Mechanical suspension
Tyre	12R22.5



Name	CAR LOGISTICS TRAILER
Whole Dimension	16980x2500x4000mm
Tank capacity	26T
Axle	LUEN Two/THREE Axle
Suspension	Two axle Air suspension
Tyre	235/75R17.5, 8units



Name	BULK CEMENT TANK SEMI TRAILER
Whole Dimension	10100*2500*3990mm
Tank capacity	35m ³ -50m ³
Diesel engine & Air compressor	4102 diesel engine & 12m/ min air compressor
Axle	3 axles,13T axle, FUWA /BPW /SAF/LUEN
Suspension	Mechanical suspension(Germany Type or America Type)
Tyre	12R22.5,315/80R22.5.11.00R20,12 00R20



Name	Fuel Tank Semi Trailer
Whole Dimension	13000x2495x3950mm
Tank capacity	35m ³ -45m ³
Pump	Pump for input and output
Axle	3 axles, 13T axle, FUWA /BPW/SAF/LUEN
Suspension	Mechanical suspension (Germany Type or America Type)
Tyre	12R22.5, 315/80R22.5, 11.00R20, 12.00R20



Name	Side Wall Cargo Semi Trailer
Whole Dimension	13000mm*2490mm*2860mm
Side Wall Height	600-1200mm
Diesel engine & Air compressor	40 ton
Axle	3 axles,13T axle, FUWA /BPW/SAF/LUEN
Suspension	Mechanical suspension(Germany Type or America Type)
Tyre	12R22 5,31580R22.5,11.00R20 12.00R20



Name	Wrecker Truck
Driving type	4x2 6x4 8x4
Cabin	HW70,HW73
Engine	266hp,290hp,336hp,371hp
Axles	Front HF7/HF9,Rear ST16,MCY13Q/HC16
Tyre	295/80R22.5,315180R22.5,11.00R20,12.00R20
Hoisting/ Loading capacity	3.2ton/5.2ton、 5.2/8.2ton, 6ton/9 6ton, 9ton/14.5ton, 10ton/16ton



Name	SIDE LIFTER TRUCK
Driving type	6x4 Tractor head+3axles trailer with lifting system
Tractor type	HOWO/A7
Engine	336hp,371hp,420hp
Axles	Front HF9, Rear HC16
Tyre	295180R22.5,315/80R22.5,11.00R20,12.00R20
Loading Capacity	2 units 20ft or 1unit 40ft container,37T



Name	COASTER BUS
Engine type	1HZ(Diesel)/1RZ(Gasoline)
L*W*H (mm)	5050/7005x2040x2645mm
Transmission Type	5-speed manual
Seat Capacity	9,10,11,12,13,16,17,19,20,23,29,30
Door Type	Folding door/ Sliding door
Tyres & rims	215/70 R17.5




Name	YUTONG TOURISM BUS
Model	ZK6120/ZK6116/ZK6121/ZK6125
L*W*H (mm)	10990/11600/12000MM*2530MM*3440MM
Engine	YC6L310-42,WP10.336E53,YC6L330-50(Yutong/ Yuchai/Weichai)
Engine power	247.243KW
Seat Capacity	36,39,43,47,53,57,67
Tyre	295/80R22.5,315180R22.5




Name	YUTONG TOURISM BUS
Model	ZK6120/ZK6116/ZK6121/ZK6125
L*W*H (mm)	10990/11600/12000MM*2530MM*3440MM
Engine	YC6L310-42,WP10.336E53,YC6L330-50(Yutong/ Yuchai/Weichai)
Engine power	247.243KW
Seat Capacity	36,39,43,47,53,57,67
Tyre	295/80R22.5,315180R22.5




Name	YUTONG CITY BUS
Model	ZK6105/ZK6106/ZK6108/ZK6932
L*W*H (mm)	10990/10500mm*2500mm*3480/3580mm
Engine	WP7.240E50,YC6J220-50,YC6J245-50(Weichai/ Yuchai)
Engine power	176kw,162kw,180kw,177kw,180kw,162kw
Seat Capacity	21,25,29,31,33,37,39
Tyre	275/70R22.5,11R22.5



Transmission series parts





Flywheel shell

Gear room

Flywheel

Piston

Cylinder Liner



Link



Camshaft



Generator



Starter



Supercharger

Engine parts and accessories



Valve



Air compressor



Water pump



Oil pump



Gear



High pressure pump



Fan clutch



Filters



Repairkit



Exhaust manifold



Oil cooler cover



Tubing, water pipe series



Cylinder Head




Bush

LUEN版权所有 翻



Steyr front hub



09/10 HOWO front hub
(butterfly brake)



HOWO models
knuckle 09/10



Knuckle bracket



HOWO big bend big
hole lever arm



HOWO 09/10
disc brake sheet



The middle of the rear axle



in the middle of the
bridge assembly



Balance shaft assembly



AC16 axle housing
and wheel assembly



Steyr/ AC16 wheel
ring and bracket



07108 HOWO disconnect
balance shaft belt holder



Steyr Axle



Through shaft



0166 differential
housing and assembly



Steyr bridge case(07/08)



Steyr bridge cover(07/08)



Steyr(Red Rock)
the rear axle reducer housing



Angle gear flange



A balance shaft housing



Former steel plate



Before spring front bracket



HOWO AC brake plate




Brake shoe assembly



Rear axle chamber bracket

Famous Cooperation Brands



电话/TEL: +86-137 0547 9880

Whatsapp: +86 17686798823

E-mail: lhautoparts88@gmail.com

运营中心: 济南市高新区大数据产业基地A座2006室

Operation Center: Room 2006, Building A, Big Data Industry Base, High tech Zone, Jinan City

生产基地: 山东省济宁市梁山工业园区

Production Base: Liangshan Industrial Park, Jining City, Shandong Province