



CARBON CRYSTAL PANEL
UV MARBLE SHEET
METAL CARVING PLATE
FLUTED WALL PANEL
PS WALL PANEL
PU STONE SOFT STONE
WPC DOOR SPC FLOORING
碳晶板 UV大理石板材
金属雕花板 格栅墙板 PS墙板
PU石 软石 WPC木门 SPC地板

HAINING LONGTIME INDUSTRY CO., LTD
海宁隆源工贸有限公司
贺州隆源新材料有限公司
Add: No. 10-1, Lianhong Road, Yuanhua Town,
Haining City, Jiaxing City, Zhejiang Province
地址: 浙江省嘉兴市海宁市袁花镇联红路 10号-1
TEL: 0086-573-87279537
MOBILE: 0086-18857363529
EMAIL: peterzhangjt@foxmail.com
WEBSITE: <https://www.ltpvcfactory.com/>
HAINING • China



About us01

UV marble sheet.....03

Carbon crystal panel.....05

Metal carving plate.....11

Fluted wall panel.....13

PS wall panel.....15

WPC decking.....17


SPC flooring.....19

PU stone.....21

Flexible stone.....23

WPC door.....25

Aluminum profile.....27



LT LANGYUAN 目录
China-Korea CATALOGUE

⬆

关于我们01

UV大理石板.....03

碳晶板.....05

金属雕花板.....11

格栅墙板.....13

PS墙板.....15

WPC木塑复合板.....17


SPC地板.....19

PU石.....21

软石.....23

WPC门.....25

铝合金型材.....27





Water-Proof



Anti-Bacterial



Pro-Environment



Flame-Retardant



Abrasion-Proof


HAINING LONGTIME INDUSTRY CO., LTD 海宁隆源工贸有限公司



我们从2009年开始生产PVC膜，转印膜，WPC格栅板，PU石，碳晶板等各类装饰建材，旗下四个工厂分别位于巴基斯坦，浙江，广东，广西。我司长期致力于出口装饰建材到全球各个国家。作为行业头部企业，我们始终坚持为客户提供最好的质量和服

务，是国家高新技术企业。We started to produce PVC Film, Hot Stamping Foil, WPC Wall Panel, PU stone, Carbon Board and different kinds of decoration materials since 2009. Its four factories are located in Pakistan, Zhejiang, Guangdong and Guangxi. Our company has long been committed to exporting decorative building materials to various countries around the world. As a leading enterprise in the industry, we always insist on providing customers with the best quality and service, is a national high-tech enterprise.





Name : UV marble sheet Length and width:
Single piece size within 1200* 2400mm can be customized
Thickness : 3mm Surface process: Glossy
Environmental protection grade: E0 Fire rating:B1

名称:UV大理石板 长和宽:单件尺寸1200*2400mm
以内可定制 厚度:3mm 表面处理:光滑
生态环境保护等级:E0 防火等级:B1

UV MARBLE SHEET

UV 大理石板



UV, which stands for Stone Plastic (or Polymer) Composite, features a core that is typically comprised of around 60% calcium carbonate, polyvinyl chloride and plasticizers. Because the core layer of SPC is composed of limestone, it is denser compared to WPC, though thinner overall. Its high density provides better resistance to scratches or dents caused by heavy objects or furniture placed on it, and makes it less likely to expand under extreme temperature changes. At the same time, it is extruded by T-shaped mold, which also avoids the internal layer coating and gluing, so its functions are more abundant, and it is non-toxic, formaldehyde free and zero pollution, with a series of characteristics such as renewable materials, so it can be well used in interior decoration.

UV, 代表石头塑料(或聚合物)复合材料。特点是核心,通常是由约60%的碳酸钙,聚氯乙烯和增塑剂。由于SPC的核心层是由石灰岩组成的,它比WPC更致密,尽管整体上更薄。它的高密度提供了更好的抗划痕或凹痕的能力,由放置上面的重物或家具造成,并使其不太可能在极端温度变化下膨胀。同时采用T型模具挤出成型,也避免了内层涂胶,功能更加丰富,且无毒无甲醛、零污染,具有可再生材料等一系列特点,可以很好的应用于室内装饰。

Some patterns 一些花色



LT8016

LT8062-1


LT8240



LT8257

LT8252

LT8266



LT8267

LT8271

LT8273



Install
安装



Design and colour
花色



Effect
效果

CARBON CRYSTAL PANEL



碳晶板



Name: Carbon 3d printing
Length and width :Single piece size within 1220 * 2900mm
can be customized Thickness: 5mm/8mm
Surface process: Glossy Environmental protection grade: EO
Fire rating: B1 Performance: waterproof&bendable

名称:碳纤维3D打印 长度和宽度:单件尺寸1220*2900mm
以内可定制 厚度:5毫米/8毫米 表面工艺:有光泽
环保等级:EO 防火等级:B1 性能:防水可弯曲

CARBON CRYSTAL PANEL



碳晶板




CARBON CRYSTAL PANEL



碳晶板


Splicing mode 拼接方式




Name: Carbon Crystal Panel Width: 600mm/1220mm
 Length: Custom length
 Thickness: 8mm Environmental protection grade: E0
 Fire rating: B1 Performance: waterproof

产品名称: 碳晶面板 宽度: 600mm/1220mm
 长度: 定制长度 厚度: 8mm
 生态环境保护等级: E0 防火等级: B级 性能: 防水

Texture left and right connection 纹理左右连接




Decoration effect 装饰效果



防水防潮
Waterproof and moisture-proof

实物照片
physical photos



Bending and shaping
弯曲成形



Install
安装



Design and colour
花色




Effect
效果

DESIGN AND COLOR



设 / 计 / 与 / 颜 / 色




M8001



M8002



M8003




M8004



M8005



M8006



M8007



M8008



M8009

WOOD GRAIN SERIES
THICKNESS: 0.14MM




木纹系列 厚度:0.14毫米

DESIGN AND COLOR



设 / 计 / 与 / 颜 / 色




Mirror Silver




Mirror Black




Mirror Blue




Mirror red




Water Ripples Silver



Water Pipples Powder



Water Ripples Blue



Water Ripples Golden



Water Pipples Black

MIRROR WATER WAVE SERIES
THICKNESS: 0.4MM




镜面水波系列 厚度:0.4毫米

METAL CARVING PLATE



金属雕花板




Metal carving plate mainly consists of three parts:Al-zn alloy coated steel sheet(or aluminum sheet) treated with special fabrication processing on the surface,rigid polyurathamc as insulating layer on the medium layer and aluminized paper or glass fabric applied at inner layer.

金属雕花板主要由三部分组成:表面采用经过特殊工艺处理的镀铝锌钢板(或铝板),中间层为硬质发泡聚氨酯为保温层,内层采用铝箔纸或玻纤布三部分组合而成。

Some patterns 一些花色




LT-01-001




LT-01-002




LT-01-003



LT-02-001



LT-02-002



LT-02-003



LT-04-001



LT-04-002




LT-04-003

Some Parts 一些配件




LT-2005



LT-2968




LT-2970



LT-10590A



LT-10710A



LT-2966



Install
安装



Design and colour
花色



Effect
效果

FLUTED WALL PANEL




E0

B1



格栅墙板



Grille board is a kind of wood-plastic material molding board, which belongs to ecological wood. It is a new type of green environmental protection material synthesized by wood flour and PVC plus other enhancing additives, because of its cross-section like the Great Wall, it is also known as the Great Wall plate.

格栅板是一种木塑材料的造型板,属于生态木。它是由木粉和PVC加其他增强型助剂合成的一种新型绿色环保材料,因横截面像长城,所以也被称作长城板。

PHOTO	ITME	SIZE
	W15010	150*2900*10mm
	W16024	160*2900*24mm
	W19515	195*2900*15mm
	W16015	160*2900*15mm
	S01820	18*2900*20mm
	W05020	50*2900*20mm
	W14618	146*2900*18mm

PHOTO	ITME	SIZE
	WS15075	150*2900*7.5mm
	JS200-1	200*2.9m*10mm
	JK195	195*2.9m*14mm
	JK160-1	160*2.9m*23mm



Install
安装




Design and colour
花色



Effect
效果

PS WALL PANEL




E0

B1



PS 墙板



PS grid wall panel is a fashion partition form. With its unique ventilation and high plasticity, it can effectively prevent direct sunlight. PS grid wallboard is usually made of PS (polystyrene) material, which is light, durable, easy to process and so on. PS grid wall panels also have waterproof, moisture-proof characteristics, suitable for humid environments, such as bathrooms and kitchens

PS格栅墙板是一种时尚的隔断形式。它以其独特的通风性、高可塑性，能有效防止阳光直射。PS格栅墙板通常由PS（聚苯乙烯）材料制成，这种材料具有轻质、耐用、易加工等特点。PS格栅墙板还具有防水、防潮的特性，适合用于潮湿环境，如浴室和厨房等

PHOTO	MODEL&SIZE	SECTION
	GS01 SIZE:117*2900*11MM	
	GS02 SIZE:118*2900*10MM	
	GS03 SIZE:119*2900*11MM	
	GS04 SIZE:119*2900*11MM	
	GS05 SIZE:119*2900*11MM	
	GS06 SIZE:119*2900*10MM	
	GS07 SIZE:119*2900*11MM	
	GS08 SIZE:120*2900*10MM	
	GS09 SIZE:160*2900*10MM	
	GS10 SIZE:160*2900*8MM	

PHOTO	MODEL&SIZE	SECTION
	GS11 SIZE:160*2900*9MM	
	GS12 SIZE:160*2900*9MM	
	BT01 SIZE:40*2400*18MM	
	BT02 SIZE:60*2400*18MM	
	BT03 SIZE:100*2400*11MM	
	BT04 SIZE:120*2400*15MM	



Install
安装



Design and colour
花色



Effect
效果

WPC DECKING

WPC木塑复合板

PHOTO	ITEM	SIZE
	LY001	177*13mm
	LY002	219*26mm
	LY003	145*21mm
	LY004	150*23mm
	LY005	138*22.5mm
	LY006	195*141/151mm



LTP-1
松木色
Pine Color



LTP-2
红松色
Red Pine



LTP-3
红棕色
Reddish brown



LTD-1



LTD-2



LTD-3



LTP-4
深棕色
Dark brown



LTP-5
青灰色
Bluish Gray



LTP-6
黑灰色
Dark Gray



Install
安装



Design and colour
花色



Effect
效果

SPC FLOORING




E0

B1



SPC 地板



SPC flooring , Stone Plastic Composite, also known as (Stone Plastic Composite)flooring, is a new type of flooring material composed of stone powder, polyvinyl chloride (PVC), and other additives, manufactured through special processes. SPC flooring is extremely durable, waterproof, and easy to maintain

SPC地板,全名石塑复合地板(Stone PlasticComposite),是一种新型的地板材料,由石粉、聚氯乙烯(PVC)和其他添加剂组成,通过特殊工艺制造而成。SPC地板极其耐用、防水和易于维护。



LQ1669-3



LQ5182-5



LQ5182-7



LQ5182-11



LQ5182-12




LQ5182-24


 Install
安装

 Design and colour
花色

 Effect
效果

PU STONE






E0

B1



PU 石



PU stone is a kind of artificial stone using polyurethane (polyurethane) as the main material. Polyurethanes are macromolecular compounds with repetitive carbamate groups on the backbone, formed by the addition of organic diisocyanates or polyisocyanates with dihydroxyl or polyhydroxyl compounds.

PU石是一种使用聚氨酯(聚氨基甲酸酯)作为主要材料的人工石材。聚氨酯是一种大分子化合物,主链上含有重复的氨基甲酸酯基团,由有机二异氰酸酯或多异氰酸酯与二羟基或多羟基化合物加聚而成。




PHOTO	NAME&ITEM	SIZE
	STONE PANE 1 G001-G009	1200*600*16mm
	STONE PANE 1 A001-A009	1200*600*30mm
	MUSHROOM STONE (HOLLOW) H001/H002/H004/H005	1200*600*50mm
	MUSHROOM STONE B001/B002/B004/B005	1200*600*50mm
	MUSHROOM STONE J001/J002/J004/J005	1200*600*80mm
	PU GEOMETRY SERIES D001/D004-D008	1200*600*30mm
	PU GEOMETRY SERIES E001/E002/E004-D007	1200*600*25mm
	ROCK STONE C001/C003	1200*600*60mm
	PU FEATHER PANEL F001	900*200*50mm
	STONE PANEL L-240	2400*800*50mm

PHOTO	NAME&ITEM	SIZE
	ROCK STONE K-240	2400*600*50mm
	ROCK STONE K-290	2900*600*50mm
	ROCK STONE	3000*1200*60mm
	PU GEOMETRY SERIES E003	1200*600*30mm
	FLOWING WATER STONE F002	1200*600*25mm
	MOON ROCK F005	1200*600*35mm



Install
安装




Design and colour
花色



Effect
效果

FLEXIBLE STONE




E0

B1





软石



In the field of architecture, flexible stone is a kind of flexible architectural decorative surface material, with inorganic materials as the base material, through a special temperature control modeling system molding, baking, irradiation crosslinking. It has the characteristics of light weight, thin shape and flexibility, and can be bent to adapt to the needs of different shapes of buildings, such as cylindrical buildings without cracking or deformation. In addition, flexible stone also has the characteristics of fire prevention, wear-resistant, anti-slip, moisture- proof, no discoloration and long life.

在建筑领域,软石是一种柔性的建筑装饰面材,以无机材料为基材,通过特制的温控造型系统成型、烘烤、辐照交联而成。它具有轻质、薄型、柔韧的特点,可以弯曲,适应不同造型的建筑需求,如圆柱型建筑而不开裂或变形。此外,软石还具有防火、耐磨、防滑、防潮、不变色、寿命长的特点。

PHOTO	NAME	SIZE
	HEMP ROPE	1200*600*(2-4)mm
	TIME MARKS	1200*600*(2-4)mm
	SLATE	1200*600*2.5mm
	CAVE STONE	1200*600*2.5mm
	YXS ROUND LINE STONE	2800*585*(2-8)mm /2800*995*(2-8)mm

PHOTO	NAME	SIZE
	SDDS 3D CAVE STONE	2400*1200*(3-4)mm /2800*1200*(3-4)mm
	SXS BILINEAR STONE	2600*1180*(2-8)mm
	HGY GRANITE	3000*1150*(2-4)mm




Install
安装




Design and colour
花色



Effect
效果



LTW06


 Install
 安装

 Design and colour
 花色

 Effect
 效果

ALUMINUM PROFILE










E0

B1



铝合金型材

PHOTO	SIZE	SECTION
	3-8*3000mm	
	3-8*3000mm	
	3-8*3000mm	
	5-8*3000mm	
	20-20*3000mm	
	10-60*3000mm	
	60*2500mm	

SCAN THE CODE TO SEE THE RENDERING



E0

B1



扫/码/查/看/效/果/图



BILLIAR ROOM



HOME 2



HOME DECORATION



HOTEL



KTV



OFFICE



RESTERANT



SHOW ROOM



VILLA