




HAINING YIKE NEW MATERIAL CO., LTD

WALL PANELS & FLOORING

ONE-STOP HOME DECORATION SUPPLIER





ABOUT US

YIKE is a China-based company focusing exclusively on the sales, production, and development of PVC ceiling panel, PVC marble sheet, WPC wall panel (indoor&outdoor), bamboo charcoal wall panel, SPC flooring, self-adhesive vinyl flooring, WPC decking, PS wall panel, PU stone wall panels and so on.

We are committed to the development of overseas market.

Our products have earned a good reputation in Central America, South America, Southeast Asia, the Middle East and Africa. We have also built a strong team of professionals with extensive experience as experts in products, marketing and services.




CONTENT

- **About YIKE Company**
- **Content**
- **PVC Ceiling Panel**
- **WPC Wall Panel Indoor**
- **PVC Marble Sheet**
- **PVC Self-Adhesive Marble Design Wall Sticker**
- **Bamboo Wood Wall Panel**
- **SPC Flooring**
- **WPC Wall Panel Outdoor**
- **WPC Decking**
- **Self-adhesive Vinyl Flooring**
- **Metal Siding**
- **PS Wall Panel**
- **PU Stone Wall Panel**
- **Flexible Tile**
- **Acoustic Panel**
- **Our Factory**
- **Become a Distributor**
- **Contact Us**




PVC CEILING PANEL


Lightweight, waterproof, termite-resistant ceiling solution with easy installation and low maintenance.




Width	20cm
Length	5.8/5.95m
Thickness	6-9mm



Width	25cm
Length	5.8/5.95m
Thickness	6-9mm




Width	30cm
Length	5.8/5.95m
Thickness	6-9mm




001



001 Matte



002




003




004




004 Matte




005




006



007




008




009




010



011




012



013



014




015



016



017




018



019



020




021



022




023




024



025



026



027



028



029



030



031




032



033



034



035



036




037



037



039



040




041




042



043




044




045



046




047



053



054



055



056



057




058




059



060




061



062



1		2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	
16		17		18		19		20	

21



22



23



24



25



26



27



28



29



30



31



32



33



34



35



36



37



38




39



40





61



62



63



64



65



66



67



68



69



70



71



72



73



74



75



76



77



78



79



80



cornice



External Corner Trim



Internal Corner Trim



Corner Trim “L”



Corner Trim “U”



Corner Trim “H”





Corner Trim “F”






PVC WALL PANEL

Lightweight, waterproof, termite-resistant ceiling solution with easy installation and low maintenance.



PVC Fluted Wall Panels – 10 Flutes



**PVC Fluted Wall Panels
– 7 Flutes**



**PVC Fluted Wall Panels
– 5 Flutes**



**PVC Fluted Wall Panels
– 12 Flutes**











WPC WALL PANEL INDOOR

Durable, moisture-resistant, eco-friendly indoor wall panel with natural wood texture and easy installation.






WPC WALL PANEL APPLICATION SCENARIOS

Main Models

<u>YK001</u>		148*10	<u>YK007</u>		148*9	<u>YK013</u>		192*12
<u>YK002</u>		160*24	<u>YK008</u>		200*10	<u>YK014</u>		160*18
<u>YK003</u>		192*16	<u>YK009</u>		193*17	<u>YK015</u>		180*15
<u>YK004</u>		195*16	<u>YK010</u>		200*15	<u>YK016 ▲</u>		216*9.5
<u>YK005</u>		195*25	<u>YK011</u>		160*18	<u>YK017 ▲</u>		198*10.5
<u>YK006</u>		160*24	<u>YK012</u>		200*23			

More Models for Your Reference

YK018		140*12	YK023 ▲		145*17	YK028 ▲		152*10.5
YK019		150*9	YK024 ▲		150*10	YK029 ▲		10*5
YK020		160*9	YK025 ▲		150*15	YK030 ▲		15*5
YK021 ▲		160*20	YK026 ▲		158*21	YK031 ▲		9*5
YK022 ▲		200*20	YK027 ▲		190*24	YK032 ▲		2*1.82



WPC 01



WPC 02



WPC 03



WPC 04



WPC 17



WPC 18



WPC 19



WPC 20



WPC 05



WPC 06



WPC 07



WPC 08



WPC 21



WPC 22



WPC 23



WPC 24



WPC 09



WPC 10




WPC 11



WPC 12



WPC 25



WPC 26



WPC 27



WPC 13



WPC 14




WPC 15




WPC 16






PVC MARBLE SHEET

Lightweight, waterproof, fire-resistant, easy to install, and cost-effective decorative wall panel with elegant marble finish.



PVC Marble Sheet APPLICATION SCENARIOS




Item:	PVC Marble Sheet
Size:	1220*2440/2800/2900mm
Thickness:	2/2.2/2.5/2.8/3mm
Accept customization	



2440MM

1220MM







PVC SELF-ADHESIVE MARBLE DESIGN WALL STICKER


Self-adhesive, waterproof and easy-to-install wall sticker with realistic marble design for quick and cost-effective interior decoration.





1220mm


2440/2800/2900/3000mm






BAMBOO CHARCOAL WALL PANEL

Bamboo Wood Veneer Panel&Bamboo Charcoal Panel



BAMBOO CHARCOAL WALL PANEL APPLICATION SCENARIOS



Item:	Bamboo Wood Veneer Panel
Size:	1220*2440/2800/2900mm
Thickness:	5mm/8mm
Accept customization	



SPC FLOORING

100% waterproof, highly durable and dimensionally stable flooring with easy click installation and low maintenance.



Item:	SPC Flooring
SPC Flooring Size	7"*48"(183mm*1220mm); 9"*60"(230mm*1524mm)
Wear Layer	0.3mm, 0.5mm
SPC Core Thickness	3.2mm-6mm
Under Layer:	EVA / IXPE 1.0-2.0mm

YKID-001

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE



YKID-001



YKID-002

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE



YKID-002



YKID-003

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE



YKID-003



YKID-004

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE



YKID-004



YKID-005

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE



YKID-005



YKID-006

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE



YKID-006



YKID-007

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm

Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE

**YKID-007****YKID-008**

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm

Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE

**YKID-008****YKID-009**

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm

Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE

**YKID-009****YKID-010**

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm

Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE

**YKID-010****YKID-011**

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm

Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE

**YKID-011****YKID-013**

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm

Core Thickness: 3.85mm~6mm
Under Layer: 1.0~2.0mm IXPE

**YKID-013**

YKID-014

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm-6mm
Under Layer: 1.0-2.0mm IXPE



YKID-014



YKID-015

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm-6mm
Under Layer: 1.0-2.0mm IXPE



YKID-015



YKID-018

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm-6mm
Under Layer: 1.0-2.0mm IXPE



YKID-018



YKID-019

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm-6mm
Under Layer: 1.0-2.0mm IXPE



YKID-019



YKID-016

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm-6mm
Under Layer: 1.0-2.0mm IXPE



YKID-016



YKID-017

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm
Core Thickness: 3.85mm-6mm
Under Layer: 1.0-2.0mm IXPE



YKID-017



YKID-020

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm

Core Thickness: 3.85mm-6mm
Under Layer: 1.0-2.0mm IXPE

**YKID-020****YKID-021**

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm

Core Thickness: 3.85mm-6mm
Under Layer: 1.0-2.0mm IXPE

**YKID-021****YKID-022**


Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm

Core Thickness: 3.85mm-6mm
Under Layer: 1.0-2.0mm IXPE

**YKID-022****YKID-023**

Size: 1524*230mm/1220*183mm
Wear Layer: 0.3mm/0.5mm

Core Thickness: 3.85mm-6mm
Under Layer: 1.0-2.0mm IXPE

**YKID-023**



T-Molding

Size: 2400*48*9mm



Skirting

Size: 2400*80*12mm



Reducer

Size: 2400*45*11mm



End-Cap

Size: 2400*35*10mm



7 End-Cap

Size: 2400*22.5*6.5mm



Stair Nose-110

Size: 2400*110*25mm



Quarter Round

Size: 2400*28*17mm



WPC WALL PANEL OUTDOOR

Lightweight, waterproof, fire-resistant, easy to install, and cost-effective decorative wall panel with elegant marble finish.




TRADITIONAL WPC CLADDING SERIES

一代塑木墙板系列

WPC composite wall claddings look like a real wood surface. But compared with wood claddings, WPC composite wall claddings are produced with obvious advantages like eco-friendly, anti-rot, waterproof, low maintenance, available in a wide range of colours.

塑木墙板看上去像真的木材表面。但是和普通墙板相比，塑木墙板具有环保，防腐，防水，低维护和色彩丰富的明显优势。



Item No: LHTW200H17
Dimension: 200mm-17mm
Color: grey 灰色



Item No: LHTW200H17
Dimension: 200mm-17mm
Color: teak 柚木色

Optional colors



Light Coffee
浅咖啡

Red Wood
红木色

Dark Coffee
深咖啡

Cedar
雪松

Light Grey
浅灰色

Charcoal
炭黑色

Teak
柚木色

Grey
灰色

Traditional WPC Big Wall Panel & Small Wall Panel



BIG WALL PANEL

Item No: LHTWB219H26A
Dimension: 219mm-26mm
Color: black 黑色



BIG WALL PANEL

Item No: LHTWB219H26B
Dimension: 219mm-26mm
Color: dark coffee 深咖啡



BIG WALL PANEL

Item No: LHTWB219H26C
Dimension: 219mm-26mm
Color: light coffee 浅咖啡



BIG WALL PANEL

Item No: LHTWB219H26D
Dimension: 219mm-26mm
Color: red wood 红木



BIG WALL PANEL

Item No: LHTWB219H26E
Dimension: 219mm-26mm
Color: cedar 雪松



BIG WALL PANEL

Item No: LHTWS219H26A
Dimension: 219mm-26mm
Color: light coffee 浅咖啡



SMALL WALL PANEL

Item No: LHTWS219H26B
Dimension: 219mm-26mm
Color: dark coffee 深咖啡



SMALL WALL PANEL

Item No: LHTWS219H26C
Dimension: 219mm-26mm
Color: light coffee 浅咖啡



SMALL WALL PANEL

Item No: LHTWS219H26D
Dimension: 219mm-26mm
Color: light grey 青灰色



Item No. LHD1451120
Dimension: 145mm-20mm



SUPER 3D EMBOSSED WPC CLADDING SERIES

3D 压花塑木墙板系列

3D embossed processing technique makes claddings to have 3d effect that provides a more realistic wood grain appearance.

3D压花工艺让塑木墙板拥有3D效果，让其具有更加逼真的木纹外观效果。

Pattern and Color Selection

All can be customized according to your requirements.





CO- EXTRUSION WALL PANELS SERIES

塑木共挤墙板系列

Featuring a durable outer layer, LUWAH co-extrusion WPC wall panels resist fading, scratching, and weathering, withstands the test of time.

绿华共挤木塑墙板具有耐用的外层，可防褪色、耐刮擦和风化，经得起时间考验的持久美观。

WPC DUAL-LAYERS CO-EXTRUSION WALL PANELS



Item No: LHCT219H26A
Dimension: 219mm-26mm
Surface: black 黑色
Color: black 黑色



Item No: LHCT219H26B
Dimension: 219mm-26mm
Surface: dark coffee 深咖啡
Color: black 黑色



Item No: LHCT219H26C
Dimension: 219mm-26mm
Surface: grey 灰色
Color: black 黑色



Item No: LHCT219H26D
Dimension: 219mm-26mm
Surface: IPE 紫檀色
Color: black 黑色



Item No: LHCT219H26E
Dimension: 219mm-26mm
Surface: light coffee 浅咖啡
Color: black 黑色



Item No: LHCT219H26F
Dimension: 219mm-26mm
Surface: red wood mix black 红木混纹
Color: black 黑色



Item No: LHCT219H26G
Dimension: 219mm-26mm
Surface: teak mix black1 柚木混纹1
Color: black 黑色



Item No: LHCT219H26H
Dimension: 219mm-26mm
Surface: teak mix black2 柚木混纹2
Color: black 黑色



Item No: LHCT219H26I
Dimension: 219mm-26mm
Surface: teak 柚木色
Color: black 黑色

Optional colors



Walnut 胡桃色 Slate Grey 铅灰色 Teak 柚木色 IPE 紫檀色 Black 黑色 Coffee 咖啡色 Teak mix black 柚木色混纹 Red wood mix black 红木色混纹 Maple mix black 枫木色混纹 Ancient wood mix black 古木色混纹



WPC DECKING

Slip-resistant, weatherproof and low-maintenance decking with natural wood look and long-lasting durability.



TRADITIONAL WPC DECKING

一代塑木地板系列

WPC (Wood Plastic Composite Decks) are superior materials that combine the beauty of wood with the strength and durability of a polymer.

塑木地板作为性能卓越的材料，结合了木头的美感和强度，以及塑料的持久性。

WPC Hollow Decking Series 空心塑木地板系列



Item No: LHTH140H20
Dimension: 140mm-20mm



Item No: LHTH146H24A
Dimension: 146mm-24mm



Item No: LHTH146H24B
Dimension: 146mm-24mm



Item No: LHTH140H25
Dimension: 140mm-25mm



Item No: LHTH140H25A
Dimension: 140mm-25mm



Item No: LHTH140H25B
Dimension: 140mm-25mm



Item No: LHTH150H30A
Dimension: 150mm-30mm



Item No: LHTH150H30B
Dimension: 150mm-30mm



Item No: LHTH140H40A
Dimension: 140mm-40mm



Item No: LHTH140H40B
Dimension: 140mm-40mm



Item No: LHTH150H50A
Dimension: 150mm-50mm



Item No: LHTH150H50B
Dimension: 150mm-50mm

Optional colors



Light Coffee
浅咖啡



Red Wood
红木色



Dark Coffee
深咖啡



Cedar
雪松



Light Grey
浅灰色



Charcoal
炭黑色



Teak
柚木色



Grey
灰色



WPC Solid Decking Series 实心塑木地板系列



Item No: LHTS140H20
Dimension: 140mm-20mm



Item No: LHTS150H20
Dimension: 150mm-20mm



Item No: LHTS140H25A
Dimension: 140mm-25mm



Item No: LHTS140H25B
Dimension: 140mm-25mm



Item No: LHTS140H25C
Dimension: 140mm-25mm




Item No: LHTS140H30
Dimension: 140mm-30mm



Item No: LHTS150H30
Dimension: 150mm-30mm



Item No: LHTS140H35
Dimension: 140mm-35mm



Item No: LHTS140H40A
Dimension: 140mm-40mm




Item No: LHTS140H40B
Dimension: 140mm-40mm



Item No: LHTS150H50A
Dimension: 150mm-50mm



Item No: LHTS150H50B
Dimension: 150mm-50mm



Item No: LHTS150H50C
Dimension: 150mm-50mm



Item No: LHTS120H50
Dimension: 120mm-50mm

SUPER 3D EMBOSSED WPC DECKING SERIES

在线压花塑木地板系列

It is processed with exquisite craftsmanship that makes traditional wood-like composite decking more natural and improves the performance such as anti-slip, wear-resistant, etc.

精湛的工艺加工，使塑木复合地板更加自然，提高了防滑、耐磨性能。



3D Embossed WPC Decking 在线压花塑木地板



Item No: LHEH145H20

Dimension: 145mm-20mm



Item No: LHEH148H23

Dimension: 148mm-23mm



Item No: LHEH140H25

Dimension: 140mm-25mm



Item No: LHEH150H30

Dimension: 150mm-30mm



Item No: LHEH140H23

Dimension: 140mm-23mm



Item No: LHEH140H25A

Dimension: 140mm-25mm



Item No: LHEH140H25B

Dimension: 140mm-25mm



Item No: LHEH140H30

Dimension: 140mm-30mm

Pattern and Color Selection 图案和颜色选择

All can be customized according to your requirements.



Dark Coffee
深咖啡色



Charcoal
炭黑色



Grey
灰色



Cedar
雪松色



Light Coffee
浅咖啡色



Red Wood
红木色



Red Pine
红松





CO-EXTRUSION WPC DECKING SERIES

共挤塑木地板系列

CO-Extrusion decking is the second generation of WPC produced by advanced technology and unique formula. The co-extrusion is covered with a protective layer of polymer material around that makes composite decking more durable and recyclable.

共挤塑木地板是塑料与木材的复合材料，具有防水、防腐、防虫、防霉、防紫外线等优点，是户外地板的理想选择。

CO-Extrusion WPC Decking Series 共挤塑木地板系列



Item No: LHCS150H20
Dimension: 150mm-20mm



Item No: LHCS140H22
Dimension: 140mm-22mm



Item No: LHCS140H22
Dimension: 140mm-22mm



Item No: LHCH140H23
Dimension: 140mm-23mm



Item No: LHCH148H23
Dimension: 148mm-23mm



Item No: LHCH140H25
Dimension: 140mm-25mm



Item No: LHCS140H25
Dimension: 140mm-25mm



Item No: LHCS140H30
Dimension: 140mm-30mm

Optional colors



Walnut 胡桃色, Slate Grey 深灰色, Teak 柚木色, IPE 紫檀色, Black 黑色, Coffee 咖啡色, Teak mix black 柚木混黑色, Red wood mix black 红木混黑色, Maple mix black 枫木混黑色, Ancient wood mix black 古木混黑色



Single Layer CO-Extrusion WPC Decking Series

单层共挤塑木地板系列

Single-layer co-extrusion WPC decking is a type of wood-plastic composite decking that combines the advantages of co-extrusion technology with the simplicity of a single protective layer. Single-layer co-extrusion WPC decking offers similar durability and aesthetic benefits to multi-layered decking at a lower cost.

单层共挤塑木地板作为一种木塑地板，结合了共挤技术的优点和单一保护层的简单性。单层共挤塑木地板以更低的成本提供与双层共挤地板相似的耐用性和美观效果。



LHCS140H23



LHCS140H25



LHCH148H23A



LHCH148H23B

Bi Color CO-Extrusion WPC Decking Series

双色共挤塑木地板系列

Bi-color co-extrusion WPC decking is a premium type of wood-plastic composite decking that combines the benefits of co-extrusion technology with a unique, dual-color design. Bi-color co-extrusion WPC decking is a unique type of wood-plastic composite decking that combines the benefits of co-extrusion technology with a unique, dual-color design.



Color: dark coffee & teak
Dimension: 140mm-23mm



Color: grey mix black & grey
Dimension: 140mm-25mm



Color: maple & IPE
Dimension: 140mm-23mm



Color: teak & ancient wood
Dimension: 140mm-23mm



Color: white & black
Dimension: 140mm-23mm



LVT SELF-ADHESIVE VINYL FLOORING (PVC FLOORING)

Self-adhesive, waterproof and wear-resistant vinyl flooring with realistic wood or stone design and easy DIY installation.






Item:	Self-adhesive Vinyl Flooring -Wood texture
Size:	152.4mm*914.4mm
Thickness:	1.2mm/1.5mm/1.8mm/2.0mm



Item:	Self-adhesive Vinyl Flooring -Marble design
Size:	304.8mm*304.8mm 457.2mm*457.2mm 800mm*800mm
Thickness:	1.2mm/1.5mm/1.8mm/2.0mm

Wood Texture





Marble
Design



METAL SIDING



Item:

Metal Siding

Size:

3800*383*16mm










PS WALL PANEL



YK1302

 SIZE: 122*12mm



YK1302-2

YK1302-8

YK1302-9

YK1302-13

YK1302-16

YK1302-27

YK1317

 SIZE: 122*12mm



YK1317-8

YK1317-11

YK1317-15

YK1317-18

YK1317-10

YK1317-19



YK1316

 SIZE: 122*12mm



YK1316-1

YK1316-22

YK1316-29


YK1316-28

YK1316-34

YK1316-41

YK1303

 SIZE: 122*12mm



YK1303-1

YK1303-2

YK1303-4

YK1303-10

YK1303-12

YK1303-20



YK1301-1



YK1301-2



YK1304-1



YK1304-2



YK1315-2



YK1315-20



YK1315-4



YK1315-10



YK1315-8



YK1315-28



YK1212-1



YK1212-2



YK1212-5



YK1212-7



YK1212-11



YK1212-14



YK1202-2



YK1202-10



YK1202-17





YK1202-20




YK1202-26



YK1202-30





YK1232-1



YK1232-2



YK10121



YK1012-2



YK1022-1



YK1022-4



YK1022-7



YK1022-17



YK1022-22



YK1022-13



PU STONE WALL PANEL

Indoor/outdoor decorative wall panels





Item:	PU Stone Wall Panel
Size:	1200*600mm, 2400*500mm or other size
Thickness:	16/30/35/48/50/80mm or customization



DIMENSION



YK SP001



YK SP002



YK SP003



YK SP004



YK MG001



YK MG002



YK MG004



YK DB001



YK SP005



YK SP006



YK SP007



YK SP012

SIZE: 120CM*60CM*3CM
PCS/CTN: 10


SIZE: 120CM*60CM*1.6CM
PCS/CTN: 20

SIZE: 120CM*60CM*5.0CM
PCS/CTN: 6

SIZE: 240CM*80CM*6.0/8.0CM
PCS/CTN: 5

FOR MORE MODELS, CONTACT US

ORDINARY COLOR HOT SALE




YK Z001



YK Z002



YK Z003



SIZE: 120CM*60CM*3CM
PCS/CTN: 8



SIZE: 90CM*20CM*5CM
PCS/CTN: 30

FOR MORE MODELS, CONTACT US



Color No. YK01 雪花白



Color No. YK01A 柠檬黄



Color No. YK02 汉白玉



Color No. YK05 太空灰



Color No. YK06 靛黑



Color No. YK07 黄金色



Color No. YK02A 白玉兰



Color No. YK03 清水浅灰



Color No. YK3A 现代灰



Color No. YK07A 夯土黄



Color No. YK08 中国红



Color No. YK09 爱马仕



Color No. YK03B 水泥灰



Color No. YK04 清水深灰



Color No. YK4A 矿岩灰



Color No. YK10 黄金麻



Color No. YK11 玫瑰紫




Color No. YK12 砖红色

ORDINARY COLOR HOT SALE



The background image shows a modern interior space with a curved wall and ceiling. The wall is covered in a light-colored material with small, golden, star-like patterns. The ceiling has a large, circular, recessed light fixture. In the foreground, there is a white table and chairs. Overlaid on the right side of the image is a collage of four flexible tile samples. The tiles are rectangular and have different textures and colors: one is a solid light yellow, another has a wavy, textured pattern, a third is a light beige with a mottled pattern, and the fourth is a dark yellow with a cracked, stone-like texture.

FLEXIBLE TILE

For curved/flat surfaces, toughness and compression resistance




FLEXIBLE TILE APPLICATION SCENARIOS




1200mm



600mm




ACOUSTIC PANEL



Item:	Acoustic Panel
Hot Sale Size	1220*2420mm, 2400*600mm, 3000*600mm
Thickness:	9mm,10mm,12mm, 24mm or customized
Timber Slat:	MDF (Medium Density Fibreboard) of 12mm
Acoustic:	NRC 0.8~0.90
Density:	1200gsm,1400gsm,1700gsm or OEM
Certificates:	GRS, NRC, Fire Rated, Formaldehyde Test







Become a DISTRIBUTOR and sell our products

YIKE works with a network of distributors across Southeast Asia, Mid East, Central America, South America, Africa to bring the benefits of wall panel to residential, commercial and industrial customers. While we have a well-established distributor base, we are always interested in speaking with companies who would like to partner with us to expand into new regions or extend further into under-serviced areas.

With patented features, award-winning innovations and products of outstanding quality, efficiency and reliability, YIKE offers our distributors an attractive line of differentiated products, able to meet virtually any customer's needs.

We also make it simple to get started with a complete start up package for new distributorships, designed to enable you to hit the ground running, ready to offer the YIKE line of wall panel solutions to your dealers. Our package includes:

INVITATION



We invite to join our family of successful wall panel distributors and project partners providing wall panel in your region.

Besides distributors, we work with builders, architects, engineers, contractors, utility companies and many other partners to provide wall paneling solutions. We'd be more than happy to talk to you if you have a project for which you think wall panels may be appropriate.



CONTACT US

Haining Yike New Material Co., Ltd.

Office: Room 1315, NO. 273 Haining Avenue, Haizhou Street, Haining, Jiaxing City, Zhejiang Province, China

Factory: Building 11, No. 1 Weiye Road, Yuanhua Town, Haining City, Jiaxing City, Zhejiang Province

Email: sales1@merchandise-eco.com

WhatsApp/Wechat: +86 15068237838

