



www.salitools.com

www.sali-group.com

GLOBAL ONE-STOP

PROFESSIONAL ACCESSORIES

SOLUTION PROVIDER





SALI TOOLS — CUT, GRIND, POLISH, DRILL, DO IT ALL



“

We solemnly pledge that SALI will assume full responsibility for any personal injury caused by product quality issues.

”

A Message

from SALI Founder

At the age of sixteen, I packed my bags, became an apprentice, and stepped into the world of craftsmanship.

In those days, tools were still cradled in a craftsman's own hands. A single hand plane was often the entirety of his arsenal. Yet, when the blade wasn't sharp enough or the steel wasn't strong enough, the long hours of labor would leave blisters as constant companions and calluses as the seals of passing time. I also witnessed the moments when tools lost control—the injuries they caused, scenes etched deep into my memory.

Today, in the SALI lab, the old tools from my apprenticeship years still lie quietly. They are silent, yet they speak a timeless truth: a tool is an extension of the craftsman's hands. And every such extension must be built upon a foundation of safety.

At the dawn of the 21st century, the wave of electrified tools surged forth. Behind the leaps in efficiency lay an even deeper imperative for risk control. This very principle became the cornerstone of SALI's product philosophy—safety is the prerequisite for efficiency.

From that point on, this conviction was encoded into our DNA: From grinding wheels engineered for anti-shattering, anti-explosion, and anti-splintering, to drill bits designed to resist jamming and combat fatigue...

Our relentless focus has been on one question: how can we make tools the most reliable partner by a craftsman's side?

Therefore, in my capacity as the founder of SALI, I solemnly pledge: "Should any personal injury occur due to a quality defect in a SALI product, the company will assume full responsibility." This commitment stems not only from craftsmanship but also from the weighty mission bestowed upon us by the "New Era of Craftsmanship."

A fine horse deserves a fine saddle. And SALI aspires to be the most reliable saddle for craftsmen worldwide.

Peter Hu

Founder & Chairman of SALI



CONTENTS

ABOUT SALI

- 03 SALI Brand Profile
- 05 Company Profile
- 07 Development History
- 09 Company Culture
- 10 Intellectual Property and Qualifications
- 11 Exclusive Patent

ADVANTAGES OF SALI

- 15 High-standard Supplier Screening Mechanism
- 17 Professional Inspection and Testing Mechanism
- 18 Rich Product Matrix
- 19 Hot-selling Product Inventory Mechanism
- 21 Efficient Logistics Solutions
- 23 Professional Sales Service Team
- 24 Products are Widely Welcomed By Customers Worldwide

Chapter

1

Chapter

2

SALI PRODUCTS

29	Accessories • Cutting and Grinding
47	Accessories • Grinding and Polishing
65	Accessories • Drilling
85	Cordless Tools
97	Power Tools
131	Mechanical and Electrical Tools
163	Air Tools
177	Hand Tools

Chapter

3

SALI GLOBALLY

255	Global Partners
257	Global Exhibition Hall
259	Global Public Welfare & Charity

Chapter

4

Chapter

1



ABOUT SALI

SALI Brand Profile

SALI Brand Profile

Company Profile

Development History

Company Culture

Intellectual Property and Qualifications

Explanation of the Name SALI



SALI BRAND PROFILE

190⁺

Countries and regions
have trademark
protection

SALI, a tool brand under ZHEJIANG SALI ABRASIVE TECHNOLOGY CO., LTD. wields extensive global influence and enjoys an outstanding reputation in the field of power tool accessories. Since its launch in 2010, SALI has secured trademark protection in over 190 countries and regions worldwide as of December 2025. The brand offers a diverse portfolio of more than 5,000 products, spanning power tool accessories, power tools, lithium-powered tools, hand tools, pneumatic tools, and electromechanical equipment. These products are sold in more than 190 countries and regions across the globe.

5000⁺

Products

SALI has established a network of 45 national-level distributors in Belt and Road Initiative countries and has attracted over one million Users across Europe and the United States. On Amazon, over ten of SALI's power tool accessory products—such as grinding discs, flap discs, twist drills, and diamond saw blades—consistently rank among the best-sellers in their categories.

1000000⁺

Users in Europe
and America

Committed to providing high-quality, safe, and reliable tools to users worldwide, SALI consistently embodies its brand values of warmth and care through actions—from donating masks during the COVID-19 pandemic and supporting community welfare initiatives in Africa, to upholding steadfast safety commitments for craftsmen globally. Looking ahead, SALI will continue to build its “One-Stop Cutting, Grinding, Polishing, and Drilling Professional Accessories Solution” empowering users around the world to choose tool accessories with greater ease, confidence, and peace of mind.



Explanation of the Name SALI

S — Sturdy

For customers, every tool and accessories of power tools provided by SALI is built on an unbreakable quality foundation, performing reliably under high-intensity work and complex environments, making their work efficient and worry-free.

In the industry, we set quality benchmarks, driving tools towards greater durability and reliability, thereby elevating overall industry standards.

For society, reliable products reduce resource waste caused by tool wear, contributing to sustainable development.

For the company itself, robust reliability is its core strength and the key competitiveness for building a 'century-old enterprise and world-renowned brand!

L — Loyal

For customers, SALI always maintains loyalty, accompanying them from pre-sales consultation to after-sales maintenance, providing professional services to meet customer needs and becoming a trustworthy long-term partner.

In the industry, we adhere to honest business practices, sincerely cooperate with upstream and downstream enterprises, and jointly build a good industry ecosystem.

For society, our loyalty is demonstrated by actively fulfilling corporate social responsibilities, complying with laws and regulations, and engaging in public welfare activities.

Within the company, a culture of loyalty unites employees with the enterprise, creating a powerful synergy for development.

A — Advanced

For customers, SALI continuously integrates cutting-edge technology into its products, offering smarter and more convenient hardware tools and power tool accessories, thereby enhancing work efficiency and quality.

Within the industry, innovation drives transformation, breaking traditional limitations and leading the hardware tool sector to new heights.

For society, the application of advanced technology can reduce energy consumption and promote green production.

For the company itself, innovation is the source of development; maintaining exploration and pursuit of advanced technology ensures that SALI remains at the forefront of the market, just as our slogan 'To Be Top A' states.

I — Inspiring

For customers, SALI's products and services not only address current issues but also inspire enthusiasm and creativity at work, opening up new development possibilities;

within the industry, through innovative ideas and practices, we inspire peers to explore new development paths, collectively writing a new chapter for the hardware tools industry;

For society, we are committed to using innovative products and services to inspire social progress and drive the development of various industries;

For the company itself, we maintain a vision for the future and pursue continuous innovation, constantly exploring new fields to achieve sustainable development and self-transcendence.

COMPANY PROFILE

Zhejiang Sali Abrasive Technology Co., Ltd. is an integrated company specializing in research and development, manufacturing, global trade, and brand operation. With over two decades of expertise in professional power tools, accessories, and hand tools. Its self-owned brand SALI has secured trademark registrations in over 190 countries since its launch in 2010.

23⁺

23 years in the tool industry

5000⁺

SKU
5000+ SKU

30000 m²

Building area

150 million

Grinding wheel output

12000 m³

The warehouse can store products

7⁺

Scene solution

10⁺

Functions

45

Country agents

160⁺

Global exports

TOP 3

6 Amazon year-round bestsellers





SUBSIDIARIES

Yongkang Shi Pengcheng Moju Moliao Limited

For customers, SALI continuously integrates cutting-edge technology into its products, offering smarter and more convenient hardware tools and power tool accessories, thereby enhancing work efficiency and quality.

Within the industry, innovation drives transformation, breaking traditional limitations and leading the hardware tool sector to new heights.

For society, the application of advanced technology can reduce energy consumption and promote green production.

For the company itself, innovation is the source of development; maintaining exploration and pursuit of advanced technology ensures that SALI remains at the forefront of the market, just as our slogan 'To Be Top A' states.

Yiwu Pengcheng Import & Export Co., Ltd.

Yiwu Pengcheng Import & Export Co., Ltd. is one of the core operating entities of the "SALI" brand. Established in 2014, the company offers over 5,000 products covering power tool accessories, power tools, lithiumpowered tools, hand tools, pneumatic tools, and more. Leveraging its proprietary exhibition hall in the Yiwu International Trade City, the company conducts omnichannel sales both online and offline. Committed to delivering professional product services, we continuously optimize product performance and enhance safety standards, building the SALI brand image as safe, professional, and efficient. To date, our clients span more than 160 countries and regions worldwide, and we have developed a network of 45 nationallevel distributors.

DEVELOPMENT HISTORY

2010

In 2010, the SALI brand was born and began global trademark protection.

2016

In 2016, preparations for the SALI one-stop tool product operation strategy began.

2018

In 2018, the SALI product series was fully developed and launched, including pumps, air compressors, welders, generators, and more.

2003


In 2003, Yiwu Pengcheng Hardware Trading Co., Ltd. (the predecessor of SALI Company) was established, focusing on the tool industry.

2014

In 2014, Yiwu Pengcheng Import and Export Co., Ltd. was founded, launching an integrated online and offline sales model.

2017

In 2017, the first batch of SALI power tools and hand tools entered the market.



2020

In 2020, before the COVID-19 outbreak, nearly 200,000 SALI masks were donated to frontline workers in Wuhan and Jinhua.

2023

In 2023, the company headquarters moved to the CBD, the new factory site was put into use, the production line was upgraded to smart technology, the warehousing and distribution system was optimized, and the physical display image was enhanced.

2026

In 2026, SALI expanded its product SKUs to over 5,000, further optimizing its category layout. In the same year, SALI established new offices in East Africa (Kenya), West Africa (Nigeria), Central Asia (Kazakhstan), and South Asia (Pakistan), significantly enhancing its market service capabilities.

2019

By 2019, nearly 20 national-level agents had been developed worldwide, with products sold to over 160 countries. The company also initiated offline global service projects and, together with its Ethiopian agent, conducted a charity donation event in a local impoverished community.

2022

In 2022, B2C online sales were launched, with SALI's sanding discs on Amazon US ranking among the top three.

2025

In 2025, SALI underwent a strategic brand upgrade, establishing itself as a Global One-Stop power tool accessories Solution Provider for Cutting, Grinding, Polishing, and Drilling. In the same year, the company set up a dedicated testing laboratory for tools and consumables. Notably, the President of Mozambique visited the SALI booth for a warm and cordial exchange with SALI representatives. Furthermore, SALI Tools made a landmark appearance on the Nasdaq billboard in Times Square, New York.

Vision

To become a century-old enterprise and create a world-renowned brand !

Mission

To build China's quality with outstanding quality, connect global customers with dedicated service, and create a beautiful home together with responsibility and commitment!

Values

Customer First, Long-Term Commitment, Collaborative Win- Win, Integrity & Rectitude.

COMPANY CULTURE

A full-page background image showing the silhouettes of seven people standing on a rocky mountain peak, holding hands in a line. They are facing away from the viewer towards a bright sunrise over a range of mountains. The sun is low on the horizon, creating a warm, golden glow and long shadows of the people on the ground. The sky is filled with soft, wispy clouds. The overall mood is one of unity, achievement, and looking towards a bright future.

INTELLECTUAL PROPERTY AND QUALIFICATIONS

190⁺

Countries and Regions
Trademark Right Protection

20⁺

Exclusive patents related
to tools and consumables

10⁺

Globally Authoritative
Qualification Certificates

Trademark protection



China



Madrid Trademark System



Brazil



United Arab Emirates



Ethiopia



United Kingdom



France



Tanzania




Venezuela



Canada



South Africa



USA



Australia



Argentina

* Due to limited space, only partial countries' registered trademarks are displayed. This order is not ranked.

EXCLUSIVE PATENT

Due to limited space, only a portion of the patent certificates is displayed.



Patent Title: Hammer Handle
Patent number:
ZL 2021 3 0197338.1



Patent Title: Spirit Level
Patent number:
ZL 2021 3 0002159.8



Patent Title: Pliers Handle
Patent number:
ZL 2021 3 0002159.8



Patent Title: Hand Saw Handle
Patent number:
ZL 2021 3 0308358.1



Patent Title: Handle
Patent number:
ZL 2020 3 0636402.7



Patent Title: Hammer Handle
Patent number:
ZL 2024 3 0160829.2

GLOBAL CERTIFICATION

Due to limited space, only a portion of the product certifications are displayed.



Bureau Veritas Certificate



MIC20170110002




SGS



TÜV Certificate



CE Certificate




ISO 9001



CE Certificate



MPA Certificate



MPA Certificate



MPA Certificate

2

High-standard supplier screening mechanism

Professional inspection and testing mechanism

Rich product matrix

Hot-selling product inventory mechanism

Efficient logistics solutions

Professional sales service team



ADVANTAGES OF SALI

HIGH-STANDARD SUPPLIER SCREENING MECHANISM



The Birth of SALI Lithium-Ion Drill



01

SALI screens suppliers that meet the standards.



02

Samples and specification sheets are provided by the suppliers.



04

SALI staff conduct factory audits.



03

SALI's professional personnel conduct testing and comparison of the samples.



05

After the factory audit is qualified, SALI places an order and tracks the production process.



06

SALI's professional personnel conduct testing and comparison of the samples.



07

After the random inspection is qualified, the goods are allowed to enter the SALI cloud warehouse.

PROFESSIONAL QUALITY INSPECTION MECHANISM



Stringent Product Evaluation Mechanism

Our company operates a specialized testing laboratory where products must pass rigorous evaluations before mass production. This ensures every product we deliver meets enduring quality standards.



Professional Quality Inspection Mechanism

A dedicated QC team conducts random inspections on every batch of outgoing products to prevent defective items from reaching the market.



Transparent Inspection System

We offer an open monitoring mechanism that allows clients to remotely access our laboratory cameras, ensuring real-time visibility into product quality assessment results



Customized Testing Services

We provide tailored testing solutions, accommodating special inspection requirements as specified by clients.

RICH PRODUCT MATRIX

2 major fields

Covering two major fields of DIY and professional grade

7⁺ scenarios

Covering scenarios such as metal processing, stone processing, wood processing, floor and wall tiling, Vehicle Maintenance and Repair, gardening, and construction

5000⁺ SKUs

Involving over 5000+ SKUs in the fields of professional consumables, power tools, hand tools, and pneumatic tools

10⁺ functions

Addressing common needs such as cutting, grinding, polishing, drilling, fastening, measuring, lifting, welding, and disassembly



HOT-SELLING PRODUCT INVENTORY MECHANISM

8000 m²

Super-large capacity warehousing facilities

A private warehouse of over 8000m² can
accommodate 120 million m³ of goods.

20 %

Hot-selling product stockpiling mechanism

Implement the "rolling stockpiling system",
and reserve a 20% buffer stock according
to quarterly sales.

Integrated data sources: historical sales
data (accurate to the SKU level) +
downstream customers' project cycle
prediction.



A07-08

A07-07

A07-07

A07-06

EFFICIENT LOGISTICS SOLUTIONS





Established strategic cooperation with 15 of the world's top 100 logistics enterprises such as DHL, FedEx, and Maersk.



The compliance clearance rate of the special declaration channel for battery - containing products reached 99.6%.



In 2024, the average arrival time at the port was 5 days earlier than in 2023, and the customer payment collection cycle was shortened by 17%.



In 2024, the transit links were on average shortened by 23%, and the cargo damage rate was reduced to 0.15%



PROFESSIONAL SALES SERVICE TEAM



Industry In-depth Cultivation Team Building

Those with more than 8 years of experience account for 70%. There are service groups in segmented fields, and multilingual customer managers can communicate without barriers.



Customer Success Metric Management

Establish a "Tool Lifecycle File" for each customer, and set up a global customer emergency response mechanism to achieve rapid response and resource allocation.





SALI TOOL GAIN GLOBAL POPULARITY

SALI maintains a deep operational presence on platforms such as Amazon, TikTok, and Mercado Libre, with multiple consumable products ranking as Best Sellers and annual GMV approaching 100 million RMB. The user base in Europe and America has exceeded one million, while SALI products also wield extensive market influence across the Middle East, Africa, and Central Asia.



TOP 3 x 5 SKUs

TOP 10 x 14 SKUs

amazon

\$24
million GMV annually

3



SALI PRODUCTS

Accessories

Cordless Tools

Power Tools

Mechanical And Electrical Tools

Air Tools

Hand Tools



ACCESSORIES

CUTTING AND GRINDING



Metal Cutting Disc	30
Metal Grinding Wheel	32
Inox Cutting Disc	35
Inox Grinding Wheel	36
Stone Grinding Wheel	37
Diamond Saw Blade	38
Professional Stone Diamond Saw Blade	41
Professional Ceramic Diamond Saw Blade	42
Professional Wall Grooving Diamond Saw Blade	42
Professional Glass Diamond Saw Blade	42
Diamond Glass Saw Blade	44
Professional Hard Pavers Diamond Saw Blade	44
T.C.T Saw Blade	45
Weeding Tablets	46

ACCESSORIES

GRINDING AND POLISHING



Flap Dis	48
Diamond Grinding Wheel	52
Diamond Grinding Pad	55
Velcro Pad	55
Velcro Disc	55
Fiber Disc	57
Fiber Sanding Disc	57
Fiber Wheel	57
Bench Grinding Wheel	58
Sanding Belt	58
Abrasive Cloth Roll	58
Sanding Paper	59
Wire Brush	60



ACCESSORIES

DRILLING

HSS Drill Bit	66	HSS T.C.T Drill Bit Hole Saw	74
Twist Drill Bit	67	HSS Hole Saw Drill Bit Set	76
Brad Point Drill Bit	67	M14 Brazing Hole Opener	76
Woodworking Dowel Drill	68	M42 Bi-metal Hole Saw	76
Woodworking Flat Drill	68	Wet Diamond Core Drill Bits	77
Square Hole Drill Bit	68	Brazing Hole Opener	78
HSS Step Drill	68	Diamond Chamfer Bit	78
SDS Hammer Drill Bit	69	France Side Grinding Wheel	78
SDS Hammer Chisel	70	Diamond Milling Bit	78
65A Flat Chisel	72	Brazed Diamond Stepped Pagoda Drill Bit	78
Masonry Drill Bit	72	Wall Opener	79
Tungsten Carbide Lithium Concrete Drill	73	Connecting Rod	79
Eccentric Ceramic Drill	73	Hole Saw Set	79
Multi-Function Sawtooth Drill	73	Router Bits Set	79
Glass & Tile Drill Bit	73	Screwdriver Bits	80
Diamond Drill Bit Hole Saw	74		

ACCESSORIES
**CUTTING AND
GRINDING**



Metal Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100006	Aluminum Oxide	A60T4BF	100 x 2.0 x 16	4" x 5/64" x 5/8"	15200	30	480
A0100099	Aluminum Oxide	A30T4BF	100 x 2.5 x 16	4" x 3/32" x 5/8"	15200	25	400
A0100002	Aluminum Oxide	A60T4BF	107 x 1.0 x 16	4-1/7" x 1/24" x 5/8"	14500	50	800
A0100004	Aluminum Oxide	A60T4BF	107 x 1.6 x 16	4-1/7" x 1/16" x 5/8"	14500	50	640



Metal Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100007	Aluminum Oxide	A60T4BF	115 x 1.2 x 22.2	4-1/2" x 3/64" x 7/8"	13300	50	600
A0100008	Aluminum Oxide	A60T4BF	115 x 1.6 x 22.2	4-1/2" x 1/16" x 7/8"	13300	40	480
A0100010	Aluminum Oxide	A60T4BF	115 x 2.5 x 22.2	4-1/2" x 3/32" x 7/8"	13300	25	300



Metal Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100012	Aluminum Oxide	A60T4BF	125 x 1.0 x 22.2	5" x 1/24" x 7/8"	12200	50	600
A0100011	Aluminum Oxide	A60T4BF	125 x 1.2 x 22.2	5" x 1/24" x 7/8"	12200	50	600
A0100037	Aluminum Oxide	A60T4BF	125 x 1.6 x 22.2	5" x 3/64" x 7/8"	12200	40	480
A0100038	Aluminum Oxide	A30Q4BF	125 x 2.5 x 22.2	5" x 1/16" x 7/8"	12200	25	300



Metal Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100015	Aluminum Oxide	A60T4BF	150 x 1.6 x 22.2	6" x 3/32" x 7/8"	9100	50	300



Metal Cutting Disc							
Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100017	Aluminum Oxide	A60T4BF	180 x 1.6 x 22.2	7" x 1/16" x 7/8"	8500	50	200
A0100116	Aluminum Oxide	A60T4BF	180 x 2.0 x 22.2	7" x 4/65" x 7/8"	8500	40	160



Metal Cutting Disc							
Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100123	Aluminum Oxide	A60T4BF	230 x 1.6 x 22.2	9" x 1/16" x 7/8"	6640	25	100
A0100124	Aluminum Oxide	A60T4BF	230 x 1.9 x 22.2	9" x 3/40" x 7/8"	6640	20	80
A0100018	Aluminum Oxide	A60T4BF	230 x 2.0 x 22.2	9" x 5/64" x 7/8"	6640	20	80
A0100019	Aluminum Oxide	A60T4BF	230 x 2.5 x 22.2	9" x 3/32" x 7/8"	6640	20	80



Metal Cutting Disc							
Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100021	Aluminum Oxide	A30Q4BF	300 x 3.2 x 25.4	12" x 1/8" x 1"	5100	-	25
A0100087	Aluminum Oxide	A30Q4BF	300 x 3.2 x 25.4	12" x 1/8" x 1"	5100	Double Nets	25
A0100022	Aluminum Oxide	A30Q4BF	300 x 4.0 x 25.4	12" x 1/6" x 1"	5100	-	25



Metal Cutting Disc							
Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100065	Aluminum Oxide	A30T4BF	355 x 2.5 x 25.4	14" x 1/10" x 1"	4400	-	30
A0100024	Aluminum Oxide	A30Q4BF	355 x 3.0 x 25.4	14" x 1/9" x 1"	4400	-	30
A0100088	Aluminum Oxide	A30Q4BF	355 x 3.0 x 25.4	14" x 1/9" x 1"	4400	Double Nets	30
A0100025	Aluminum Oxide	A30Q4BF	355 x 3.2 x 25.4	14" x 1/8" x 1"	4400	-	25
A0100086	Aluminum Oxide	A30Q4BF	355 x 3.2 x 25.4	14" x 1/8" x 1"	4400	Double Nets	25
A0100026	Aluminum Oxide	A30Q4BF	355 x 4.0 x 25.4	14" x 1/6" x 1"	4400	-	20



Metal Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100027	Aluminum Oxide	A30Q4BF	400 x 3.2 x 25.4	16" x 1/8" x 1-1/4"	3800	Single Net	25
A0100085	Aluminum Oxide	A30Q4BF	400 x 3.2 x 32	16" x 1/8" x 1-1/4"	3800	Double Nets	25
A0100028	Aluminum Oxide	A30Q4BF	400 x 4.0 x 25.4	16" x 1/8" x 1-1/4"	3800	Double Nets	20



Metal Cutting Disc

Product Model	Material	Size (mm)	Qty/Ctn (pcs)	Ctn Size(cm)	Ctn/Cbm	Ctn/kg
A0100087	Aluminum Oxide	300 x 3.2 x 25.4 Double nets	25	31 x 31 x 9.8	0.009	12.30
A0100086	Aluminum Oxide	355 x 3.2 x 25.4 Double nets	25	36 x 36 x 13	0.013	19.00
A0100090	Aluminum Oxide	400 x 3.2 x 25.4 Double nets	25	41 x 41 x 9.8	0.016	20.00
A0100091	Aluminum Oxide	400 x 3.2 x 32 Double nets	25	41 x 41 x 9.8	0.016	20.00
A0100028	Aluminum Oxide	400 x 4.0 x 25.4 Double nets	25	41 x 41 x 9.8	0.016	20.00
A0100096	Aluminum Oxide	400 x 4.0 x 32 Double nets	25	41 x 41 x 9.8	0.016	20.00



Metal Cutting Disc

Product Model	Material	Specification	Size (mm)	Qty/Ctn (pcs)	Ctn Size(cm)	Ctn/Cbm	Ctn/kg
A0100003	Aluminum Oxide	A30Q4BF	107 x 1.0 x 16	800	48 x 24 x 20	0.023	20.00
A0100095	Aluminum Oxide	A30Q4BF	355 x 2.5 x 25.4	25	-	-	-



Metal Grinding Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0200001	Aluminum Oxide	A30Q4BF	100 x 3.0 x 16	4" x 1/8" x 5/8"	15200	25	300
A0200004	Aluminum Oxide	A24Q4BF	100 x 6.0 x 16	4" x 1/4" x 5/8"	15200	25	200
A0200007	Aluminum Oxide	A30Q4BF	115 x 3.0 x 22.2	4-1/2" x 1/8" x 7/8"	13300	25	200
A0200010	Aluminum Oxide	A24Q4BF	115 x 6.0 x 22.2	4-1/2" x 1/4" x 7/8"	13300	25	200



 Metal Grinding Wheel							
Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0200013	Aluminum Oxide	A30Q4BF	125 x 3.0 x 22.2	5" x 1/8" x 7/8"	12200	25	200
A0200016	Aluminum Oxide	A24Q4BF	125 x 6.0 x 22.2	5" x 1/4" x 7/8"	12200	25	100




 Metal Grinding Wheel							
Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0200019	Aluminum Oxide	A30Q4BF	150 x 3.0 x 22.2	6" x 1/8" x 7/8"	9100	25	200
A0200022	Aluminum Oxide	A24Q4BF	150 x 6.0 x 22.2	6" x 1/4" x 7/8"	9100	25	100



 Metal Grinding Wheel							
Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0200025	Aluminum Oxide	A60T4BF	180 x 3.0 x 22.2	7" x 1/8" x 7/8"	8500	25	100
A0200028	Aluminum Oxide	A60T4BF	180 x 6.0 x 22.2	7" x 1/4" x 7/8"	8500	25	50



 Metal Grinding Wheel							
Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0200031	Aluminum Oxide	A60T4BF	230 x 3.0 x 22.2	9" x 1/8" x 7/8"	6640	25	100
A0200034	Aluminum Oxide	A60T4BF	230 x 6.0 x 22.2	9" x 1/4" x 7/8"	6640	25	50



Metal Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100045	Aluminum Oxide	WA60TBF	107 x 1.2 x 16.0	4-1/7" x 1/24" x 5/8"	14500	50	800
A0100049	Aluminum Oxide	WA60TBF	115 x 1.2 x 22.2	4-1/2" x 1/24" x 5/8"	13300	50	600
A0100059	Aluminum Oxide	WA30TBF	180 x 1.6 x 22.2	7" x 1/16" x 7/8"	8500	50	200
A0100060	Aluminum Oxide	WA30TBF	230 x 2.0 x 22.2	9" x 4/65" x 7/8"	6640	25	100
A0100063	Aluminum Oxide	WA30QBF	300 x 3.0 x 25.4	12 x 1/8" x 1"	5100	-	30



Metal Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100066	Aluminum Oxide	SA30Q4BF	355 x 2.8 x 25.4	14" x 1/10" x 1"	4400	Single Net	30
A0100067	Aluminum Oxide	SA30T4BF	355 x 3.0 x 25.4	14" x 1/9" x 1"	4400	Single Net	30
A0100108	Aluminum Oxide	SA30Q4BF	355 x 3.0 x 25.4	14" x 1/9" x 1"	4400	-	25
A0100069	Aluminum Oxide	WA30QBF	400 x 3.2 x 25.4	16" x 1/8" x 1"	3800	-	25



Metal Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0100023	Aluminum Oxide	A30Q4BF	350 x 1.9 x 25.4	14" x 3/40" x 1"	4400	Single Net	40



Metal Grinding Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0200037	Aluminum Oxide	A24QBF	100 x 3.0 x 16	4" x 1/8" x 7/8"	15200	25	300
A0200040	Aluminum Oxide	A24QBF	100 x 6.0 x 16	4" x 1/4" x 7/8"	15200	25	300
A0200043	Aluminum Oxide	A24QBF	115 x 3.0 x 22.2	4-1/2" x 1/8" x 7/8"	13300	25	300
A0200046	Aluminum Oxide	A24QBF	115 x 6.0 x 22.2	4-1/2" x 1/4" x 7/8"	13300	25	300



Metal Grinding Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0200049	Aluminum Oxide	A24QBF	125 x 3.0 x 22.2	5" x 1/8" x 7/8"	12200	25	300
A0200052	Aluminum Oxide	A24QBF	125 x 6.0 x 22.2	5" x 1/4" x 7/8"	12200	25	300
A0200055	Aluminum Oxide	A24QBF	150 x 3.0 x 22.2	6" x 1/8" x 7/8"	9100	25	300
A0200058	Aluminum Oxide	A24QBF	150 x 6.0 x 22.2	6" x 1/4" x 7/8"	9100	25	300



Metal Grinding Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0200061	Aluminum Oxide	A24QBF	180 x 3.0 x 22.2	7" x 1/8" x 7/8"	8500	25	300
A0200064	Aluminum Oxide	A24QBF	180 x 6.0 x 22.2	7" x 1/4" x 7/8"	8500	25	300
A0200067	Aluminum Oxide	A24QBF	230 x 3.0 x 22.2	9" x 1/8" x 7/8"	6600	25	300
A0200070	Aluminum Oxide	A24QBF	230 x 6.0 x 22.2	9" x 1/4" x 7/8"	6600	25	300



Metal Grinding Wheel Economic Type

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0200043	Aluminum Oxide	A30Q4BF	115 x 3.0 x 22.2	4-1/2" x 1/8" x 7/8"	13300	25	200
A0200046	Aluminum Oxide	A24Q4BF	115 x 6.0 x 22.2	4-1/2" x 1/4" x 7/8"	13300	25	100
A0200061	Aluminum Oxide	A30Q4BF	180 x 3.0 x 22.2	7" x 1/8" x 7/8"	8500	25	100
A0200064	Aluminum Oxide	A24Q4BF	180 x 6.0 x 22.2	7" x 1/4" x 7/8"	8500	25	50
A0200067	Aluminum Oxide	A30Q4BF	230 x 3.0 x 22.2	9" x 1/8" x 7/8"	6640	25	100
A0200070	Aluminum Oxide	A24Q4BF	230 x 6.0 x 22.2	9" x 1/4" x 7/8"	6640	25	50



Inox Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0300002	Single Aluminum Oxide	SA60T4BF	105 x 1.0 x 16	4-1/7" x 1/24" x 5/8"	15200	50	800
A0300008	Single Aluminum Oxide	SA60T4BF	115 x 1.2 x 22.2	4-1/2" x 3/64" x 7/8"	13300	50	600
A0300009	Single Aluminum Oxide	SA30T4BF	115 x 1.6 x 22.2	4-1/2" x 11/16" x 7/8"	13300	50	480



Inox Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0300010	Single Aluminum Oxide	SA60T4BF	125 x 1.2 x 22.2	5" x 3/64" x 7/8"	12200	50	600
A0300011	Single Aluminum Oxide	SA60T4BF	125 x 1.6 x 22.2	5" x 1/16" x 7/8"	12200	40	480
A0300012	Single Aluminum Oxide	SA30T4BF	125 x 2.5 x 22.2	5" x 3/32" x 7/8"	12200	25	300



Inox Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0300013	Single Aluminum Oxide	SA60T4BF	150 x 1.6 x 22.2	6" x 3/32" x 7/8"	9100	50	300
A0300014	Single Aluminum Oxide	SA60T4BF	180 x 1.6 x 22.2	7" x 1/16" x 7/8"	8500	50	200
A0300015	Single Aluminum Oxide	SA60T4BF	230 x 2.0 x 22.2	9" x 5/64" x 7/8"	6640	25	100



Inox Cutting Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0300018	Single Aluminum Oxide	SA30Q4BF	300 x 3.0 x 25.4	12" x 1/8" x 1"	5100	30	30
A0300021	Single Aluminum Oxide	SA30T4BF	355 x 2.8 x 25.4	14" x 1/10" x 1"	4400	30	30
A0300023	Single Aluminum Oxide	SA30Q4BF	355 x 3.0 x 25.4	14" x 1/9" x 1"	4400	30	30
A0300022	Single Aluminum Oxide	SA30Q4BF	355 x 3.2 x 25.4	14" x 1/8" x 1"	4400	25	25
A0300024	Single Aluminum Oxide	SA30Q4BF	400 x 3.2 x 25.4	16" x 1/8" x 1-1/4"	3800	30	30



Inox Grinding Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0300041	Single Aluminum Oxide	A30Q4BF	100 x 3.0 x 16	4" x 1/8" x 7/8"	15200	25	300
A0300044	Single Aluminum Oxide	A24Q4BF	100 x 6.0 x 16	4" x 1/4" x 7/8"	15200	25	200
A0300047	Single Aluminum Oxide	A30Q4BF	115 x 3.0 x 22.2	4-1/2" x 1/8" x 7/8"	13300	25	200
A0300050	Single Aluminum Oxide	A24Q4BF	115 x 6.0 x 22.2	4-1/2" x 1/4" x 7/8"	13300	25	200
A0300053	Single Aluminum Oxide	A30Q4BF	125 x 3.0 x 22.2	5" x 1/8" x 7/8"	12200	25	200
A0300056	Single Aluminum Oxide	A24Q4BF	125 x 6.0 x 22.2	5" x 1/4" x 7/8"	12200	25	100



Inox Grinding Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0300059	Single Aluminum Oxide	A30Q4BF	150 x 3.0 x 22.2	6 x 1/8" x 7/8"	9100	25	200
A0300062	Single Aluminum Oxide	A24Q4BF	150 x 6.0 x 22.2	6 x 1/4" x 7/8"	9100	25	100
A0300065	Single Aluminum Oxide	A30Q4BF	180 x 3.0 x 22.2	7 x 1/8" x 7/8"	8500	25	100
A0300068	Single Aluminum Oxide	A24Q4BF	180 x 6.0 x 22.2	7 x 1/4" x 7/8"	8500	25	100
A0300071	Single Aluminum Oxide	A30Q4BF	230 x 3.0 x 22.2	9" x 1/8" x 7/8"	6640	25	100
A0300074	Single Aluminum Oxide	A24Q4BF	230 x 6.0 x 22.2	9" x 1/4" x 7/8"	6640	50	50



Stone Grinding Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0400001	Silicon Carbide	C24R4BF	100 x 3.0 x 16	4" x 1/8" x 7/8"	15200	25	300
A0400004	Silicon Carbide	C24R4BF	100 x 6.0 x 16	4" x 1/4" x 7/8"	15200	25	200
A0400007	Silicon Carbide	C24R4BF	115 x 3.0 x 22.2	4-1/2" x 1/8" x 7/8"	13300	25	200
A0400010	Silicon Carbide	C24R4BF	115 x 6.0 x 22.2	4-1/2" x 1/4" x 7/8"	13300	25	200



Stone Grinding Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0400025	Silicon Carbide	C24R4BF	180 x 3.0 x 22.2	7" x 1/8" x 7/8"	8500	25	100
A0400028	Silicon Carbide	C24R4BF	180 x 6.0 x 22.2	7" x 1/4" x 7/8"	8500	25	100



Stone Grinding Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
A0400031	Silicon Carbide	C24R4BF	230 x 3.0 x 22.2	9" x 1/8" x 7/8"	6640	25	100
A0400034	Silicon Carbide	C24R4BF	230 x 6.0 x 22.2	9" x 1/4" x 7/8"	6640	25	50



Segment Diamond Saw Blade

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0100001	65Mn, Diamond and Metal Powder	80 m/s	105 x 1.8 x 20	4" x 7/8"	14500	10	100
B0100002		80 m/s	115 x 1.8 x 22.2	4.5" x 7/8"	13200	10	100
B0100003		80 m/s	125 x 1.8 x 22.2	5" x 7/8"	12200	10	100
B0100005		80 m/s	180 x 2.2 x 22.2	7" x 7/8"	8500	10	50
B0100007		80 m/s	230 x 2.6 x 22.2	9" x 7/8"	6600	5	25
B0100009		80 m/s	300 x 3.0 x 25.4	12" x 1"	5100	1	10
B0100010		80 m/s	355 x 3.2 x 25.4	14" x 1"	4400	1	10
B0100011		80 m/s	400 x 3.6 x 25.4	16" x 1"	3800	1	5



Rim Diamond Saw Blade

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0200001	65Mn, Diamond and Metal Powder	80 m/s	105 x 1.8 x 20	4" x 7/8"	14500	10	100
B0200002		80 m/s	115 x 1.8 x 22.2	4.5" x 7/8"	13200	10	100
B0200003		80 m/s	125 x 2.2 x 22.2	5" x 7/8"	12200	10	100
B0200005		80 m/s	180 x 2.2 x 22.2	7" x 7/8"	8500	10	50
B0200007		80 m/s	230 x 2.6 x 22.2	9" x 7/8"	6600	5	25
B0200009		80 m/s	300 x 3.0 x 25.4	12" x 1"	5100	1	10
B0200010		80 m/s	355 x 3.2 x 25.4	14" x 1"	4400	1	10



Turbo Diamond Saw Blade

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0300001	65Mn, Diamond and Metal Powder	80 m/s	105 x 1.8 x 20	4" x 7/8"	14500	10	100
B0300002		80 m/s	115 x 1.8 x 22.2	4.5" x 7/8"	13200	10	100
B0300003		80 m/s	125 x 1.8 x 22.2	5" x 7/8"	12200	10	100
B0300005		80 m/s	180 x 2.2 x 22.2	7" x 7/8"	8500	10	50
B0300007		80 m/s	230 x 2.6 x 22.2	9" x 7/8"	6600	5	25
B0300009		80 m/s	300 x 3.0 x 25.4	12" x 1"	5100	1	10
B0300010		80 m/s	355 x 3.2 x 25.4	14" x 1"	4400	1	10



Segment&Turbo Diamond Saw Blade

Product Model	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0400002	65Mn,Diamond and Metal Powder	80 m/s	115 x 1.8 x 22.2	4.5" x 7/8"	13200	10	100
B0400005		80 m/s	180 x 2.2 x 22.2	7" x 7/8"	8500	10	50
B0400007		80 m/s	230 x 2.6 x 22.2	9" x 7/8"	6600	5	25





3pcs Diamond Saw Blades Set

Item Name	Size	Arbor Size	Reducing Ring	Speed Max	r/min
3pcs Diamond Saw Blades Set	4.0 inch	7/8 inch	0.79"(20 mm), 5/8"(16 mm)	80 m/s	14500
3pcs Diamond Saw Blades Set	4.5 inch	7/8 inch	0.79"(20 mm), 5/8"(16 mm)	80 m/s	13200

Contents: Mixed 1 continuous, 1 segmented, 1 turbo rim blade or according to your requirements mix.



Segment/Turbo/Rim Diamond Saw Blade

Product Model	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0100125	65Mn, Diamond and Metal Powder	80 m/s	115	4.5"	13200	10	100
B0100180		80 m/s	180	7"	8500	10	50
B0100230		80 m/s	230	9"	6600	5	25



Segment Diamond Saw Blade (ES)

Product Model	Compatible Machine	Specification	Size (mm)	Qty/Ctn (pcs)
B0110100	Marble Cutter/Angle Grinder	80 m/s	105 x 1.0 x 10	200
B0110015	Marble Cutter/Angle Grinder	80 m/s	115 x 1.2 x 10	200
B0110025	Marble Cutter/Angle Grinder	80 m/s	125 x 1.2 x 10	200
B0110018	Marble Cutter/Angle Grinder	80 m/s	180 x 1.8 x 10	50
B0110023	Marble Cutter/Angle Grinder	80 m/s	230 x 1.8 x 10	30



Netwave Diamond Saw Blade (ES)

Product Model	Compatible Machine	Specification	Size (mm)	Qty/Ctn (pcs)
B0310001	Marble Cutter/Angle Grinder	80 m/s	105 x 1.0 x 20/16	100
B0210002	Marble Cutter/Angle Grinder	80 m/s	115 x 0.9 x 22.2	200
B0210003	Marble Cutter/Angle Grinder	80 m/s	125 x 0.9 x 22.2	200
B0310004	Marble Cutter/Angle Grinder	80 m/s	180 x 1.2 x 22.2	50
B0310005	Marble Cutter/Angle Grinder	80 m/s	230 x 1.4 x 22.2	30



Turbo Diamond Saw Blade (ES)

Product Model	Compatible Machine	Specification	Size (mm)	Qty/Ctn (pcs)
B0320001	Marble Cutter/Angle Grinder	80 m/s	105 x 1.0 x 20/16	100
B0310002	Marble Cutter/Angle Grinder	80 m/s	115 x 0.9 x 22.2	200
B0310003	Marble Cutter/Angle Grinder	80 m/s	125 x 0.9 x 22.2	200
B0320004	Marble Cutter/Angle Grinder	80 m/s	180 x 1.2 x 22.2	50
B0320005	Marble Cutter/Angle Grinder	80 m/s	230 x 1.4 x 22.2	30



Professional Diamond Saw Blade For Granite, Hard Brick & Stone

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0500001	Spring Steel, Diamond and Metal Powder	80 m/s	105 x 1.8 x 10 x 20/16	4" x 7/8"	12200	10	100
B0500002		80 m/s	115 x 1.8 x 10 x 22.2	4.5" x 7/8"	12200	10	100
B0500003		80 m/s	125 x 2.0 x 10 x 22.2	5" x 7/8"	12200	10	100
B0500004		80 m/s	150 x 2.0 x 10 x 22.2	6" x 1"	12200	10	50
B0500005		80 m/s	180 x 2.2 x 10 x 22.2	7" x 1"	8600	10	50
B0500006		80 m/s	200 x 2.2 x 10 x 22.2	8" x 1"	7600	5	25
B0500007		80 m/s	230 x 2.4 x 10 x 22.2	9" x 1"	6600	5	25
B0500008		80 m/s	250 x 2.4 x 10 x 25.4	10" x 1"	5800	1	10



Professional Diamond Saw Blade For Granite & Stone

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0700001	Spring Steel, Diamond and Metal Powder	80 m/s	105 x 1.8 x 7.5 x 20	4" x 7/8"	12200	10	100
B0700002		80 m/s	115 x 1.8 x 12 x 20	4.5" x 7/8"	12200	10	100
B0700003		80 m/s	125 x 2.0 x 10 x 22.2	5" x 7/8"	12200	10	100
B0700004		80 m/s	150 x 2.0 x 12 x 25.4	6" x 1"	12200	10	50
B0700005		80 m/s	180 x 2.2 x 12 x 25.4	7" x 1"	8600	10	50
B0700006		80 m/s	200 x 2.2 x 12 x 25.4	8" x 1"	7600	5	25
B0700007		80 m/s	230 x 2.4 x 11 x 25.4	9" x 1"	6600	5	25
B0700008		80 m/s	250 x 2.4 x 10 x 25.4	10" x 1"	5800	1	10
B0700009		80 m/s	300 x 2.6 x 13 x 25.4	12" x 1"	5100	1	10



Professional Diamond Saw Blade For Ceramic & Granite

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0700014	Spring Steel, Diamond and Metal Powder	80 m/s	105 x 1.2 x 7.5 x 22.2	4" x 7/8"	14500	10	100
B0700015		80 m/s	115 x 1.4 x 10 x 22.2	4.5" x 7/8"	13200	10	100
B0700016		80 m/s	125 x 1.4 x 10 x 22.2	5" x 7/8"	12200	10	100
B0700018		80 m/s	180 x 1.6 x 8 x 25.4	7" x 1"	8600	10	50
B0700019		80 m/s	230 x 1.6 x 8 x 25.4	9" x 1"	6600	5	25



Professional Ceramic Diamond Saw Blade

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0700031	Spring Steel,Diamond and Metal Powder	80 m/s	105 x 1.2 x 20	4" x 7/8"	14500	10	100
B0700032		80 m/s	115 x 1.2 x 22.2	4.5" x 7/8"	13200	10	100
B0700033		80 m/s	125 x 1.2 x 22.2	5" x 7/8"	12200	10	100
B0700035		80 m/s	180 x 1.6 x 25.4	7" x 1"	8600	10	50
B0700037		80 m/s	230 x 1.6 x 25.4	9" x 1"	6600	5	25



Brazen Diamond Saw Blade

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
E0610076	-	80 m/s	76 x 20	3"	-	10	100
E0610100		80 m/s	100 x 22.2/16	4"	12800	10	100
E0610110		80 m/s	110 x 22.2/16	4-3/8"	-	10	100
E0610115		80 m/s	115 x 22.2	4.5"	-	10	100
E0610125		80 m/s	125 x 22.2	5"	-	10	100



Professional Diamond Saw Blade For Hard Brick & Concrete&Wall

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0800001	Spring Steel,Diamond and Metal Powder	80 m/s	105 x 1.8 x 20	4" x 7/8"	12200	10	100
B0800002		80 m/s	115 x 1.8 x 22.2	4.5" x 7/8"	12200	10	100
B0800003		80 m/s	125 x 2.0 x 22.2	5" x 7/8"	12200	10	100
B0800004		80 m/s	150 x 2.0 x 25.4	6" x 1"	12200	10	50
B0800005		80 m/s	180 x 2.2 x 25.4	7" x 1"	8600	10	50
B0800006		80 m/s	200 x 2.2 x 25.4	8" x 1"	7600	5	25
B0800007		80 m/s	230 x 2.4 x 25.4	9" x 1"	6600	5	25
B0800008		80 m/s	250 x 2.4 x 25.4	10" x 1"	5800	1	10
B0800009		80 m/s	300 x 2.6 x 25.4	12 x 1"	5100	1	10



Professional Diamond Saw Blade For Wall Chaser

Product Model	Material	Specification	Size (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
B0900135	Spring Steel,Diamond and Metal Powder	80 m/s	135 x 20 x 15	5	100





Diamond Glass Saw Blade

Product Code	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
E0611100	100 x 15 x 20	4"	13800	10	200
E0611115	115 x 15 x 22.2	4.5"	12200	10	200
E0611125	125 x 15 x 22.2	5"	-	10	100

Diamond Glass Saw Blade

Product Code	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
E0612100	100 x 27 x 20	4"	13800	10	200
E0612115	115 x 30 x 22.2	4.5"	12200	10	200
E0612125	125 x 30 x 22.2	5"	-	10	100

Diamond Glass Saw Blade

Product Code	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
E0612100	100 x 27 x 20 mm	4"	13800	10	200
E0612115	115 x 30 x 22.2 mm	4.5"	12200	10	200
E0612125	125 x 30 x 22.2 mm	5"	-	10	100

Professional Diamond Saw Blade For Concrete, Hard Pavers, Hard Brick

Product Code	Material	Specification	Size (mm)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B0500009	65Mn, Diamond And Metal Powder	80 m/s	300 x 3.2 x 15 x 22 x 50/60	3600	1	5
B0500010		80 m/s	355 x 3.2 x 15 x 22 x 50/60	3600	1	5
B0500011		80 m/s	400 x 3.6 x 15 x 2.6 x 50/60	2600	1	5
B0500012		80 m/s	450 x 4.0 x 15 x 2.8 x 50/60	2600	1	5
B0500013		80 m/s	500 x 4.0 x 15 x 2.8 x 50/60	2600	1	5



T.C.T Saw Blade						
Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
E0100002	Body:50#And OKE017 Tip, Carbide Tip:YG6	80 m/s	105	4"	10	100
E0100005		80 m/s	110	4-1/7"	10	100
E0100008		80 m/s	115	4-1/2"	10	100
E0100011		80 m/s	125	5"	10	100
E0100015		80 m/s	150	6"	10	100
E0100015		80 m/s	180	7"	10	50

Teeth number:24T, 30T, 36T, 40T, 60T, 80T, 100T, 120T



T.C.T Saw Blade						
Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
E0100040	Body:50#And OKE017 Tip, Carbide Tip:YG8	80 m/s	200	8"	10	50
E0100017		80 m/s	230	9"	10	40
E0100020		80 m/s	250	10"	10	30
E0100027		80 m/s	300	12"	1	20
E0100032		80 m/s	350	14"	1	15
E0100046		80 m/s	400	16"	1	10

Teeth number:24T, 30T, 36T, 40T, 60T, 80T, 100T, 120T



T.C.T Saw Blade						
Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
E0101007	Body:50#And OKE017 Tip, Carbide Tip:YG8	80 m/s	115	4.5"	10	100
E0101011		80 m/s	125	5"	10	100
E0101013		80 m/s	180	7"	10	50
E0101017		80 m/s	230	3"	10	40

Teeth number:24T, 30T, 36T, 40T, 60T, 80T



T.C.T Weeding Tablets						
Product Code	Specification	r/min	Size (mm)	Arbor	Tip Reducing ring	Qty/Box (pcs)
E0200050	80 m/s	6400	255 x 40T x 25.4 / 10"	1" (25.4 mm)	4/5"(20mm)	1



Weeding Tablets

Product Code	Material	Size (mm)	Arbor	Blade thickness	Qty/Box (pcs)
E0200051	Carbon steel 50	255 × 3T x 25.4 / 10"	1" (25.4 mm)	1.6mm	1



Weeding Tablets

Product Code	Specification	r/min	Size (mm)	Arbor	1pc Reducing ring	Qty/Box (pcs)
E0200052	80 m/s	6400	255 × 40T x 25.4 / 10"	1" (25.4 mm)	4/5"(20mm)	1



Weeding Tablets

Product Code	Size (mm)	Arbor	1pc Reducing ring	Qty/Box (pcs)
E0200052	255 × 40T x 25.4 / 10"	1" (25.4 mm)	4/5"(20mm)	1

ACCESSORIES
**GRINDING AND
POLISHING**



Aluminum Oxide Flap Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
F0400001	Aluminum Oxide King Cattle 51#	80 m/s	100 x 16	4" x 5/8"	15300	12	240
F0400006		80 m/s	115 x 22.2	4-1/2" x 7/8"	13300	10	200
F0400011		80 m/s	125 x 22.2	5" x 7/8"	9100	10	200
F0400016		80 m/s	180 x 22.2	7" x 7/8"	8500	12	120

Grit:P40, P60, P80, P100, P120



Calcined Oxide Flap Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
F0400021	Calcined Alumina Oxide King Cattle 563#	80 m/s	100 x 16	4" x 5/8"	15300	12	240
F0400026		80 m/s	115 x 22.2	4-1/2" x 7/8"	13300	10	200
F0400031		80 m/s	125 x 22.2	5" x 7/8"	9100	10	200
F0400036		80 m/s	180 x 22.2	7" x 7/8"	8500	12	120

Grit:P40, P60, P80, P100, P120



Zirconia Oxide Flap Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
F0400041	Zirconia Oxide King Cattle 663#	80 m/s	100 x 16	4" x 5/8"	15300	12	240
F0400046		80 m/s	115 x 22.2	4-1/2" x 7/8"	13300	10	200
F0400051		80 m/s	125 x 22.2	5" x 7/8"	9100	10	200
F0400056		80 m/s	180 x 22.2	7" x 7/8"	8500	12	120

Grit:P40, P60, P80, P100, P120



Ceramic Flap Disc

Product Code	Specification	Size (mm)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
006T29009	80 m/s	115 x 22(25 x 16 x 80)	13300	20	200

Grit:P40, P60, P80, P100, P120



Ceramic Flap Disc

Product Code	Specification	Size (mm)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
006T29001	80 m/s	115 x 22(25 x 16 x 80)	13300	25	205

Grit:P40, P60, P80, P100, P120



Strip Disc

Product Code	Material	Size (mm)	Qty/Ctn (pcs)
F1500100	Nylon+ Silicon Carbide	100 x 16	100
F1500001		115 x 22	100
F1500002		125 x 22.2	100
F1500115		115 x 22.2 (4-112-7/8")	100
F1500125		125 x 22.2	100
F1510100		100 x 16	100
F1510115		115 x 22.2 (4-112-7/8")	100
F1510125		125 x 22.2	100
F1520100		100 x 16	100
F1520115		115 x 22.2 (4-112-7/8")	100
F1520125		125 x 22.2	100



ZA Curved Flap Disc

Product Model	Specification	Size (mm)	Grit	Qty/Ctn (pcs)
F0400200	80 m/s	115 x 22.2	P40	100
F0400201	80 m/s	115 x 22.2	P60	100
F0400203	80 m/s	115 x 22.2	P80	100
F0400202	80 m/s	115 x 22.2	P120	100
F0400300	80 m/s	125 x 22.2	P40	100
F0400301	80 m/s	125 x 22.2	P60	100
F0400302	80 m/s	125 x 22.2	P80	100
F0400303	80 m/s	125 x 22.2	P100	100
F0400304	80 m/s	125 x 22.2	P120	100



Calced Oxide Blue Flap Disc (ES)				
Product Model	Specification	Size (mm)	Grit	Qty/Ctn (pcs)
F0401100	80 m/s	100 x 16 (21 x 17 x 72)	P40	120
F0401115	80 m/s	115 x 22.2 (25 x 16 x 80)	P40	120
F0401125	80 m/s	125 x 22.2 (28 x 16 x 90)	P40	120
F0401180	80 m/s	180 x 22.2 (35 x 18 x 120)	P40	120
F0402100	80 m/s	100 x 16 (21 x 16 x 72)	P60	120
F0402115	80 m/s	115 x 22.2 (25 x 16 x 80)	P60	120
F0402125	80 m/s	125 x 22.2 (28 x 16 x 90)	P60	120
F0402180	80 m/s	180 x 22.2 (35 x 18 x 120)	P60	120
F0403100	80 m/s	100 x 16 (21 x 16 x 72)	P80	120
F0403115	80 m/s	115 x 22.2 (25 x 16 x 80)	P80	120
F0403125	80 m/s	125 x 22.2 (28 x 16 x 90)	P80	120
F0403180	80 m/s	180 x 22.2 (35 x 18 x 120)	P80	120
F0404100	80 m/s	100 x 16 (21 x 16 x 72)	P100	120
F0404115	80 m/s	115 x 22.2 (25 x 16 x 80)	P100	120
F0404125	80 m/s	125 x 22.2 (28 x 16 x 90)	P100	120
F0404180	80 m/s	180 x 22.2 (35 x 18 x 120)	P100	120
F0405100	80 m/s	100 x 16 (21 x 16 x 72)	P120	120
F0405115	80 m/s	115 x 22.2 (25 x 16 x 80)	P120	120
F0405125	80 m/s	125 x 22.2 (28 x 16 x 90)	P120	120
F0405180	80 m/s	180 x 22.2 (35 x 18 x 120)	P120	120
F0406115	80 m/s	115 x 22.2 (25 x 16 x 80)	P36	120



Calced Oxide Flap Disc(ES)				
Product Model	Specification	Size (mm)	Grit	Qty/Ctn (pcs)
F0411115	80 m/s	115 x 22.2 (24 x 16 x 80)	P40	120
F0411125	80 m/s	125 x 22.2 (28 x 16 x 90)	P40	120
F0411180	80 m/s	180 x 22.2 (35 x 18 x 120)	P40	120
F0412115	80 m/s	115 x 22.2 (24 x 16 x 80)	P60	120
F0412125	80 m/s	125 x 22.2 (28 x 16 x 90)	P60	120
F0412180	80 m/s	180 x 22.2 (35 x 18 x 120)	P60	120
F0413115	80 m/s	115 x 22.2 (24 x 16 x 80)	P80	120
F0413125	80 m/s	125 x 22.2 (28 x 16 x 90)	P80	120
F0413180	80 m/s	180 x 22.2 (35 x 18 x 120)	P80	120
F0414115	80 m/s	115 x 22.2 (24 x 16 x 80)	P100	120
F0414125	80 m/s	125 x 22.2 (28 x 16 x 90)	P100	120
F0414180	80 m/s	180 x 22.2 (35 x 18 x 120)	P100	120
F0415115	80 m/s	115 x 22.2 (24 x 16 x 80)	P120	120
F0415125	80 m/s	125 x 22.2 (28 x 16 x 90)	P120	120
F0415180	80 m/s	180 x 22.2 (35 x 18 x 120)	P120	120



 Aluminum Oxide Flap Disc(ES)				
Product Model	Specification	Size (mm)	Grit	Qty/Ctn (pcs)
F0420100	80 m/s	100 x 16 (21 x 17 x 72)	P36	120
F0420115	80 m/s	115 x 22.2 (24 x 16 x 80)	P36	120
F0421100	80 m/s	100 x 16 (21 x 17 x 72)	P40	120
F0421115	80 m/s	115 x 22.2 (24 x 16 x 80)	P40	120
F0421125	80 m/s	125 x 22.2 (28 x 16 x 90)	P40	120
F0421180	80 m/s	180 x 22.2 (35 x 18 x 120)	P40	120
F0422100	80 m/s	100 x 16 (21 x 17 x 72)	P60	120
F0422115	80 m/s	115 x 22.2 (24 x 16 x 80)	P60	120
F0422125	80 m/s	125 x 22.2 (28 x 16 x 90)	P60	120
F0422180	80 m/s	180 x 22.2 (35 x 18 x 120)	P60	120
F0423100	80 m/s	100 x 16 (21 x 17 x 72)	P80	120
F0423115	80 m/s	115 x 22.2 (24 x 16 x 80)	P80	120
F0423125	80 m/s	125 x 22.2 (28 x 16 x 90)	P80	120
F0423180	80 m/s	180 x 22.2 (35 x 18 x 120)	P80	120
F0424100	80 m/s	100 x 16 (21 x 17 x 72)	P100	120
F0424115	80 m/s	115 x 22.2 (24 x 16 x 80)	P100	120
F0424125	80 m/s	125 x 22.2 (28 x 16 x 90)	P100	120
F0424180	80 m/s	180 x 22.2 (35 x 18 x 120)	P100	120
F0425100	80 m/s	100 x 16 (21 x 17 x 72)	P120	120
F0425115	80 m/s	115 x 22.2 (24 x 16 x 80)	P120	120
F0425125	80 m/s	125 x 22.2 (28 x 16 x 90)	P120	120
F0425180	80 m/s	180 x 22.2 (35 x 18 x 120)	P120	120



 T29 Calcined Oxide Flap Disc (ES)				
Product Model	Specification	Size (mm)	Grit	Qty/Ctn (pcs)
F0431115	80 m/s	115 x 22.2 (25 x 16 x 80)	P40	120
F0432115	80 m/s	115 x 22.2 (25 x 16 x 80)	P60	120
F0433115	80 m/s	115 x 22.2 (25 x 16 x 80)	P80	120
F0434115	80 m/s	115 x 22.2 (25 x 16 x 80)	P100	120
F0435115	80 m/s	115 x 22.2 (25 x 16 x 80)	P120	120
F0461180	80 m/s	180 x 22.2 (35 x 18 x 120)	P40	120
F0462180	80 m/s	180 x 22.2 (35 x 18 x 120)	P60	120
F0463180	80 m/s	180 x 22.2 (35 x 18 x 120)	P80	120
F0464180	80 m/s	180 x 22.2 (35 x 18 x 120)	P100	120
F0465180	80 m/s	180 x 22.2 (35 x 18 x 120)	P120	120



T29 Aluminum Oxide Flap Disc(ES)

Product Model	Specification	Size (mm)	Grit	Qty/Ctn (pcs)
F0451115	80 m/s	115 x 22.2 (24 x 16 x 80)	P40	120
F0451125	80 m/s	125 x 22.2 (28 x 16 x 90)	P40	120
F0452115	80 m/s	115 x 22.2 (24 x 16 x 80)	P60	120
F0452125	80 m/s	125 x 22.2 (28 x 16 x 90)	P60	120
F0453115	80 m/s	115 x 22.2 (24 x 16 x 80)	P80	120
F0453125	80 m/s	125 x 22.2 (28 x 16 x 90)	P80	120
F0454115	80 m/s	115 x 22.2 (24 x 16 x 80)	P100	120
F0454125	80 m/s	125 x 22.2 (28 x 16 x 90)	P100	120
F0455115	80 m/s	115 x 22.2 (24 x 16 x 80)	P120	120
F0455125	80 m/s	125 x 22.2 (28 x 16 x 90)	P120	120
F0481180	80 m/s	180 x 22.2 (35 x 18 x 120)	P40	120
F0482180	80 m/s	180 x 22.2 (35 x 18 x 120)	P60	120
F0483180	80 m/s	180 x 22.2 (35 x 18 x 120)	P80	120
F0484180	80 m/s	180 x 22.2 (35 x 18 x 120)	P100	120
F0485180	80 m/s	180 x 22.2 (35 x 18 x 120)	P120	120



T29 Calcined Oxide Flap Disc(ES)

Product Model	Specification	Size (mm)	Grit	Qty/Ctn (pcs)
F0441115	80 m/s	115 x 22.2 (25 x 16 x 80)	P40	120
F0442115	80 m/s	115 x 22.2 (25 x 16 x 80)	P60	120
F0443115	80 m/s	115 x 22.2 (25 x 16 x 80)	P80	120
F0444115	80 m/s	115 x 22.2 (25 x 16 x 80)	P100	120
F0445115	80 m/s	115 x 22.2 (25 x 16 x 80)	P120	120
F0471180	80 m/s	180 x 22.2 (35 x 18 x 120)	P40	120
F0472180	80 m/s	180 x 22.2 (35 x 18 x 120)	P60	120
F0473180	80 m/s	180 x 22.2 (35 x 18 x 120)	P80	120
F0474180	80 m/s	180 x 22.2 (35 x 18 x 120)	P100	120
F0475180	80 m/s	180 x 22.2 (35 x 18 x 120)	P120	120



Double Rows Diamond Grinding Wheel

Product Code	Material	Specification (mm)	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B1000001	65Mn, Diamond And Metal Powder	7	105 x 7 x 20	4" x 7/8"	13300	1	30
B1000002		7	115 x 7 x 22.2	4.5" x 7/8"	13300	1	30
B1000003		7	125 x 7 x 22.2	5" x 7/8"	12200	1	30
B1000004		7	180 x 7 x 22.2	7" x 7/8"	8600	1	20





Single Row Diamond Grinding Wheel

Product Code	Material	Specification (mm)	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B1000005	65Mn, Diamond And Metal Powder	7	105 x 7 x 20	4" x 7/8"	13300	1	30
B1000006		7	115 x 7 x 22.2	4.5" x 7/8"	13300	1	30
B1000007		7	125 x 7 x 22.2	5" x 7/8"	12200	1	30



Turbo Diamond Grinding Wheel

Product Code	Material	Specification (mm)	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B1000009	65Mn, Diamond And Metal Powder	10	105 x 10 x 16	4" x 7/8"	13300	1	30
B1000010		10	115 x 10 x 22.2	4.5" x 7/8"	12200	1	30
B1000011		10	125 x 10 x 22.2	5" x 7/8"	12200	1	30



Turbo Diamond Grinding Wheel

Product Code	Material	Specification (mm)	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B1000013	65Mn, Diamond And Metal Powder	20	105 x 20 x 16	4" x 7/8"	13300	1	30
B1000014		20	115 x 20 x 22.2	4.5" x 7/8"	12200	1	30
B1000015		20	125 x 20 x 22.2	5" x 7/8"	12200	1	30
B1000016		20	180 x 20 x 22.2	7" x 7/8"	8600	1	20



Segment Diamond Grinding Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	r/min	Qty/Box (pcs)	Qty/Ctn (pcs)
B1000017	65Mn, Diamond And Metal Powder	80 m/s	105 x 20	4" x 7/8"	13300	1	30
B1000018		80 m/s	115 x 22.2	4.5" x 7/8"	13300	1	30
B1000019		80 m/s	125 x 22.2	5" x 7/8"	12200	1	30
B1000020		80 m/s	180 x 22.2	7" x 7/8"	8600	1	20



Diamond Grinding Pad

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
B1100020	Resin+Diamond	80 m/s	80	3.5"	10	500
B1100007		80 m/s	100	4"	10	500
B1100009		80 m/s	125	5"	10	500


Grit:P30, P50, P100, P150, P220, P300, P400, P500, P600, P800, P1000, P1500, P2000, P2000, P3000



Velcro Disc Backing Pad

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0600311	Plastic	80 m/s	100	4"	25	100
F0600302		80 m/s	115	4-1/2"	24	96
F0600303		80 m/s	125	5"	24	96
F0600304		80 m/s	150	6"	12	72
F0600305		80 m/s	180	7"	12	72

Nut Size: M10X1.5, M14X2.0, M5/8



Velcro Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0600003	Aluminum Oxide	80 m/s	100	4"	100	3000
F0600017		80 m/s	115	4-1/2"	100	2000
F0600031		80 m/s	125	5"	100	2000
F0600045		80 m/s	150	6"	100	1000
F0600059		80 m/s	180	7"	100	1000
F0600073		80 m/s	230	9"	100	1000

Grit:P36, P40, P50, P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P360, P400, P600, P800, P1000, P1200, P1500, P2000



Velcro Disc

Product Code	Material	Specification	Size (mm)	Grit	Qty/Box (pcs)	Qty/Ctn (pcs)
-	Aluminum Oxide	80 m/s	115mm	P36	10	180
F0601151		80 m/s	115mm	P40	10	180
F0601152		80 m/s	115mm	P60	10	180
F0601154		80 m/s	115mm	P80	10	180
-		80 m/s	115mm	P100	10	180
-		80 m/s	115mm	P120	10	180



Velcro Disc


Product Code	Material	Specification	Size (mm)	Grit	Qty/Box (pcs)	Qty/Ctn (pcs)
-	Aluminum Oxide	80 m/s	180mm	P36	10	90
F0601801		80 m/s	180mm	P40	10	90
F0601802		80 m/s	180mm	P60	10	90
F0601803		80 m/s	180mm	P80	10	90
F0601804		80 m/s	180mm	P100	10	90
F0601805		80 m/s	180mm	P120	10	90
F0601806		80 m/s	180mm	P150	10	90
F0601807		80 m/s	180mm	P180	10	90
F0601808		80 m/s	180mm	P240	10	90



Velcro Disc

Product Code	Material	Specification	Size (mm)	Grit	Qty/Box (pcs)	Qty/Ctn (pcs)
-	Aluminum Oxide	80 m/s	225mm	P36	10	50
F0602251		80 m/s	225mm	P40	10	50
F0602252		80 m/s	225mm	P60	10	50
F0602253		80 m/s	225mm	P80	10	50
F0602254		80 m/s	225mm	P100	10	50
F0602256		80 m/s	225mm	P120	10	50
F0602257		80 m/s	225mm	P220	10	50
F0602258		80 m/s	225mm	P240	10	50





Aluminum Oxide Velcro Disc

Product Code	Material	Size (mm)	Grit	Qty/Ctn (pcs)
F0600072	Aluminum Oxide	215	P40	1000
F0600073		215	P60	1000
F0600074		215	P80	1000
F0600075		215	P100	1000
F0600076		215	P120	1000
F0600077		215	P150	1000
F0600078		215	P180	1000
F0600079		215	P220	1000
F0600080		215	P240	1000



Fiber Disc

Product Code	Material	Specification (mm)	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0500001	Aluminum Oxide/ Silicon Carbide	0.8	100 x 16	4" x 5/8"	50	1000
F0500017		0.8	115 x 22.2	4-1/2" x 7/8"	50	500/1000
F0500033		0.8	125 x 22.2	5" x 7/8"	50	500/1000
F0500049		0.8	150 x 22.2	6" x 7/8"	50	250/500
F0500065		0.8	180 x 22.2	7" x 7/8"	25/50	250/500


Grit: P16, P24, P36, P40, P50, P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P400



Fiber Sanding Disc

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0700101	Silicon Carbide, 0.8mm Fiber Paper Backing	80 m/s	100 x 16	4" x 5/8"	10	300
F0700114		80 m/s	115 x 22.2	4-1/2" x 7/8"	10	300
F0700127		80 m/s	125 x 22.2	5" x 7/8"	10	200
F0700140		80 m/s	150 x 22.2	6" x 7/8"	10	200
F0700153		80 m/s	180 x 22.2	7" x 7/8"	10	100

Grit: P16, P24, P36, P40, P50, P60, P80, P100, P120



Fiber Wheel

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0900133	White Corundum Sand	80 m/s	100 x 12 x 16	5P	10	400
F0900134		80 m/s	100 x 12 x 16	7P	10	400
F0900135		80 m/s	100 x 12 x 16	9P	10	400
F0900136		80 m/s	100 x 12 x 16	12P	10	400
F0900149		80 m/s	100 x 15 x 16	5P	10	400
F0900150		80 m/s	100 x 15 x 16	7P	10	400
F0900151		80 m/s	100 x 15 x 16	9P	10	400
F0900152		80 m/s	100 x 15 x 16	12P	10	400



Bench Grinding Wheel

Product Code	Material	Specification	Qty/Ctn (pcs)
O06SLWA1	White aluminum oxide(WA)	6" x 3/4"x1-1/4" 1",3/4",5/8",1/2"	25
O06SLWA2		6" x 1"x1-1/4" 1",3/4",5/8",1/2"	20
O06SLWA3		8" x 1"x1-1/4" 1",3/4",5/8",1/2"	10



Sanding Belt

Product Code	Material	Specification	Size (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0300001	Calcined Alumina	80 m/s	533 x 75	10	500
F0300006		80 m/s	457 x 75	10	500
F0300011		80 m/s	610 x 100	10	250
F0300016		80 m/s	915 x 100	10	200
F0300021		80 m/s	1520 x 200	10	50
F0300026		80 m/s	2250 x 200	5	50

Grit:P36, P40, P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P360, P400, P600, P800, P1000, P1200, P1500, P2000



Grit K51+Machine Use Abrasive Cloth Roll

Product Code	Material	Specification	Size (m)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0200002	Calcined Alumina	X-wt Cloth	50	1	2RS

Grit:P36, P40, P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P360, P400, P600, P800, P1000, P1200, P1500, P2000
Any size as customer's requirements.



Hand Use Abrasive Cloth Roll

Product Code	Material	Specification	Size (m)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0200202	Calcined Alumina	J-wt Cloth	50	1	4RS

Grit:P36, P40, P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P360, P400, P600, P800, P1000, P1200, P1500, P2000
Any size as customer's requirements.



AP37 Aluminum Oxide Latex Sanding Paper

Product Code	Material	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0100017	Aluminum Oxide & Latex Paper	230 x 280	9" x 11"	50	500/1000


Grit: P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P400, P600, P800, P1000
P1200, P1500, P2000



CP34 Silicon Carbide Craft Sanding Paper

Product Code	Material	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0100033	Silicon Carbide & Kraft Paper	230 x 280	9" x 11"	50	500/1000


Grit: P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P400, P600, P800, P1000, P1200, P1500, P2000



CP35 Silicon Carbide Latex Sanding Paper

Product Code	Material	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0100001	Silicon Carbide & Kraft Paper	230 x 280	9" x 11"	50	500/1000

Grit: P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P400, P600, P800, P1000, P1200, P1500, P2000



CP38 Silicon Carbide Latex Sanding Paper

Product Code	Material	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0100080	Silicon Carbide & Latex Paper	230 x 280	9" x 11"	50	500/1000

Grit: P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P400, P600, P800, P1000, P1200, P1500, P2000



WP43 Aluminum Oxide Craft Sanding Paper

Product Code	Material	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
F0100049	Aluminum Oxide & Kraft/Latex Paper	230 x 280	9" x 11"	50	500/1000

Grit: P60, P80, P100, P120 — Kraft Paper
P150, P180, P220, P240, P280, P320, P400, P600, P800, P1000
P1200, P1500, P2000 — Latex Paper



Crimped Wire Cup Brush

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0100001	Brass Coated High Tensile Carbon Steel	80 m/s	65	2.5"	1	72
C0100002		80 m/s	75	3"	1	72
C0100003		80 m/s	90	3.5"	1	72
C0100004		80 m/s	100	4"	1	48
C0100005		80 m/s	125	5"	1	36
C0100006		80 m/s	150	6"	1	24



Twisted Wire Cup Brush

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0200001	Knotted High Tensile Carbon Steel	80 m/s	65	2.5"	1	72
C0200002		80 m/s	75	3"	1	72
C0200003		80 m/s	90	3.5"	1	72
C0200004		80 m/s	100	4"	1	48
C0200005		80 m/s	125	5"	1	36
C0200006		80 m/s	150	6"	1	24



Crimped Wire Cup Brush

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0100023	Crimped Tempered Steel Wire	80 m/s	75	3"	1	50
C0100024		80 m/s	75	3"	1	50
C0100026		80 m/s	100	4"	1	30
C0100027		80 m/s	125	5"	1	20



Twisted Wire Cup Brush

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0200019	Knotted Tempered Steel Wire	80 m/s	75	3"	1	40
C0200020		80 m/s	80	3.5"	1	20
C0200021		80 m/s	90	3.8"	1	20
C0200022		80 m/s	100	4"	1	20
C0200023		80 m/s	125	5"	1	20
C0200024		80 m/s	150	6"	1	20



Twisted Wire Cup Brush

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0200044	Knotted Tempered Steel Wire	80 m/s	75	3"	1	50
C0200046		80 m/s	100	4"	1	30
C0200047		80 m/s	125	5"	1	20

Available Diameter: M10x1.5 M14x2 5/8"



Crimped Circular Wire Brush

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0300002	Brass Coated High Tensile Carbon Steel	80 m/s	100 x 20	4"	1	100
C0300003		80 m/s	125 x 20	5"	1	60
C0300004		80 m/s	150 x 32	6"	1	40
C0300005		80 m/s	180 x 32	7"	1	30
C0300006		80 m/s	200 x 32	8"	1	20



Crimped Circular Wire Brush

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0300011	Crimped Tempered Steel Wire	80 m/s	125	5"	1	40
C0300012		80 m/s	150	6"	1	25
C0300013		80 m/s	180	7"	1	20



Twisted Circular Wire Brush

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0400004	Knotted Tempered Steel Wire With Nut	80 m/s	115	4.5"	1	60
C0400005		80 m/s	125	5"	1	60
C0400006		80 m/s	150	6"	1	40
C0400007		80 m/s	178	7"	1	30



Twisted Circular Wire Brush

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0500004	Knotted Tempered Steel Wire With Nut	80 m/s	115	4.5"	1	40
C0500005		80 m/s	125	5"	1	40
C0500006		80 m/s	150	6"	1	25
C0500007		80 m/s	178	7"	1	20



Steel Wire Wheel Brush With Shank

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0800001	Steel Wire/ Stainless Steel Wire	80 m/s	40	1.5"	1	200
C0800002		80 m/s	50	2"	1	200
C0800003		80 m/s	63	2.5"	1	100
C0800004		80 m/s	75	3"	1	100
C0800005		80 m/s	100	4"	1	100



Nylon Wire Wheel Brush With Shank

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0800101	Abrasive Nylon	80 m/s	50	2"	1	200
C0800102		80 m/s	60	2.5"	1	100
C0800103		80 m/s	75	3"	1	100
C0800104		80 m/s	80	4"	1	100



Steel Wire Cup Brush With Shank

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0900001	Steel Wire/ Stainless Steel Wire	80 m/s	50	2"	1	100
C0900002		80 m/s	63	2.5"	1	100
C0900003		80 m/s	75	3"	1	100



Nylon Wire Cup Brush With Shank

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0900101	Abrasive Nylon	80 m/s	50	2"	1	100
C0900102		80 m/s	75	3"	1	100



Steel Wire End Brush

Product Code	Material	Specification	Size (mm)	Size (inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C1000001	Steel Wire/ Stainless Steel Wire	80 m/s	12	0.5"	1	200
C1000002		80 m/s	17	0.7"	1	200
C1000003		80 m/s	19	0.75"	1	200
C1000004		80 m/s	25	1"	1	200
C1000005		80 m/s	30	1.2"	1	200



Nylon Wire End Brush

Product Code	Material	Specification	Size (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
C1000101	Abrasive Nylon	80 m/s	22	1	200
C1000102		80 m/s	25	1	200
C1000103		80 m/s	30	1	200



Brass Coated Knife Wire Brush

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
C1100020	High-carbon Steel HCS Copper Plating	9.5" 150-160 g	12	120



Brass Coated Knife Wire Brush

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
C1100001	High-carbon Steel HCS Copper Plating	9.5" 110 g	12	120



Stainless Steel Knife Wire Brush

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
C1100002	High-carbon Steel HCS Copper Plating	9.5" 110 g	12	120



Wood Handle Wire Brush

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
C1200099	Wood Handle+ 0.3mm x 25mm x 20 Carbon Steel	3 x 15	12	120
C1200100		4 x 15	12	120
C1200101		5 x 15	12	120
C1200102		6 x 15	12	120



3pcs Wire Brush Set

Product Code	Material	Specification	Size (mm/inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0900021	High Carbon Steel Wire	4500 r/min	1x2" wire wheel brush; 1x2" wire cup brush; 1x1" end brush;	12	48



5pcs Wire Brush Set

Product Code	Material	Specification	Size (mm/inch)	Qty/Box (pcs)	Qty/Ctn (pcs)
C0900020	High Carbon Steel Wire	4500 r/min	1x2" wire wheel brush; 1x3" wire wheel brush; 1x2" wire cup brush; 1x3" wire cup brush; 1x1" end brush;	12	36

ACCESSORIES **DRILLING**





Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0100001	High Speed Steel	1	10	4000
D0100002		1.5	10	4000
D0100003		2	10	4000
D0100004		2.5	10	4000
D0100005		3	10	4000
D0100006		3.2	10	4000
D0100007		3.5	10	4000
D0100008		4	10	4000
D0100009		4.2	10	1000
D0100010		4.5	10	1000
D0100011		4.8	10	1000
D0100012		5	10	1000
D0100013		5.2	10	1000
D0100014		5.5	10	1000
D0100015		6	10	1000
D0100016		6.5	10	1000
D0100017		7	10	1000
D0100018		7.5	10	1000
D0100019		8	10	600
D0100020		8.5	10	600
D0100021		9	5	300
D0100022		9.5	5	300
D0100023		10	5	300
D0100024		10.5	5	300
D0100025		11	5	300
D0100026		11.5	5	300
D0100027		12	5	300
D0100028		12.5	5	300
D0100029		13	5	300
D0100030		14	5	300



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0100101	High Speed Steel	1	10	4000
D0100102		1.5	10	4000
D0100103		2	10	4000
D0100104		2.5	10	4000
D0100105		3	10	4000
D0100106		3.2	10	4000
D0100107		3.5	10	4000
D0100108		4	10	4000
D0100109		4.2	10	1000
D0100110		4.5	10	1000
D0100111		4.8	10	1000
D0100112		5	10	1000
D0100113		5.2	10	1000
D0100114		5.5	10	1000
D0100115		6	10	1000
D0100116		6.5	10	1000
D0100117		7	10	1000
D0100118		7.5	10	1000
D0100119		8	10	600
D0100120		8.5	10	600
D0100121		9	5	300
D0100122		9.5	5	300
D0100123		10	5	300
D0100124		10.5	5	300
D0100125		11	5	300
D0100126		11.5	5	300
D0100127		12	5	300
D0100128		12.5	5	300
D0100129		13	5	300
D0100130		14	5	300
D0100150		15	5	300
D0100134		16	5	300
D0100170		17	5	300
D0100082		18	5	300
D0100154		19	5	300
D0101200		20	5	300

HSS Twist Drill Bit 4341



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0100030	High Speed Steel	1	10	4000
D0100031		1.5	10	4000
D0100032		2	10	4000
D0100033		2.5	10	4000
D0100034		3	10	4000
D0100035		3.2	10	4000
D0100036		3.5	10	4000
D0100037		4	10	4000
D0100041		5	10	1000
D0100044		6	10	1000
D0100045		6.5	10	1000
D0100046		7	10	1000
D0100047		7.5	10	1000
D0100048		8	10	600
D0100049		8.5	10	600
D0100050		9	5	300
D0100051		9.5	5	300
D0100052		10	5	300
D0100053		10.5	5	300
D0100054		11	5	300
D0100055		11.5	5	300
D0100056		12	5	300
D0100057		12.5	5	300
D0100058		13	5	300

Brad Point Drill Bit



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0800600	C45 Carbon Steel	3 x 60	1	400
D0800601		4 x 75	1	400
D0800602		5 x 85	1	400
D0800603		6 x 90/93	1	300
D0800604		7 x 100/109	1	300
D0800605		8 x 112/117	1	300
D0800606		9 x 115/125	1	300
D0800607		10 x 120/133	1	300
D0800608		11 x 142	1	300
D0800609		12 x 150	1	300
D0800613		16 x 160	1	200
D0800634		18 x 200	1	200
D0800650		20 x 245	1	100
D0800666		22 x 300	1	100
D0800678		24 x 400	1	100
D0800641		30 x 260	1	50
D0800642		32 x 280	1	50

Size: 4", 6", 8", 10", 12", 14", 16", 18", 20", 22", 24", 26", 28", 30", 32"

Twisted Drill Bits Sets



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0100901	High Speed Steel	4/5/6/8/10	12	120

Brad Point Drill Bits Set



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0800901	C45 Carbon Steel	4 x 75, 5 x 85, 6 x 93, 8 x 117, 10 x 130	12	120

Woodworking Dowel Drill



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1100021	C45 Carbon Steel	20*400	12	120
D1100020		18*400	12	120
D1100022		22*400	12	120
D1100025		20*200	12	120
D1100023		13*200	12	120
D1100024		19*200	12	120
D1100016		12*200	12	120
D1100015		10*200	12	120
D1100018		16*200	12	120
D1100017		14*200	12	120
D1100019		13*200	12	120
D1100010		18*150	12	120
D1100012		22*150	12	120
D1100011		20*150	12	120
D1100014		8*200	12	120
D1100013		6*200	12	120

Woodworking Flat Drill



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0800001	40Cr	10	50	500
D0800002		12	50	500
D0800004		16	50	500
D0800005		18	50	500
D0800008		22	50	500

Square Hole Drill Bit



Product Code	Specification	Qty/Ctn (pcs)
D1101001	6 mm	100
D1101002	6.4 mm 1/4"	100
D1101003	8 mm 5/16"	100
D1101004	9.5 mm 3/8"	100
D1101005	10 mm	100
D1101006	11 mm 7/16"	100
D1101007	12 mm	100
D1101008	12.5 mm	100
D1101009	12.7 mm 1/2"	100
D1101010	14 mm 9/16"	100
D1101011	15 mm	100
D1101012	16 mm 5/8"	100
D1101013	18 mm	100
D1101014	19 mm 3/4"	100
D1101015	20 mm	100
D1101016	22 mm 7/8"	100
D1101017	25 mm	100
D1101018	30 mm	100

HSS Step Drill Bit



Product Code	Material	Specification	Qty/Ctn (pcs)
D1400004	4241	4-12 mm (4/6/8/10/12 mm)	200
D1400001		4-20mm (4/6/8/10/12/14/16/18/20 mm)	100
D1400003		4-32 mm (4/6/8/10/12/14/16/18/20/22/24/26/28/30/32 mm)	100

3 pcs HSS Step Drill Bit Set



Product Code	Material	Specification	Qty/Ctn (pcs)
D1400101	4241	Step Drill:4-12mm 4-20mm 4-32mm	50

7 pcs HSS Step Drill Bit Set



Product Code	Material	Specification	Qty/Ctn (pcs)
D1400007	4241	1pc Center Punch Sawtooth Drill: 3 - 6 - 8mm Step Drill:4-12mm 4-20mm 4-32mm	40

SDS Hammer Drill Bit "+/-" Tip



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0200001	40Cr+YG8 SDS-Plus/Max	110	10	400
D0200005		160	10	400
D0200013		210	10	400
D0200021		260	10	400
D0200033		310	10	400
D0200045		350	10	400
D0200059		400	10	400
D0200073		460	10	400
D0200087		500	10	100
D020101		600	10	100

Available Diameter:5mm, 6mm, 7mm, 8mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm 24mm, 25mm, 26mm, 28mm, 30mm, 32mm

SDS Hammer Chisel



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0500001	40Cr	14 x 250	1	100
D0500002		14 x 250 x 20	1	100
D0500003		14 x 250 x 40	1	100
D0500008		14 x 350	1	100

SDS-Hex Chisel



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0500001	C45 Carbon Steel	14 x 250	12	120
D0500002		14 x 250 x 20	12	120
D0500003		14 x 250 x 40	12	120
D0500008		14 x 350	12	120
D0500008		14 x 350 x 20	12	120

SDS-PLUS Chisel



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0500001	C45 Carbon Steel	14 x 250	12	120
D0500002		14 x 250 x 20	12	120
D0500003		14 x 250 x 40	12	120

Max Hammer Chisel



Product Code	Material	Specification (mm)	Description	Qty/Box (pcs)	Qty/Ctn (pcs)
D0500019	40Cr	18 x 320	Point	1	50
D0500020		18 x 320 x 25/50	Flat	1	50
D0500022		18 x 350	Point	1	50
D0500023		18 x 350 x 25	Flat	1	50
D0500025		18 x 400	Point	1	50
D0500026		18 x 400 x 25	Flat	1	50
D0500028		18 x 450	Point	1	50
D0500029		18 x 450 x 25	Flat	1	50
D0500031		18 x 500	Point	1	40
D0500032		18 x 500 x 25	Flat	1	40
D0500033		18 x 600	Point	1	40
D0500034		18 x 600 x 25	Flat	1	40

Max Hammer Drill Bit "+/-" Tip



Product Code	Material	Available Diameter (mm)	Length (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0400100	40Cr	8, 10, 12, 14, 16, 18, 20, 22, 24, 25	320	10	300
D0400110		8, 10	350	10	300
D0400112		8, 10, 12, 14, 16, 18, 20, 22, 24, 25	400	10	200
D0400120		12, 14, 16, 18, 20, 22, 24, 25	450	10	200
D0400128		16, 18, 20, 22, 24, 25	600	10	100



SDS Hammer Drill Bits Set



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
D0200901	5-6-8 x 110 mm + 6-8-10 x 160 mm	12	60

65A Flat Chisel



Product Model	Size(mm)	Type	Qty/Box (pcs)	Qty/Ctn (pcs)
D0500064	30 x 410 x 40	Flat	1	10

65A Point Chisel



Product Code	Size (mm)	Type	Qty/Box (pcs)	Qty/Ctn (pcs)
D0500065	30 x 410	Point	1	10

Masonry Drill Bit



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0300063	High Speed Steel	3 x 60	1	800
D0300064		4 x 75	1	800
D0300065		5 x 85	1	600
D0300067		6 x 100	1	600
D0300069		7 x 100	1	600
D0300070		8 x 120	1	500
D0300072		10 x 120	1	300
D0300073		12 x 120	1	300
D0300074		12 x 150	1	300
D0300076		14 x 150	1	200
D0300077		16 x 150	1	200

Masonry Drill Bits Set



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D0300901	High Speed Steel	4, 5, 6, 8, 10	12	120

Tungsten Carbide Lithium Concrete Drill



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1702004	S2	4 x 95	10	120
D1702006		6 x 95	10	120
D1702008		8 x 113	10	120
D1702010		10 x 113	10	120
D1702012		12 x 113	10	120

Eccentric Ceramic Drill



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1703004	S2	4 x 95	10	120
D1703006		6 x 95	10	120
D1703007		7 x 95	10	120
D1703008		8 x 113	10	120
D1703010		10 x 113	10	120
D1703012		12 x 113	10	120

Multi-Function Sawtooth Drill



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1701004	S2	4 x 95	10	120
D1701006		6 x 95	10	120
D1701008		8 x 113	10	120
D1701010		10 x 113	10	120
D1701012		12 x 113	10	120

Glass & Tile Drill Bit "+/-" Tip



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1300001	40Cr	3	10	500
D1300002		4	10	500
D1300003		5	10	500
D1300004		6	10	500
D1300005		8	10	500
D1300006		10	10	250
D1300007		12	10	250
D1300008		14	10	250

Glass & Tile Drill Bit "+/-" Tip



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1300025	40Cr	3	1	500
D1300026		4	1	500
D1300027		5	1	500
D1300028		6	1	500
D1300029		8	1	500
D1300030		10	1	250
D1300031		12	1	250
D1300032		14	1	250
D1300033		16	1	250
D1300034		18	1	250
D1300035		20	1	250

Diamond Drill Bit Hole Saw



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
D1300040	Steel+Diamond	6-70/75-120mm	1	100
D1301025		6-70/75-120 mm	1	100
D1301026		6-70/75-120 mm	1	100

HSS T.C.T Drill Bit Hole Saw



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1201020	High Speed Steel+T.C.T	20	1	200
D1201022		22	1	200
D1201025		25	1	200
D1201030		30	1	200
D1201035		35	1	120

HSS Step Drill Bit Hole Saw



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1202022	High Speed Steel	22	1	200
D1202025		25	1	200
D1202032		32	1	100
D1202050		50	1	100

HSS Drill Bit Hole Saw



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1203020	High Speed Steel	20	1	200
D1203030		30	1	200
D1203032		32	1	100
D1203050		35	1	100



HSS Hole Saw Drill Bit Set



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
D1201206	High Speed Steel	6 pcs	1	10
D1201210		10 pcs	1	10

6pcs:22/30/35/45/50/65mm

10pcs:16/18/20/22/25/30/35/45/50/55mm

M14 Brazing Hole Opener



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1700000	HSS	6-12	-	-
D1700000		14	-	-
D1700000		16	-	-
D1700000		18	-	-
D1700000		20-70	-	-
D1700000		75-100	-	-

M42 Bi-metal Hole Saw



Product Model	Size(mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
D1206014	14	-	-
D12060145	14.5	-	-
D12060165	16.5	-	-
D1206017	17	-	-
D1206018	18	-	-
D1206020	20	-	-
D1206022	22	-	-
D1206024	24	-	-
D1206025	25	-	-
D12060265	26.5	-	-
D1206027	27	-	-
D1206028	28	-	-
D1206030	30	-	-
D1206032	32	-	-
D1206035	35	-	-
D1206038	38	-	-
D1206040	40	-	-
D1206044	44	-	-
D1206045	45	-	-
D1206050	50	-	-
D1206072	72	-	-
D1206080	80	-	-
D1206100	100	-	-
D1206150	150	-	-
D1206160	160	-	-



Wet Diamond Core Drill Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
O06SZT01	HSS	25 x 400 x 16 mm	1	1
O06SZT02		38 x 400 x 16 mm	1	1
O06SZT03		50 x 400 x 32 mm	1	1
O06SZT04		64 x 400 x 32 mm	1	1
O06SZT05		75 x 400 x 32 mm	1	1
O06SZT06		100 x 400 x 32 mm	1	1
O06SZT07		150 x 400 x 32 mm	1	1
O06SZT08		200 x 400 x 32 mm	1	1
O06SZT09		45 x 400 x 32 mm	1	1
O06SZT10		28 x 400 x 15 mm	1	1
O06SZT11		42 x 400 x 32 mm	1	1
O06SZT12		58 x 400 x 32 mm	1	1



Wet Diamond Core Drill Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
O06SZT13	HSS	70 x 400 x 32 mm	1	1
O06SZT14		90 x 400 x 32 mm	1	1
O06SZT15		115 x 400 x 32 mm	1	1
O06SZT16		120 x 400 x 32 mm	1	1
O06SZT17		125 x 400 x 32 mm	1	1

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
O06SZT18	HSS	140 x 400 x 32 mm	1	1
O06SZT19		165 x 400 x 32 mm	1	1
O06SZT20		170 x 400 x 32 mm	1	1
O06SZT21		230 x 400 x 32 mm	1	1
O06SZT22		250 x 400 x 32 mm	1	1
O06SZT23		300 x 400 x 32 mm	1	1
O06SZT24		355 x 400 x 32 mm	1	1
D1505745		57 x 450 mm	1	1
D1506645		66 x 450 mm	1	1
D1511245		112 x 450 mm	1	1
D1504505		51 x 450 mm	1	1
D1504506		52 x 450 mm	1	1
D1504504		62 x 450 mm	1	1
D1503709		92 x 370 mm	1	1
D1503706		62 x 370 mm	1	1
D1503707		77 x 370 mm	1	1
D1504507		76 x 450 mm	1	1
D1504508		82 x 450 mm	1	1
D1503711		112 x 370 mm	1	1
D1504515		152 x 450 mm	1	1
D1504512		127 x 450 mm	1	1
D1504513		132 x 450 mm	1	1
D1504510		102 x 450 mm	1	1
D1504511		112 x 450 mm	1	1
D1503716		162 x 370 mm	1	1
D1503720		200 x 370 mm	1	1
D1504516		162 x 450 mm	1	1
D1504518		83 x 450 mm	1	1
D1504519		108 x 450 mm	1	1
D1504520		230 x 450 mm	1	1
D1504530		300 x 450 mm	1	1
D1504560		63 x 450 mm	1	1
D1514518		180 x 450 mm	1	1
D1514200		200 x 450 mm	1	1
D1504645		46 x 450 mm	1	1
D1505345		53 x 450 mm	1	1
D1507645		76 x 450 mm	1	1
D1511445		114 x 450 mm	1	1

Brazing Hole Opener

Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
-	HSS	16-50	-	-

Diamond Chamfer Bit

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
B1020038	Diamond	φ38 x M14	-	60
B1020050		φ50 x M14	-	60

Diamond Chamfer Bit

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
B1030075	Diamond	3-75 x M14	-	16

France Side Grinding Wheel

Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
B1007515	Diamond	75 x 15 x 22.23	-	100
B1007520		75 x 20 x 22.23	-	100
B1007530		75 x 30 x 22.23	-	100

Diamond Milling Bit

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
B1040035	Diamond	35mm x M14	-	64

Brazed Diamond Stepped Pagoda Drill Bit

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
B1002050	Diamond	20-35-50mm x M14	-	-

Wall Opener



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
-	High Speed Steel	50	-	50
-		60	-	50
-		65	-	50

Connecting Rod



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
-	HSS	500	-	25
-		600	-	25

8 pcs Hole Saw Set



Product Model	Material	Specification	Qty/Ctn (pcs)
D0800104	High Carbon Steel	8 pcs	30

16 pcs Hole Saw Set



Product Code	Material	Specification	Qty/Ctn (pcs)
D0800105	High Carbon Steel	16 pcs	30

Router Bits Set



Product Model	Material	Specification	Qty/Ctn (pcs)
D0800155	45#C.S	15pcs 6/8 mm	20
D0800156		35pcs 6/8 mm	5

Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116650	S2	1/4" x 65 mm	10	120

Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116651	S2	1/4" x 65 mm	10	120

Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116652	S2	1/4" x 65 mm	10	120

Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116653	S2	1/4" x 65 mm	10	120

Screwdriver Bits With Magnet Circle



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116654	S2 + Aluminum	1/4" x 65 mm	10	120

Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116655	S2	1/4" x 65 mm	10	120

Screwdriver Bits +/-



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116656	S2	1/4" x 65 mm	10	120

Screwdriver Bits



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116501	PH2 x 50 mm	1	120

Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116657	S2	1/4" x 65 mm	10	120

Screwdriver Bits



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116100	PH2 x 100 mm	1	120

Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116751	S2	PH2 x 75 mm	10	120

Screwdriver Bits



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116658	1/4" x 65 mm	1	120

Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116101	S2	1/4" x 100 mm	1	120

Screwdriver Bits Single Head



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116251	S2	1/4" x 25 mm	10	120

Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05116252	S2	1/4" x 25 mm	10	120

2 pcs Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05156503	S2	PH2/65mm	2	-

2 pcs Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05156501	S2	PH2/65mm	2	-

2 pcs Screwdriver Bits



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05156504	S2	PH2/65mm	2	-



Magnetic Collar Screwdriver Bit Set



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05131104	S2+Aluminium	1/4" x 110 mm	10	120

Magnetic Collar Screwdriver Bit Set



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05136654	S2+Aluminium	1/4" x 65 mm	10	120

Magnetic Collar Screwdriver Bit Set



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05126654	S2+Aluminium	1/4" x 65 mm	10	120



CORDLESS TOOLS



Cordless Drill	87
Cordless Angle Grinder	89
Cordless Circular Saw	89
Cordless Jig Saw	89
Cordless Chain Saw	90
Cordless Reciprocating Saw (Brushless)	90
Impact Wrench(Brushless)	90
Cordless Hammer(Brushless)	92
Cordless Electric Driver(Brushless)	92
Cordless Compact Router	92
Cordless Planer (Brushless)	93
Cordless Screwdriver Set	93
Cordless Sander(Brushless).....	93
Cordless Pruner Shears	93
Cordless Tile Vibration(Brushless)	94
Brushed Lithium Battery Glue Gun	94
Cordless Grease Gun(Brushless)	94
Cordless Hedge Trimmer (Brushless)	94
Cordless Blower	96
Cordless Vacuum Cleaner	96
Cordless Portable Blower(Brushless)	96
Cordless Washer	96
Sprayer	97
Lithium-Ion Battery Laser Level	97
Brushless Cordless Tools	98
Cordless Drill Set	98
Lithium Battery Cable Scissors	99
Cable Hydraulic Crimping Tool Set	99

Cordless Drill

Model **8212A**

Voltage	Max torque	No-Load Speed
12 V	22 Nm	1350 r/min



- Battery: Li-ion
- Battery Voltage: 12 V
- Battery Capacity: 1.5 A·h
- Max Torque: 22 N·m
- Chuck Size: 10 mm
- No-Load Speed: 0-1350 r/min

- 1 pc Manual & Warranty Card
- 2 pc Li-ion Batteries
- 1 pc Charging Adapter
- 1 pc Socket

Weight	Case Pack	G.W./N.W.	Carton size
1.5 kg	8 pcs	17.5/16.5 kg	61 x 36 x 27.5 cm

Cordless Drill

Model **8220A**

Voltage	Max torque	No-Load Speed
20 V	40 Nm	1800 r/min



- Battery: Li-ion
- Battery Voltage: 20 V
- Battery Capacity: 1.5 A·h
- Max Torque: 40 N·m
- Chuck Size: 10 mm
- No-Load Speed: 0-1800 r/min

- 1 pc Manual & Warranty Card
- 2 pc Li-ion Batteries
- 1 pc Charging Adapter
- 1 pc Socket

Weight	Case Pack	G.W./N.W.	Carton Size
1.5 kg	8 pcs	21.45/19.45 kg	61 x 36 x 27.5 cm

Cordless Drill(Brushless)

Model **8220B**

Voltage	Max torque	No-Load Speed
20 V	40 Nm	1800 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 2.0 A·h
- Max Torque: 40 N·m
- Chuck Size: 10 mm
- No-Load Speed: 0-1800 r/min

- 1 pc Manual & Warranty Card
- 2 pc Li-ion Batteries
- 1 pc Charging Adapter
- 1 pc Socket

Weight	Case Pack	G.W./N.W.	Carton size
0.902 kg	10 pcs	11.5 kg /10.5 kg	42 x 23 x 41 cm

Cordless Drill

Model **8212F**

Voltage	Max torque	No-Load Speed
12 V	15 Nm	1300 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 12 V
- Battery Capacity: 1.5 A·h
- Max Torque: 15 N·m
- No-Load Speed: 0-350 / 0-1300 r/min
- Chuck Size: 10 mm

- 1 pc Manual & Warranty Card
- 2 pc Li-ion Batteries
- 1 pc Charging Adapter
- 1 pc Socket

Weight	Case Pack	G.W./N.W.	Carton size
894 g	10 pcs	22/21 kg	50 x 34 x 60 cm

Cordless Drill(Brushless)

Model 8216F

Voltage	Max torque	No-Load Speed
16.8 V	40 Nm	1400 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 16.8 V
- Battery Capacity: 1.5 A·h
- Max Torque: 40 N·m
- Chuck Size: 10 mm
- No-Load Speed: 0-380 / 0-1400 r/min

- 1 pc Manual & Warranty Card
- 2 pc Li-ion Batteries
- 1 pc Charging Adapter
- 1 pc Socket

Weight	Case Pack	G.W./N.W.	Carton size
2.1 kg	10 pcs	22/21 kg	47 x 31.5 x 51.5 cm

Cordless Drill(Brushless)

Model 8220F

Voltage	Max torque	No-Load Speed
20 V	40 Nm	1750 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 1.5 A·h
- Max Torque: 40 N·m
- No-Load Speed: 0-450 / 0-1750 r/min
- Chuck Size: 10 mm

- 1 pc Manual & Warranty Card
- 2 pc Li-ion Batteries
- 1 pc Charging Adapter
- 1 pc Socket

Weight	Case Pack	G.W./N.W.	Carton size
1.5 kg	10 pcs	15.65/14.65 kg	54 x 33 x 37 cm

Brushless Cordless Drill

Model 8221F

Voltage	Max torque	No-Load Speed
20 V	70 Nm	1800 r/min



- Rated Power: 1200 W
- No-load Speed: 1800 r/min / 500 r/min
- Voltage: 20 V
- Max. Chuck Capacity: 13 mm 70 N·m

Weight	Case Pack	G.W./N.W.	Carton size
14.7 kg	6 pcs	14.7/13.7 kg	76 x 39 x 39 cm

Cordless Drill(Brushless)

Model 8320F

Voltage	Max torque	No-Load Speed
20 V	90 Nm	2000 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 3.0 A·h
- Max Torque: 90 N·m
- No-Load Speed: 0-500/0-2000 r/min
- Chuck Size: 13 mm

- 1 pc Manual & Warranty Card
- 2 pc Li-ion Batteries
- 1 pc Charging Adapter
- 1 pc Handle

Weight	Case Pack	G.W./N.W.	Carton size
1.82 kg	5 pcs	23.5/22.5 kg	59 x 37 x 30 cm

Angle Grinder(Brushless)

Model **8110F**

Voltage
20 V

No-Load Speed
9000 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 3.0 A·h
- Disc Size: 100 mm
- No-Load Speed: 0-9000 r/min
- Spindle Thread: M10

- 1 pc Manual & Warranty Card
- 2 pc Li-ion Batteries
- 1 pc Charging Adapter

Weight	Case Pack	G.W./N.W.	Carton size
4.5 kg	5 pcs	24/23 kg	66 × 41 × 32 cm

Angle Grinder(Brushless)

Model **8125F**

Voltage
20 V

No-Load Speed
9000 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 3.0 A·h
- Disc Size: 115-125 mm
- No-Load Speed: 0-9000 r/min
- Spindle Thread: M14

- 1 pc Manual & Warranty Card
- 2 pc Li-ion Batteries
- 1 pc Charging Adapter

Weight	Case Pack	G.W./N.W.	Carton size
4.5 kg	5 pcs	24/23 kg	66 × 41 × 32 cm

Cordless Circular Saw(Brushless)

Model **8185F**

Voltage
20 V

No-Load Speed
4500 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- No-Load Speed: 4500 r/min
- Blade Size: 185 mm
- Max Cutting Depth: 63.5 mm / 90°; 44.5 mm / 45°

- 2 pc Batteries
- 1 pc Charge

Weight	Case Pack	G.W./N.W.	Carton size
4.4 kg	4 pcs	23/22 kg	54 × 39 × 48 cm

Cordless Jig Saw(Brushless)

Model **8365F**

Voltage
20 V

No-Load Speed
1000-2900 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- No-Load Speed: 1000-2900 r/min
- Stroke Length: 18 mm
- Cutting Capacity: Aluminium 4 mm / Steel 2 mm

- 2 pc Batteries
- 1 pc Charge

Weight	Case Pack	G.W./N.W.	Carton size
3.7 kg	5 pcs	20.5/18.5 kg	42 × 21.5 × 44 cm

Cordless Chain Saw(Brushless)

Model **8406F**

Voltage	Speed	Input power
20 V	8 m/s	450 W



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 3.0 A·h
- Input Power: 450 W
- Speed: 8 m/s
- Chain Size: 6 inch
- Max Cutting: 140 mm

2 pc Batteries
1 pc Charge

Weight	Case Pack	G.W./N.W.	Carton size
1.5 kg	10 pcs	15.65/14.65 kg	57 × 40 × 55.5 cm

Cordless Chain Saw(Brushless)

Model **8408F**

Voltage	Speed	Input power
20 V	8 m/s	500 W



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 3.0 A·h
- Input Power: 500 W
- Speed: 8 m/s
- Chain Size: 8 inch
- Max Cutting: 190 mm

2 pc Batteries
1 pc Charge

Weight	Case Pack	G.W./N.W.	Carton size
1.5 kg	10 pcs	15.65/14.65 kg	49 × 41 × 59 cm

Cordless Reciprocating Saw (Brushless)

Model **8801F**

Voltage	No-Load Speed
20 V	3200 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- No-Load Speed: 0-2000 / 0-3200 r/min
- Cutting Capacity: 115 mm
- Stroke Length: 21 mm
- Cutting Capacity: 55 mm Wood / 2 mm Aluminum / 1 mm Steel

2 pcs Saw Blade
2 pcs Batteries
1 pc Charge

Weight	Case Pack	G.W./N.W.	Carton size
11 kg	5 pcs	16.7/15.7 kg	45 × 44.5 × 28 cm

Impact Wrench(Brushless)

Model **8202F**

Voltage	No-Load Speed
20 V	950 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 3.0 A·h
- Max Torque: 300 N·m
- No-Load Speed: 0-950 r/min
- Blows Per Min: 0-5000 bpm
- Bit Holder: 1/2"(12.5 mm)

2 pc Batteries
1 pc Charge With Plastic Boxes, Seat Charger 1.0 A

Weight	Case Pack	G.W./N.W.	Carton size
2.0 kg	5 pcs	2.2/2.0 kg	53 × 35.5 × 32 cm



Impact Wrench(Brushless)

Model 8208F
Voltage
20 V

Max torque
800 N·m


- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- Max Torque: 800 N·m
- Blows Per Min: 3400 bpm
- Bit Holder: 1/2"(12.5 mm)

2 pc Batteries

1 pc Charge With Plastic Boxes, Seat Charger 1.0 A

Weight	Case Pack	G.W./N.W.	Carton size
4.4 kg	5 pcs	23/22 kg	58 × 38.2 × 28.5 cm

Cordless Electric Driver(Brushless)

Model 8203F
Voltage
20 V

Max torque
230 N·m


- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- Max Torque: 230 N·m
- No-Load Speed: 0-1350/2000/2600/3200 r/min
- Bit Holder: 1/4"

2 pc Batteries

1 pc Charge

Weight	Case Pack	G.W./N.W.	Carton size
4.4 kg	5 pcs	23/22 kg	58 × 38.2 × 28.5 cm

Cordless Hammer(Brushless)

Model 8201F
Voltage
20 V

No-Load Speed
950 r/min


- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- Chuck Size: 10-28 mm
- No-Load Speed: 0-950 r/min
- Blows Per Min: 0-5600 bpm
- Impact Energy: 2.0 J

2 pc Batteries

1 pc Charge With Plastic Boxes, Seat Charger 1.1 A

Weight	Case Pack	G.W./N.W.	Carton size
5 kg	4 pcs	22/20 kg	47.5 × 43 × 35.5 cm

Cordless Compact Router

Model 8506F
Voltage
20 V

No-Load Speed
10000-30000 r/min


- Battery: Li-ion
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- No-Load Speed: 10000-30000 r/min
- Collet Size: 6 mm
- Cutting Depth: 0-6.5 mm

- 1 pc** 13#Open-end Wrench
- 1 pc** 22#Open-end Wrench
- 1 pc** Guide Wheel Assembly
- 1 pc** Guide Ruler Assembly
- 1 pc** Template Gauge
- 1 pc** Socket Wrench
- 1 pc** Fixing Knob
- 1 pc** Hex Key
- 1 pc** Dust Extraction Port
- 2 pcs** Batteries
- 1 pc** Charge

Weight	Case Pack	G.W./N.W.	Carton size
20.5 kg	6 pcs	21.5/20.5 kg	53 × 29 × 33 cm

Cordless Planer (Brushless)

Model **8582F**

Voltage
20 V

No-Load Speed
15000 r/min



- Battery: Li-ion
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- No-Load Speed: 15000 r/min
- Planning Width: 82 mm
- Cutting Depth: 0-2 mm

- 1 pc** Tool Post
- 1 pc** Grinding Fixture
- 1 pc** Socket Wrench
- 1 pc** Guide Ruler
- 2 pcs** Batteries
- 1 pc** Charge

Weight	Case Pack	G.W./N.W.	Carton size
17.5 kg	4 pcs	18.5/17.5 kg	42.5 × 35 × 45 cm

Cordless Screwdriver Set

Model **8361**



- Battery Voltage: 3.6 V
- Battery Capacity: 1200 mA·h
- Output Speed: 220 r/min
- Charging Time: <150 min
- Max. Torque: 1-1.5 N·m By Electric/8 N·m By Manual

Weight	Case Pack	G.W./N.W.	Carton size
170 g	20 set	16.25/15.25 kg	48 × 33 × 30 cm

Cordless Sander (Brushless)


Model **8005F**

Voltage
20 V

No-Load Speed
11000 r/min



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- Size Of Cushion: 125 mm
- Eccentricity: 3
- No-Load Speed: 7000-11000 r/min



Weight	Case Pack	G.W./N.W.	Carton size
1.45 kg	10 pcs	16.5/14.5 kg	42 × 21.5 × 44 cm

Cordless Pruner Shears

Model **1001F**

Voltage
20 V

Shear Force
250 N

No-Load Speed
60 r/min



- Battery: Li-ion
- Battery Voltage: 20 V
- Battery Capacity: 3-4.0 A·h
- No-Load Speed: 0-60 r/min
- Max Cutting Size: 30 mm
- Shear Force: 250 N

- 2 pc** Batteries
- 1 pc** Charge

Weight	Case Pack	G.W./N.W.	Carton size
1.2 kg	10 pcs	24.5/23.5 kg	48 × 35 × 52.5 cm

Cordless Tile Vibration(Brushless)

Model **8505F**



- Battery Voltage: 20 V
- Battery Capacity: 1.5 A·h
- Vibrating Frequency: 3500-8500 r/min
- Speed: 1-12 Speeds
- Sucker Size: 123 mm
- Adsorption Capacity: 60 kg/132 lbs

2 pcs Batteries
1 pc Charge
1 pc Bmc
1 pc Tile Vibrator

Weight	Case Pack	G.W./N.W.	Carton size
1.36 kg	6 pcs	20.5/19.5 kg	53 × 42.5 × 53 cm

Brushed Lithium Battery Glue Gun

Model **8009F**



- Battery: Li-ion
- Battery Voltage: DC 18-20 V
- Battery Capacity: 1.5 A·h
- Caulking Speed: 4-Setting
- I 77-86 mm/min
- II 115-121 mm/min
- III 152-158 mm/min

Weight	Case Pack	G.W./N.W.	Carton size
11 kg	-	13.2/11 kg	42 × 44 × 22 cm

Cordless Grease Gun(Brushless)

Model **8600F**



- Battery Voltage: 20 V
- Battery Capacity: 3.0 A·h
- Capacity: 600 cc
- Power: 200 W
- Max Pressure: 12000 psi
- Work Pressure: 6000-8000 psi

1 pc Manual&Warranty Card
2 pcs Li-ion Batteries
1 pc Charging Adapter
1 pc Grease Gun

Weight	Case Pack	G.W./N.W.	Carton size
4.6 kg	5 pcs	24/22 kg	63 × 33 × 48.5 cm

Cordless Hedge Trimmer (Brushless)

Model **8500F**



- Battery: Li-ion
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A
- Power: 600 W
- Blade Length: 500 mm
- Reciprocating Frequency: 1500/min

1 pc Socket Wrench
1 pc Safety Goggles
1 pc Hex Screwdriver
1 pc Phillips Screwdriver
1 pc Oil Can
1 pc Gloves
2 pcs Batteries
1 pc Charge

Weight	Case Pack	G.W./N.W.	Carton size
-	4 pcs	19.5/18.5 kg	88 × 36 × 41 cm



Cordless Blower

Model **4001F**



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 1.5 A·h
- Air Volume: 2.3 m³/min
- No-Load Speed: 0-1900 r/min

- 1 pc** Dust Collection Bag
- 1 pc** Blower Tube
- 2 pcs** Batteries
- 1 pc** Charge

Weight	Case Pack	G.W./N.W.	Carton size
5.0 kg	6 pcs	31/30 kg	63 × 42 × 37 cm

Cordless Vacuum Cleaner

Model **8901F**



- Battery: Li-ion
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- No-Load Speed: 22000 r/min
- Capacity: 650 ml
- Blowing Rate: 1.4 m/min
- Max Sealing Suction: 4.3 kPa

- 1 pc** Crevice Tool,
- 1 pc** Mounting Bracket,
- 1 pc** Extension Tube,
- 1 pc** Brush Attachment,
- 1 pc** Mop Head
- 2 pcs** Batteries
- 1 pc** Charge

Weight	Case Pack	G.W./N.W.	Carton size
-	4 pcs	13.5/12.5 kg	51 × 34 × 41 cm

Cordless Portable Blower(Brushless)

Model **4002F**



- Battery: Li-ion
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h
- No-Load Speed: 0-18500 r/min
- Blowing Rate: 13.2 m³/min
- Wind Speed: 52 m/s

- 1 pc** Dust Collection Bag
- 1 pc** Blower Tube
- 2 pcs** Batteries
- 1 pc** Charge

Weight	Case Pack	G.W./N.W.	Carton size
8 kg	2 pcs	18/16 kg	44.5 × 42.5 × 51.5 cm

Cordless Washer

Model **8701F**



- Battery: Li-ion
- Battery Voltage: 20 V
- Battery Capacity: 4.0 A·h × 2
- Frame Material: Nylon
- Pressure: 1.2-1.6 Mpa
- Firing Range: 8-9 m
- Flow Rate: 4-5 L/min
- Package: Plastic Boxes 6-In-1 Gun Tip

- 2 pcs** Batteries
- 1 pc** Charge

Weight	Case Pack	G.W./N.W.	Carton size
21.6 kg	1 pc	4.5/3 kg	35 × 42 × 75 cm

Electric Sprayer

Model **3014A**



- Battery: Lead-acid Battery
- Battery Voltage: 12V
- Battery Capacity: 8.0 A·h
- Capacity: 14 L
- Max Pressure: 80 psi

Weight	Case Pack	G.W./N.W.	Carton size
3 kg	1 pc	4.5/3 kg	37 × 20 × 47 cm

Electric & Manual Sprayer

Model **3014B**



- Battery: Lead-acid Battery
- Battery Voltage: 12 V
- Battery Capacity: 8.0 A·h
- Capacity: 14 L
- Max Pressure: 80 psi

Weight	Case Pack	G.W./N.W.	Carton size
3 kg	1 pc	4.5/3 kg	37 × 20 × 51 cm

Lithium-Ion Battery Laser Level

Model **8612F/8616F**



- Radium Rays: 360° x 3 12/16 (3d)
- Horizontal/Vertical Accuracy: ±0.2 mm/10 m
- Wavelength: 515 nm (Green Light)
- Automatic Leveling Range: ±3 m
- Waterproof Level: IP54
- Scope of Work: About 25 m
- GI Working Tem: -5°C~50°C
- G/RI Working Tem: -20°C to 50°C

Weight	Case Pack	G.W./N.W.	Carton size
1.9 kg	10 pcs	20/19 kg	65 × 32 × 59 cm

Lithium-Ion Battery Laser Level

Model **8605F**



- Function Introduction: 4V1H
- Laser Diode: 515 nm (Green Light)
- Centering Point Accuracy: 3 m ± 1 mm
- Line Width: 5 m ± 2 mm
- Horizontal Self-Leveling Range: ± 3
- Horizontal Self-Leveling Time: ≤ 5 s
- Shooting Angle: ≥ 120°
- Temp Range: -20°C to 50°C

Weight	Case Pack	G.W./N.W.	Carton size
1.9 kg	10 pcs	20/19 kg	65 × 32 × 59 cm

Brushless Cordless Tools Set 1

Model **R2128241**



Item Number	Item Name	No-Load Speed	Spindle Thread	Max Torque
8125F	Cordless Angle Grinder	0-9000 r/min	M14	-
8202F	Cordless Impact Wrench	3200 r/min	-	300 N·m

Item Number	Battery Voltage	Battery Capacity	Seat Charger
8125F	20 V x 2 pcs	3.0 A·h or 4.0 A·h	1.0 A x 1 pc
8202F	20 V x 2 pcs	3.0 A·h or 4.0 A·h	1.0 A x 1 pc

Brushless Cordless Tools Set 2

Model **R2128242**



Item Number	Item Name	No-Load Speed	Spindle Thread	Max Torque
8125F	Cordless Angle Grinder	0-9000 r/min	M14	-
8220F	Cordless Drill	0-450 r/min, 0-1750 r/min	-	40 N·m

Item Number	Battery Voltage	Battery Capacity	Seat Charger
8125F	20 V x 2 pcs	3.0 A·h or 4.0 A·h	1.0 A x 1 pc
8220F	20 V x 2 pcs	3.0 A·h or 4.0 A·h	1.0 A x 1 pc

Brushless Cordless Tools Set 3

Model **R2128243**



Item Number	Item Name	No-Load Speed	Max Torque
8202F	Cordless Impact Wrench	3200 r/min	300 N·m
8220F	Cordless Drill	0-450 r/min, 0-1750 r/min	40 N·m

Item Number	Battery Voltage	Battery Capacity	Seat Charger
8202F	20 V x 2 pcs	3.0 A·h or 4.0 A·h	1.0 A x 1 pc
8220F	20 V x 2 pcs	3.0 A·h or 4.0 A·h	1.0 A x 1 pc

Cordless Drill Set

Model **R2138220F/ R2148220F**



- Battery: Li-ion
- Battery Voltage: 12 V
- Battery Capacity: 1.5 A·h
- Max Torque: 22 N·m
- No Load Speed: 0-1350 r/min
- Chuck Size: 10 mm

R2138220F

2 pcs Battery
1 pc Charger

R2148220F

1 pc Battery
1 pc Charger

Weight	Case Pack	G.W./N.W.	Carton size
28 kg	1 pcs	28.8/28 kg	61 x 48 x 37 cm

Cordless Drill Set

Model **R2138212F / R2148212F**



- Battery: Li-ion Brushless
- Battery Voltage: 20 V
- Battery Capacity: 1.5 A·h
- Max Torque: 40 N·m
- No Load Speed: 0-450 / 0-1750 r/min
- Chuck Size: 10 mm

R2138212F

2 pcs Battery
1 pc Charger

R2148212F

1 pc Battery
1 pc Charger

Weight	Case Pack	G.W./N.W.	Carton size
22 kg	1 pcs	-	53 x 43 x 32 cm

Lithium Battery Cable Scissors

Model **EMS-60**



- Voltage: 18 V
- Charge Voltage: 100-240 VAC
- Accessories: 2 pcs Batteries, 1 pc Charge
- Charging Time: 2 hours
- Cutting Times: 125 times
- Cutting Range: Max. 60 mm, Single Core Copper Aluminum Wire

Weight	Case Pack	G.W./N.W.	Carton size
8 kg	1 pcs	8.5/8 kg	51.5 x 38 x 17.4 cm

Cable Hydraulic Crimping Tool Set

Model **EA-400B**



- Voltage/Capacity: 18 V / 4.0 A·h
- Crimping Force: 120 kN
- Stroke: 35 mm
- Crimping Cycle: 6-18 s
- Crimping Time: 125 times
- Crimping Dies: 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400 mm²

Weight	Case Pack	G.W./N.W.	Carton size
13.9 kg	1 pc	16.45/13.9 kg	64 x 46 x 17 cm

Cable Hydraulic Crimping Tool Set

Model **EB-300**



- Voltage/Capacity: 18 V / 4.0 A·h
- Crimping Force: 60 kN
- Stroke: 17mm
- Crimping Cycle: 6-18 s
- Crimping Time: 120 times
- Crimping Dies: 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400 mm²

Weight	Case Pack	G.W./N.W.	Carton size
13.15 kg	1 pc	13.65/13.15 kg	64 × 49 × 16.5 cm

Cable Hydraulic Crimping Tool Set

Model **GES-600UNV**



- Voltage/Capacity: 18 V / 4.0 A·h
- Crimping Force: 60 kN
- Stroke: 42 mm
- Crimping Cycle: 3-15 s
- Crimping Time: 160 times
- Crimping Dies: 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400 mm²

Weight	Case Pack	G.W./N.W.	Carton size
13.95 kg	1 pc	16.45/13.95 kg	64 × 49 × 17 cm

POWER TOOLS



Angle Grinder	103
Electricdrill	109
Impact Drill	110
Electric Drill	110
Keyless Type Drill Chuck	112
Drill Chuck With Key	112
Key Type Drill Chuck With Key	112
Bench Type Drill Press	112
Rotaryi Hammer	113
Demolition Hammer	114
Circular Saw	117
Electric Chain Saw	117
Jig Saw	118
Orbital Sander	119
Reciprocating Saw	120
Polisher	120
Electric Planer	121
Electric Router	121
Trimmer	122
Rotary Tool Kit	122
Die Grinder	122
Marble Cutter	122
Wall Chaser	123
Miter Saw	123
Cut-Off Machine	124
Bench Grinder	126
Drywall Sander	127
Vibrator	127
Electric Mixer	128
Hot Melt Glue Gun	129
Heat Gun	129
Blower	130

Angle Grinder

Model 6100B

Power	No-Load Speed
710 W	11000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 710 W
- No-Load Speed: 11000 r/min
- Disc Size: 100mm
- Spindle Thread: M10

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card
- 1 pc** Cutting Disc (107 x 1.0 x 16mm)

Weight	Case Pack	G.W./N.W.	Carton size
1.75 kg	6 pcs	13.5/11 kg	43 x 34 x 28 cm

Angle Grinder

Model 6100D

Power	No-Load Speed
750 W	11000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 750 W
- No-Load Speed: 11000 r/min
- Disc Size: 100 mm
- Spindle Thread: M10

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card
- 4 pc** Cutting Disc
- 1 pair** Gloves

Weight	Case Pack	G.W./N.W.	Carton size
1.85 kg	8 pcs	20.5/18.5 kg	50.5 x 39.5 x 23.5 cm

Angle Grinder

Model 6100G

Power	No-Load Speed
760 W	11000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 760 W
- No-Load Speed: 11000 r/min
- Disc Size: 100 mm
- Spindle Thread: M10

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
2 kg	10 pcs	21/20 kg	60 x 32.5 x 21.5 cm

Angle Grinder

Model 6100H

Power	No-Load Speed
850 W	11000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 850 W
- No-Load Speed: 11000 r/min
- Disc Size: 100 mm
- Spindle Thread: M10

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
2 kg	10 pcs	21/20 kg	60 x 32.5 x 21.5 cm

Angle Grinder

Model 6100P
Power
680 W

No-Load Speed
11000 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 680 W
- No-Load Speed: 11000 r/min
- Disc Size: 100 mm
- Spindle Thread: M10

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual & Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
2 kg	10 pcs	20/19 kg	64.5 × 36 × 25.5 cm

Angle Grinder

Model 6100K
Power
760 W

No-Load Speed
11000 r/min


- Rated Voltage: 220-240 V
- Rated Frequency: 60/50 Hz
- No-Load Speed: 11000 r/min
- Power: 760 W
- Output Shaft: M10

- 1 set** Grinding Wheel
- 1 set** Cover
- 1 set** Wrench
- 1 set** Side Handle
- 1 set** Carbon Brush

Weight	Case Pack	G.W./N.W.	Carton size
-	10 pcs	21/20 kg	60 × 33 × 21.3 cm

Angle Grinder

Model 6115A
Power
900 W

No-Load Speed
11000 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 900 W
- No-Load Speed: 11000 r/min
- Disc Size: 115 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual & Warranty Card
- 1 pc** Cutting Disc (125 x 1.2 x 22.2 mm)

Weight	Case Pack	G.W./N.W.	Carton size
2.3 kg	6 pcs	15/14 kg	43 × 34 × 27 cm

Angle Grinder

Model 6115B
Power
710 W

No-Load Speed
11000 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 710 W
- No-Load Speed: 11000 r/min
- Disc Size: 115 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual & Warranty Card
- 1 pc** Cutting Disc (115 x 1.2 x 22.2 mm)

Weight	Case Pack	G.W./N.W.	Carton size
1.75 kg	6 pcs	13.5/11 kg	43 × 34 × 28 cm

Angle Grinder

Model 6115H

Power	No-Load Speed
850 W	11000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 850 W
- No-Load Speed: 11000 r/min
- Disc Size: 115 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
2 kg	10 pcs	21/20 kg	60 × 32.5 × 21.5 cm

Angle Grinder

Model 6115F

Power	No-Load Speed
850 W	11000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 850 W
- No-Load Speed: 11000 r/min
- Disc Size: 115 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
2 kg	10 pcs	21/20 kg	60 × 32.5 × 21.2 cm

Angle Grinder

Model 6115P

Power	No-Load Speed
900 W	11000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 900 W
- No-Load Speed: 11000 r/min
- Disc Size: 115 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
1.88 kg	10 pcs	25.6/24.6 kg	66 × 36.5 × 25 cm

Angle Grinder

Model 6115S

Power	No-Load Speed
850 W	11000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 850 W
- No-Load Speed: 11000 r/min
- Disc Size: 115 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
2 kg	10 pcs	21/20 kg	60 × 32.5 × 21.2 cm

Angle Grinder

Model 6125A

Power	No-Load Speed
900 W	11000 r/min



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power: 900 W
 - No-Load Speed: 11000 r/min
 - Disc Size: 125 mm
 - Spindle Thread: M14
- 1 set** Carbon Brush
 - 1 pc** Auxiliary Handle
 - 1 pc** Wrench
 - 1 pc** Wheel Guard
 - 1 pc** Manual & Warranty Card
 - 1 pc** Cutting Disc (125 x 1.2 x 22.2mm)

Weight	Case Pack	G.W./N.W.	Carton size
2.3 kg	6 pcs	15/14 kg	43 x 34 x 27 cm

Angle Grinder

Model 6125B

Power	No-Load Speed
1010 W	11000 r/min



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power: 1010 W
 - No-Load Speed: 11000 r/min
 - Disc Size: 125 mm
 - Spindle Thread: M14
- 1 set** Carbon Brush
 - 1 pc** Auxiliary Handle
 - 1 pc** Wrench
 - 1 pc** Wheel Guard
 - 1 pc** Manual & Warranty Card
 - 1 pc** Cutting Disc (125 x 1.2 x 22.2 mm)

Weight	Case Pack	G.W./N.W.	Carton size
2.15 kg	6 pcs	16.2/14.4 kg	43 x 42 x 28.5 cm

Angle Grinder

Model 6125C

Power	No-Load Speed
900 W	11000 r/min



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power: 900 W
 - No-Load Speed: 11000 r/min
 - Disc Size: 125 mm
 - Spindle Thread: M14
- 1 set** Carbon Brush
 - 1 pc** Auxiliary Handle
 - 1 pc** Wrench
 - 1 pc** Wheel Guard
 - 1 pc** Manual & Warranty Card
 - 1 pc** Cutting Disc (125 x 1.2 x 22.2 mm)

Weight	Case Pack	G.W./N.W.	Carton size
1.37 kg	10 pcs	14.7/13.7 kg	43 x 36 x 22.5 cm

Angle Grinder

Model 6125D

Power	No-Load Speed
1200 W	11000 r/min



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power: 1200 W
 - No-Load Speed: 11000 r/min
 - Disc Size: 125 mm
 - Spindle Thread: M14
- 1 set** Carbon Brush
 - 1 pc** Auxiliary Handle
 - 1 pc** Wrench
 - 1 pc** Wheel Guard
 - 1 pc** Manual & Warranty Card
 - 1 pc** Cutting Disc (125 x 1.2 x 22.2 mm)

Weight	Case Pack	G.W./N.W.	Carton size
1.5 kg	10 pcs	16.3/15.3 kg	43 x 43 x 29 cm



Angle Grinder

Model 6150A

Power	No-Load Speed
1500 W	9500 r/min



- Rated Voltage: 220-240 V
- Rated Frequency: 50/60 Hz
- No-Load Speed: 9500 r/min
- Power: 1500 W
- Output Shaft: M14

- 1 pc** Wheel Guard
- 1 set** Cover
- 1 set** Wrench
- 1 set** Side Handle
- 1 set** Carbon Brush

Weight	Case Pack	G.W./N.W.	Carton size
-	4 pcs	15.5/14.5 kg	49 × 27.5 × 23.5 cm

Angle Grinder

Model 6180G

Power	No-Load Speed
1800 W	8500 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1800 W
- No-Load Speed: 8500 r/min
- Disc Size: 150/180 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
3.6 kg	4 pcs	19/18 kg	51.5 × 26 × 30 cm

Angle Grinder

Model 6180P

Power	No-Load Speed
2400 W	8000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 2400 W
- No-Load Speed: 8000 r/min
- Disc Size: 150/180 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
6.7 kg	2 pcs	15.5/14.5 kg	57 × 28 × 18 cm

Angle Grinder

Model 6230A

Power	No-Load Speed
2400 W	6000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 2400 W
- No-Load Speed: 6000 r/min
- Disc Size: 180/230 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
5.5 kg	4 pcs	25/24 kg	56 × 38 × 26 cm

Angle Grinder

Model 6230C

Power	No-Load Speed
2800 W	6000 r/min



- Voltage :220-240 V
- Frequency: 50/60 Hz
- Power: 2800 W
- No-Load Speed: 6000 r/min
- Disc Size: 180/230 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
6.45 kg	2 pcs	14.5/13.5 kg	53.5 × 35 × 19.5 cm

Angle Grinder

Model 6230G

Power	No-Load Speed
2200 W	6500 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 2200 W
- No-Load Speed: 6500 r/min
- Disc Size: 230 mm
- Spindle Thread: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
4.3 kg	3 pcs	13.5/12.5 kg	51.5 × 41.5 × 19 cm

Angle Grinder

Model 6230D

Power	No-Load Speed
2600 W	6500 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 2600 W
- No-load Speed: 6500 r/min
- Protect guard size: 230 mm
- Spindle: M14

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Wrench
- 1 pc** Wheel Guard
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
15 kg	2 pcs	15/14 kg	56 × 35.7 × 14 cm

Electricdrill

Model 2106P

Power	No-Load Speed
400 W	3900 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 400 W
- No-Load Speed: 0-3900 r/min
- Chuck Size: 6.5 mm

- 1 set** Carbon Brush
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
1.23 kg	10 pcs	15/13 kg	50.5 × 34.5 × 25 cm

Electricdrill

Model 2110P
Power
550 W

No-Load Speed
3300 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 550 W
- No-Load Speed: 0-3300 r/min
- Chuck Size: 10 mm

1 set Carbon Brush
1 pc Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
1.35 kg	10 pcs	16.5/15.5 kg	53 × 29 × 26 cm

Impact Drill

Model 2113A
Power
710 W

No-Load Speed
3300 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 710 W
- No-Load Speed: 0-3300 r/min
- Chuck Size: 13 mm

1 set Carbon Brush
1 pc Auxiliary Handle
1 pc Ruler
1 pc Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
2.15 kg	5 pcs	16.3/14.3 kg	49 × 36.5 × 29 cm

Electric Drill

Model 2113P
Power
550 W

No-Load Speed
2800 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 550 W
- No-Load Speed: 0-2800 r/min
- Chuck Size: 13 mm

1 set Carbon Brush
1 pc Auxiliary Handle
1 pc Ruler
1 pc Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
1.68 kg	10 pcs	22/16.8 kg	59 × 40 × 28 cm

Electric Drill

Model 2116A
Power
1200 W

No-Load Speed
1050 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 1200 W
- No-Load Speed: 0-1050 r/min
- Drill Diameter: 16 mm

1 set Carbon Brush
1 pc Ruler
1 pc Auxiliary Handle
1 pc Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
2.98 kg	5 pcs	21.8/20.5 kg	62 × 42 × 36 cm



Keyless Type Drill Chuck

Model **D0900013**



Product code	Material	SPEC	Size (mm/inch)	Qty/Ctn
D0900013	Fiber Reinforced Composite+Tungsten Steel	80 m/s	0.8-10 mm 3/8-24 UNF 1/32"-3/8"	100 pcs
D0900014		80 m/s	13 mm 1/2-20 UNF 5/64"-1/2"	100 pcs

Drill Chuck With Key

Model **D0900102**



Product code	Material	SPEC	Size (mm)	Qty/Box	Qty/Ctn
D0900102	Tungsten Steel	80 m/s	13	1	100 pcs

Key Type Drill Chuck With Key

Model **D0900010**



Product code	Material	SPEC	Size (mm/inch)	Qty/Ctn
D0900010		80 m/s	1.5-10 mm 3/8-24UNF 1/16"3/8"	100
D0900011	Tungsten Steel	80 m/s	1.5-13 mm 1/2-20UNF 1/6"1/2"	100
D0900012		80 m/s	3-16 mm 1/2-20UNF 1/8"5/8"	30

16 mm Bench Type Drill Press

Model **P212216A**

Motor
500 W

Spindle Travel
50 mm



- Motor: 500 W
- Max. Drilling Capacity: Ø16 mm
- Chuck Capacity: 3-16 mm
- Spindle Travel: 50 mm
- Class of Speed: 9
- Speed Range: 280-2500 r/min
- Spindle Taper: B16
- Max.distance From Spindle Axis To Surface of Column: 115 mm
- Max.distance From Spindle End To Surface of Table: 245 mm
- Max.distance From Spindle End To Surface of Base: 330 mm

Table Size	Base Size	Column Diameter	Height	Net/Gross Weight	Packing size
170 x 175 mm	310 x 195 mm	Ø46 mm	610 mm	19/20 kg	525 x 390 x 250 mm

20 mm Bench Type Drill Press

Model **P212220A**

Motor
750 W

Spindle Travel
80 mm



- Motor: 750 W
- Max. Drilling Capacity: Ø20 mm
- Chuck Capacity: 5-20 mm
- Spindle Travel: 80 mm
- Class of Speed: 16
- Speed Range: 200-2800 r/min
- Spindle Taper: MT2
- Max.distance From Spindle Axis To Surface of Column: 180 mm
- Max.distance From Spindle End To Surface of Table: 410 mm
- Max.distance From Spindle End To Surface of Base: 600 mm

Table Size	Base Size	Column Diameter	Height	Net/Gross Weight	Packing size
290 x 290 mm	460 x 270 mm	Ø72 mm	1000 mm	48/50 kg	810 x 490 x 280 mm

Rotary Hammer

Model **2126B**

Power	No-Load Speed
800 W	1100 r/min



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power: 800 W
 - No-Load Speed: 0-1100 r/min
 - Chuck Size: 26 mm
 - Tool Holder: SDS-Plus
- 1 set** Carbon Brush
 - 1 pc** Ruler
 - 1 pc** Auxiliary Handle
 - 1 pc** Manual&Warranty Card
 - 2 pcs** Chisel 14 x 250 mm Point 14 x 250 x 20 mm Flat
 - 3 pcs** Sds-Plus Drill 8 x 160/10 x 160/12 x 160 mm

Weight	Case Pack	G.W./N.W.	Carton size
3.1 kg	4 pcs	22/21 kg	48 x 44.5 x 30 cm

Rotary Hammer

Model **2128**

Power	No-Load Speed
850 W	1300 r/min



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power: 850 W
 - No-Load Speed: 0-1300 r/min
 - Chuck Size: 28 mm
 - Tool Holder: SDS-Plus
- 1 set** Carbon Brush
 - 1 pc** Ruler
 - 1 pc** Auxiliary Handle
 - 1 pc** Manual&Warranty Card
 - 2 pcs** Chisel 14 x 250mm Point 14 x 250 x 20mm Flat
 - 3 pcs** Sds-Plus Drill 8 x 150/10 x 150/12 x 150mm

Weight	Case Pack	G.W./N.W.	Carton size
3.1 kg	4 pcs	22/21 kg	48.5 x 45 x 32 cm

Rotary Hammer

Model **2128D**

Power	No-Load Speed
1100 W	900 r/min



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power Input: 1100 W
 - No-load Speed: 900 bpm
 - Impact Rating: 4600 bpm
 - Impact Energy: 4.6 J
- 1 pc** Auxiliary handle
 - 3 pcs** Drill bits (8x150 mm, 10x150 mm, 12x150 mm)
 - 1 pc** Pointed Chisel (14x250 mm)
 - 1 pc** Flat chisel (14x250 mm)
 - 1 pair** Carbon brushes
 - 1 pc** Tube of grease (30 g)
 - 1 pc** Oil cap wrench1
 - 1 pc** Instruction manual

Weight	Case Pack	G.W./N.W.	Carton size
22.1 kg	3 pcs	22.1/21.1 kg	43 x 39 x 33 cm

Rotary Hammer

Model **2132D**

Power	No-Load Speed
1500 W	200-900 r/min



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power Input: 1500 W
 - No-load Speed: 200-900 r/min
 - Impact Rate: 200-900 min
 - Drill Chuck: 32 mm
- 1 pc** Auxiliary handle
 - 3 pcs** Drill bits (8x150 mm, 10x150 mm, 12x150 mm)
 - 1 pc** Pointed chisel (14x250 mm)
 - 1 pc** Flat chisel (14x250 mm)
 - 1 pair** Carbon brushes
 - 1 pc** Tube of grease
 - 1 pc** Dust cap
 - 1 pc** Instruction manual

Weight	Case Pack	G.W./N.W.	Carton size
23.9 kg	1 pcs	23.9/22.9 kg	-

Rotary Hammer

Model 2132P
Power
1150 W

No-Load Speed
920 r/min


- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Impact Rating: 1150 W
 - No-Load Speed: 0-920 r/min
 - Chuck Size: 32 mm
 - Tool Holder: SDS-Plus
- 1 set** Carbon Brush
 - 1 pc** Auxiliary Handle
 - 1 pc** Dust Mask
 - 1 pc** Manual&Warranty Card
 - 2 pcs** Chisel 14 x 250 mm Point 14 x 250 x 20 mm Flat
 - 3 pcs** Sds-Plus Drill 8 x 160/10 x 160/12 x 160 mm

Weight	Case Pack	G.W./N.W.	Carton size
5.2 kg	3 pcs	24/22 kg	44.5 x 40.5 x 34.7 cm

Rotary Hammer

Model 2135P
Power
1500 W

No-Load Speed
3900 r/min


- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power: 1500 W
 - No-Load Speed: 0-3900 r/min
 - Chuck Size: 17 mm
 - Tool Holder: Hex
- 1 set** Carbon Brush
 - 1 pc** Auxiliary Handle
 - 1 pc** Wrench
 - 1 pc** Manual&Warranty Card
 - 2 pcs** Sds-Max 17 x 280 Point 17 x 280 x 25 Flat

Weight	Case Pack	G.W./N.W.	Carton size
6.5 kg	3 pcs	27.9/26.6 kg	51 x 38.5 x 33 cm

Rotary Hammer

Model 2140
Power
1250 W

Impact Rating
2800 bpm


- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power: 1250 W
 - No-Load Speed: 0-450 r/min
 - Impact Rating: 2800 bpm
 - Chuck Size: 40 mm
 - Tool Holder: SDS-Max
- 1 set** Carbon Brush
 - 1 pc** Auxiliary Handle
 - 1 pc** Dust Mask
 - 1 pc** Oil Box
 - 1 pcs** Manual & Warranty Card
 - 2 pcs** Chisel 25 x 350mm Point 25 x 350 x 20 mm Flat
 - 3 pcs** Sds-Max 16 x 320 mm/18 x 320 mm/22 x 320 mm

Weight	Case Pack	G.W./N.W.	Carton size
7.45 kg	2 pcs	26.4/25 kg	51.5 x 29.5 x 38 cm

Demolition Hammer

Model 2142P
Power
1500 W

Impact Rating
1900 bpm


- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power: 1500 W
 - Impact Energy: 25 J
 - Impact Rating: 1900 bpm
 - Chuck Size: 65 mm
 - Tool Holder: SDS-Max
- 1 set** Handle Components
 - 1 pc** Manual&Warranty Card
 - 1 pc** Point Chisel Sds-Max (40cr/18 x 350 mm)
 - 1 pc** Grease

Weight	Case Pack	G.W./N.W.	Carton size
10.98 kg	1 pcs	16.56/15.56 kg	66.5 x 47.5 x 18.5 cm



Demolition Hammer

Model 2142S
Power
1700 W

Impact Rating
2000 bpm


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power Input: 1700 W
- Impact Energy: 70 J
- Impact Rates: 2000 bpm
- G.W./N.W.: 18.5/17.5 kg

- 1 set** Carbon brushes
- 1 pc** oil cap wrench
- 1 pc** Tube of general-purpose grease
- 1 pc** Pointed chisel (30x380)
- 1 pcs** Flat chisel (30x380)

Weight	Case Pack	G.W./N.W.	Carton size
22.3 kg	1 pcs	22.3/21.3 kg	71 x 16 x 30 cm

Demolition Hammer

Model 2185
Power
2500 W

Max Impact Rate
1600 bpm


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 2500 W
- Max Impact Rate: 0-1600 bpm
- Impact Energy: 48 J
- Chuck Size: 30 mm Hex

- 1 set** Carbon Brush
- 1 pc** Auxiliary Handle
- 1 pc** Oil Box
- 1 pc** Manual&Warranty Card
- 2 pc** 65mm Hex Chisel 30 x 410 mm Point
30 x 410 mm Flat

Weight	Case Pack	G.W./N.W.	Carton size
14.2 kg	1 pcs	21.5/20.25 kg	72 x 17.5 x 31 cm

Demolition Hammer

Model 2185A
Power
1350 W

Max Impact Rate
1900 bpm


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1350 W
- Max Impact Rate: 0-1900 bpm
- Impact Energy: 45 J
- Chuck Size: 30 mm Hex

- 1 set** Carbon Brush
- 1 pc** Oil Can
- 1 pc** Oil Tank Cover Wrench
- 1 pc** Manual&Warranty Card
- 1 pc** Point Chisel (30 x 400 mm)
- 1 pc** Flat Chisel 65mm Hex (30 x 400 mm)

Weight	Case Pack	G.W./N.W.	Carton size
13.7 kg	1 pc	21/20 kg	71 x 17 x 31 cm

Demolition Hammer

Model 2195
Power
1240 W

Max Impact Rate
1800 bpm


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1240 W
- Max Impact Rate: 1800 bpm
- Impact Energy: 45 J
- Chuck Size: 30 mm Hex

- 1 set** Carbon Brush
- 1 pc** Wrench
- 2 pcs** Hex Wrench
- 1 pc** Oil Box
- 1 pcs** Manual&Warranty Card
- 1 pcs** 30 x 380 mm Point

Weight	Case Pack	G.W./N.W.	Carton size
12.5 kg	1 pcs	18.5/17.5 kg	71 x 17 x 30 cm



Demolition Hammer

Model **2195B**

Power	Impact Frequency
1700 W	1900 bpm



- Battery: Li-ion
 - Battery Voltage: 220-240 V
 - Rated Frequency: 50 Hz-60 Hz
 - Power: 1700 W
 - Impact Frequency: 0-1900 bpm
 - Impact Energy: 66 J
- | | |
|-------|------------------------------------|
| 1 set | Carbon Brush |
| 1 set | Oil Eye Wrench |
| 1 set | Hexagonal Socket Wrench |
| 1 set | Neutral Oil Pipe (With Mobil Logo) |
| 1 set | 30 x 380 mm Pointed Flat Head |

Weight	Case Pack	G.W./N.W.	Carton size
-	1 pcs	22.3/21.3 kg	72 x 18 x 31 cm



Circular Saw

Model **3185P**

Power	No-Load Speed
1400 W	4800 r/min



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Power: 1400 W
 - No-Load Speed: 4800 r/min
 - Blade Size: 185 mm
- | | |
|-------|----------------------|
| 1 set | Carbon Brush |
| 1 pc | Hex Key |
| 1 pc | Parallel Guide |
| 1 pc | Manual&Warranty Card |

Weight	Case Pack	G.W./N.W.	Carton size
4.6 kg	4 pcs	21.23/20.23 kg	51.8 x 33.5 x 37.2 cm



Circular Saw

Model **3235P**

Power	No-Load Speed
2400 W	4300 r/min



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Input Power: 2400 W
 - No-Load Speed: 4300 r/min
 - Blade Size: 235 mm
- | | |
|-------|----------------------|
| 1 set | Carbon Brush |
| 1 pc | Hex Key |
| 1 pc | Parallel Guide |
| 1 pc | Manual&Warranty Card |

Weight	Case Pack	G.W./N.W.	Carton size
6.8 kg	2 pcs	16.45/15.45 kg	58.8 x 40.7 x 21 cm



Electric Chain Saw

Model **3016B**

Power	Chain speed
2000 W	8M/s



- Voltage: 220-240 V
 - Frequency: 50/60 Hz
 - Input Power: 2000 W
 - Chain Speed: 8 m/s
 - Chain Length: 16"
- | | |
|-------|----------------------|
| 1 set | Carbon Brush |
| 1 pc | Wrench |
| 1 pc | Chain Saw |
| 1 pc | Manual&Warranty Card |

Weight	Case Pack	G.W./N.W.	Carton size
5.16 kg	4 pcs	24/23 kg	49 x 47.6 x 42 cm



Jig Saw

Model **3511P**

Power	Capacity Wood
750 W	100 mm



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 750 W
- No-Load Speed: 800-3000 r/min
- Capacity Wood: 100 mm
- Capacity Steel: 10 mm

1 set	Carbon Brush
2 pcs	Wrench
1 pc	Manual&Warranty Card
1 pc	Jig Saw Blade (T114d)

Weight	Case Pack	G.W./N.W.	Carton size
3.0 kg	6 pcs	19.5/18.5 kg	55.8 × 33 × 25 cm

Jig Saw

Model **3565**

Power	Capacity Wood
600 W	65 mm



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 600 W
- No-Load Speed: 500-3000 r/min
- Capacity Wood: 65 mm
- Capacity Steel: 6 mm

1 set	Carbon Brush
2 pcs	Wrench
1 pc	Manual&Warranty Card
1 pc	Jig Saw Blade (T114d)

Weight	Case Pack	G.W./N.W.	Carton size
2.4 kg	6 pcs	20.5/19 kg	58 × 35 × 30 cm

**Orbital Sander**

Model

5110

Power

270 W

No-Load Speed

16500 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 270 W
- No-Load Speed: 16500 r/min
- Pad Size: 100 x 110 mm

1 pc

Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
1.35 kg	12 pcs	18.5/16.8 kg	61.5 × 25.5 × 32 cm

**Orbital Sander**

Model

5185

Power

320 W

No-Load Speed

14000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 320 W
- No-Load Speed: 14000 r/min
- Pad Size: 93 x 185 mm

1 pc

Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
1.8 kg	10 pcs	21/20 kg	52 × 28.5 × 34.5 cm



Reciprocating Saw

Model 3150

Power	Cutting capacity
900 W	150 mm



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 900 W
- No-Load Speed: 0-2800 r/min
- Bevel Cut: 0-180°
- Stroke Length: 22 mm
- Cutting Capacity: 150 mm
- Blade Size: 150 x 19 x 1.2 mm (2 pcs)

1 pc	Catalog
1 pc	Manual & Warranty Card
2 pcs	Wood Cutting Blade

Weight	Case Pack	G.W./N.W.	Carton size
2.55 kg	4 pcs	12/11 kg	49 x 39 x 18 cm

Polisher

Model 6185P

Power	No-Load Speed
1400 W	3800 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1400 W
- No-Load Speed: 1500-3800 r/min
- Disc Size: 180 mm
- Spindle Thread: M14

1 pc	180 mm Velcro Pad
1 pc	Backing Pad
1 pc	Polishing Wool Wheel
1 pc	Carbon Brushes
1 pc	Manual & Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
3.6 kg	4 pcs	17.35/16.65 kg	49.5 x 30 x 28 cm



Electric Planer

Model **5113**

Power	No-Load Speed
1200 W	16000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1200 W
- No-Load Speed: 16000 r/min
- Max Planning Depth: 3 mm
- Max Planning Width: 110 mm

- 1 pc Socket Wrench
- 1 set Blade Holder
- 1 pc Positioning Ruler
- 1 set Carbon Brushes
- 1 pc Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
4.48 kg	2 pcs	12/10 kg	48 × 41 × 24.5 cm

Electric Planer

Model **5821**

Power	No-Load Speed
560 W	16000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 560 W
- No-Load Speed: 16000 r/min
- Max Planning Depth: 1 mm
- Max Planning Width: 82 mm

- 1 pc Socket Wrench
- 1 set Blade Holder
- 1 pc Positioning Ruler
- 1 set Carbon Brushes
- 1 pc Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
2.65 kg	4 pcs	14.5/11.0 kg	37 × 33 × 38 cm

Electric Router

Model **5312S**

Power	No-Load Speed
1500 W	23000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 1500 W
- No-Load Speed: 23000 r/min
- Chuck Size: 12 mm

- 1 pc Large wrenches
- 1 pc Small wrenches
- 1 pc Linear guide
- 1 pc Guide wheel mount
- 1 pc Aircraft-style frame
- 1 pc Large triangular bracket
- 1 set Original carbon brushes

Weight	Case Pack	G.W./N.W.	Carton size
5.4 kg	4 pcs	27/25 kg	54 × 42.5 × 26.5 cm

Electric Router

Model **5308P**

Power	No-Load Speed
1200 W	25000 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 1200 W
- No-Load Speed: 25000 r/min
- Chuck Size: 8 mm

- 1 pc Manual&Warranty Card
- 1 pc 14mm Open End Spanner
- 1 pc 22mm Open End Spanner
- 1 pc 6.35mm Clamping Head
- 1 pc 6mm Clamping Head
- 1 pc Guide Fence
- 1 set Paralle Guide

Weight	Case Pack	G.W./N.W.	Carton size
4.2 kg	2 pcs	9.5/8.5 kg	37.5 × 28 × 23 cm

Trimmer

Model 5406
Power
550 W

No-Load Speed
3000 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 550 W
- No-Load Speed: 3000 r/min
- Collect Size: 6 mm

- 1 set** Carbon Brush
- 2 pcs** Wrench
- 1 pc** 6.35mm Blade Tip
- 1 pc** Tripod Small Aluminum Parts
- 1 pc** Small Aluminum Screws
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
1.55 kg	10 pcs	21.5/20.5 kg	57 × 34.5 × 32 cm

Rotary Tool Kit

Model 2219
Power
125 W

No-Load Speed
35000 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 125 W
- No-Load Speed: 24000-35000 r/min
- Chuck Size: 3 mm

- 1 pc** Manual&Warranty Card
- 1 pc** Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
600 g	10 pcs	18.5/16 kg	70 × 35.5 × 31 cm

Die Grinder

Model 2625
Power
750 W

No-Load Speed
33000 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 750 W
- No-Load Speed: 33000 r/min
- Tool Holder: 6 mm

- 1 pc** Manual&Warranty Card
- 1 pc** Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
1.76 kg	10 pcs	21/20 kg	52 × 42 × 22 cm

Marble Cutter

Model 3110P
Power
1400 W

No-Load Speed
1300 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1400 W
- No-Load Speed: 1300 r/min
- Cutting Capacity: 0-34 mm
- Blade Diameter: 105-115 mm

- 1 set** Carbon Brush
- 2 pcs** Wrench
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
3.0 kg	4 pcs	16/14 kg	49.5 × 24 × 38.5 cm

Marble Cutter

Model 3110B
Power
1450 W

No-Load Speed
12800 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power input: 1450 W
- No-Load Speed: 12800 r/min
- Disc diameter: 110 mm

- 1 pc** Large wrenches
- 1 pc** Small wrenches
- 1 set** Original carbon brushes

Weight	Case Pack	G.W./N.W.	Carton size
14.6 kg	4 pcs	14.6/13.6 kg	49.5 x 23.5 x 38.5 cm

Wall Chaser

Model 3135
Power
2600 W

No-Load Speed
6500 r/min


- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 2600 W
- No-Load Speed: 6500 r/min
- Blade Size: 135 mm
- Depth Size: 38 mm
- Width Size: 42 mm

- 1 set** Carbon Brush
- 1 pc** Wrench
- 1 pc** Socket
- 1 pc** Pump
- 1 pc** Water Pipe
- 1 pc** Bag
- 5 pcs** Diamond Saw Blade
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
6.95 kg	2 pcs	20.7/19.7 kg	61 x 57 x 34 cm

Miter Saw

Model 3255
Power
1800 W

No-Load Speed
5000 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1800 W
- No-Load Speed: 5000 r/min
- Blade Size: 255 mm

- 1 set** Carbon Brush
- 1 pc** Dust Bag
- 1 pc** Hex Key
- 1 pc** Socket Wrench
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
8.72 kg	1 pcs	11/8.7 kg	57 x 43.5 x 43.5 cm

Miter Saw

Model 3255S
Power
1800 W

No-Load Speed
5300 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1800 W
- No-Load Speed: 5300 r/min
- Blade Diameter: 255 mm

- 1 set** Carbon Brush
- 1 pc** Dust Bag
- 1 pc** Hex Key
- 1 pc** Socket Wrench
- 1 pc** 255 x 25.4 x 2.8 mm Saw Blade
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
17.5 kg	1 pcs	19/17.5 kg	90 x 52 x 42 cm

Mitre Saw

Model 3255B
Power
1800 W

No-Load Speed
4700 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 1800 W
- No-load Speed: 4700 r/min
- Blade: 255 mm x 40 T

- 1 set** Carbon Brush
- 1 pc** Dust Bag
- 1 pc** Hex Key
- 1 pc** Socket Wrench
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
15 kg	1 pcs	15/14 kg	58 × 43 × 45 cm

Mitre Saw

Model 3305S
Power
1800 W

No-Load Speed
3800 r/min


- Voltage/Frequency: 220-240 V / 50 Hz
- Power: 1800 W, S6-2000 W
- No-Load Speed: 3800 r/min
- Blade Diameter: 305 mm
- Saw blade teeth: 40 T
- Cutting Capacity: 90°/90°: 105 x 330 mm 90°/45°: 105 x 230 mm
left: 45°/90°: 60 x 330 mm right: 45°/90°: 33 x 330 mm
left: 45°/45°: 60 x 230 mm right: 45°/45°: 33 x 230 mm
- Cable length: 2C x 1 mm 2 x 2 m

- 1 pc** M6 Hex wrench
- 1 pc** Dust Bag
- 1 pc** Clamping Block Components
- 2 pcs** Extension tables (Left and Right)
- 1 set** Original carbon brushes
- 1 pc** Saw blade (305 mm x 40T x 25.4 mm)

Weight	Case Pack	G.W./N.W.	Carton size
24.1 kg	1 pcs	24.1/23.1 kg	87 × 54 × 52 cm

Cut-Off Machine

Model 6355A
Power
2200 W

No-Load Speed
3800 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 2200 W
- No-Load Speed: 3800 r/min
- Wheel Size: 355 mm

- 1 set** Carbon Brush
- 1 pc** Wrench
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
13.9 kg	1 pcs	15/14.5 kg	54 × 30.5 × 40.3 cm

Cut-Off Machine

Model 6355B
Power
2400 W

No-Load Speed
3900 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 2400 W
- No-Load Speed: 3900 r/min
- Wheel Size: 355 mm

- 1 set** Carbon Brush
- 1 pc** Wrench
- 1 pc** Manual&Warranty Card
- 1 pc** Cutting Disc (355 x 3.2 x 25.4 mm)

Weight	Case Pack	G.W./N.W.	Carton size
17.2 kg	1 pcs	18.5/18 kg	54 × 30.5 × 40.3 cm



Cut-Off Machine

Model 6400B
Power
2200 W

No-Load Speed
2840 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 2200 W
- No-Load Speed: 2840 r/min
- Blade Diameter: 400 mm

- 1 set** Carbon Brush
- 1 pc** Wrench
- 1 pc** Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
47 kg	1 pcs	54.5/47 kg	70.8 × 55.6 × 41.5 cm

Bench Grinder

Model 2125
Power
180 W

No-Load Speed
2840 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 180 W
- No-Load Speed: 2840 r/min
- Wheel Size: 125 mm
- Spindle Thread: M14

- 1 bag** Screw
- 1 pc** Safety Glass
- 1 pc** Protect Cover
- 1 pc** Manual Card
- 1 pc** Warranty Card
- 1 pc** Catalog
- 2 pcs** Grinder(125 x 16 x 12.7 mm P36&60)

Weight	Case Pack	G.W./N.W.	Carton size
3.1 kg	2 pcs	22/21 kg	40.5 × 36 × 29 cm

Bench Grinder

Model 2150
Power
250 W

No-Load Speed
2840 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 250 W
- No-Load Speed: 2840 r/min
- Wheel Size: 150 mm
- Spindle Thread: M14

- 1 bag** Screw
- 1 pc** Safety Glass
- 1 pc** Protect Cover
- 1 pc** Manual Card
- 1 pc** Warranty Card
- 1 pc** Catalog
- 2 pcs** Grinder(125 x 16 x 12.7 mm P36&60)

Weight	Case Pack	G.W./N.W.	Carton size
8 kg	1 pc	9/8 kg	34 × 21 × 28 cm

Bench Grinder

Model 2200
Power
370 W

No-Load Speed
2840 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 370 W
- No-Load Speed: 2840 r/min
- Wheel Size: 200 mm
- Spindle Thread: M14

- 1 bag** Screw
- 1 pc** Safety Glass
- 1 pc** Protect Cover
- 1 pc** Manual Card
- 1 pc** Warranty Card
- 1 pc** Catalog
- 2 pcs** Grinder(125 x 16 x 12.7 mm P36&60)

Weight	Case Pack	G.W./N.W.	Carton size
15 kg	1 pcs	16/15 kg	40.5 × 24 × 32 cm

Drywall Sander

Model **5180**

Power	No-Load Speed
900 W	500-2300 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power input: 900 W
- No-Load Speed: 500-2300 r/min
- Velcro Disc Diameter: 180 mm



Weight	Case Pack	G.W./N.W.	Carton size
23.9 kg	1 pcs	23.9/22.9 kg	-

Drywall Sander

Model **5230S**

Power	No-Load Speed
1050 W	2100 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1050 W
- No-Load Speed: 1000-2100 r/min
- Diameter: 215 mm



Weight	Case Pack	G.W./N.W.	Carton size
6.2 kg	1 pcs	9.7/8.7 kg	76.7 × 37.3 × 22.8 cm

Drywall Sander

Model **5230**

Power	No-Load Speed
1050 W	2100 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1050 W
- No-Load Speed: 1000-2100 r/min
- Diameter: 215 mm



Weight	Case Pack	G.W./N.W.	Carton size
5.3 kg	1 pc	6.5/5.3 kg	108 × 33 × 19 cm

Vibrator

Model **2335B**

Power	No-Load Speed
700 W	4300 r/min



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 700 W
- No-Load Speed: 4300 r/min
- Armature Size: 41.2 72 x 59 mm

1 pc Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
1.85 kg	10 pcs	19.5/18.5 kg	76.6 × 37.3 × 22.8 cm

Electric Mixer

Model 2201
Power
1200 W

No-Load Speed
700 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1200 W
- No-Load Speed: 0-700 r/min
- Spindle Thread: M14

1 set Carbon Brush
2 pcs Wrench
1 pc Paddle: 120 mm x 590 mm

Weight	Case Pack	G.W./N.W.	Carton size
4.2 kg	2 pcs	11.9/10.9 kg	39 × 33 × 51 cm

Electric Mixer

Model 2202
Power
1400 W

No-Load Speed
800 r/min


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1400 W
- No-Load Speed: 800 r/min
- Spindle Thread: M14

1 set Carbon Brush
2 pcs Wrench
1 pc Paddle: 100 mm x 570 mm

Weight	Case Pack	G.W./N.W.	Carton size
6.9 kg	2 pcs	17.4/16.4 kg	61 × 34 × 52 cm

Soldering Iron

Model W041030A
Power
30 W


- Voltage: 110-240 V
- Frequency: 50/60 Hz
- Input Power: 30 W
- Length: 220 mm

1 pc Y Type Support

Weight	Case Pack	G.W./N.W.	Carton size
162 g	50 pcs	11.46/9.46 kg	45 × 35 × 45 cm

Soldering Iron

Model W041040A
Power
40 W


- Voltage: 110-240 V
- Frequency: 50/60 Hz
- Input Power: 40 W
- Length: 240 mm

1 pc Y Type Support

Weight	Case Pack	G.W./N.W.	Carton size
176 g	50 pcs	12/11 kg	45 × 35 × 45 cm

Soldering Iron

Model **W041060A**Power
60 W

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 60 W
- Length: 250 mm

1 pc Y Type Support

Weight	Case Pack	G.W./N.W.	Carton size
186 g	50 pcs	12.7/10.7 kg	45 × 35 × 45 cm

Hot Melt Glue Gun

Model **W021020A**Power
20 W

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 20 W
- Dia.of Glue Stick: 6.8-7.2 mm
- Preheat Time: 5-8 mins
- Flow Of Glue: 7.36 g/min

1 pc Glue Stick
1 pc Manual & Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
180 g	96 pcs	19.7/14.6 kg	50 × 48 × 51 cm

Hot Melt Glue Gun

Model **W021060A**Power
60 W

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 60 W
- Dia.of Glue Stick: 10.8-11.5 mm
- Preheat Time: 5-8 mins
- Flow Of Glue: 17.05 g/min

1 pc Glue Stick
1 pc Manual & Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
240 g	48 pcs	18.7/17.7 kg	64 × 43 × 49 cm

Hot Melt Glue Gun

Model **W021080A**Power
80 W

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 80 W
- Dia.of Glue Stick: 10.8-11.5 mm
- Preheat Time: 5-8 mins
- Flow Of Glue: 18.85 g/min

1 pc Glue Stick
1 pc Manual & Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
260 g	48 pcs	17.5/15.5 kg	63 × 44 × 50 cm

Heat Gun

Model 4200
Power
2000 W


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 2000 W
- Temperature: Switch 1: 50-480 °C, Switch 2: 50-600 °C
- Airflow: Switch 1: 210-250 L/min, Switch 2: 340-380 L/min

2 pc Nozzles

Case Pack	Case Pack	G.W./N.W.	Carton size
1.05 kg	10 pcs	11.85/10.85 kg	54 × 41 × 30 cm

Blower

Model 4001
Power
710 W


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 710 W
- No-Load Speed: 0-24000 r/min
- Blower Rate: 2.8 m³/min

1 pc Air Duct
1 pc Dust Bag
1 set Carbon Brush
1 pc Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
1.8 kg	6 pc	14/13 kg	59 × 32 × 40 cm

Blower

Model 4002A
Power
880 W


- Rated Voltage: 220V-240 V
- Rated Frequency: 60/50 Hz
- Power: 880 W
- Machine Speed: 16800 r/min
- Air Volume: 3.5 m³/s
- Speed Control: 1-6 Speed Settings

1 pc Air Duct
1 pc Dust Bag
1 set Carbon Brush
1 pc Manual&Warranty Card

Weight	Case Pack	G.W./N.W.	Carton size
18 kg	6 pc	18/17 kg	78 × 40 × 44 cm

MECHANICAL AND ELECTRICAL TOOLS





Welder

Welder	133
Plastic Welding Machine Set	136
Electrode Holder	137
Electrode Clamp	137
Welding Electrodes	137
Magnetic Welding Holder	137
Welding Goggles	138
Auto Darkening Welding Helmet	138

Pumps

Gasoline Water Pump	138
Automatic Pump Control	141
Float Switch	142
Centrifugal Pump	142
Peripheral Pump	144
Jet Pump	146
Self-Priming Peripheral Pump	147
Water Pump	147
Circulating Pump	148
Clean Submersible Pump	150
Dsu Large Flow Self Priming Pump	151
DC Oil Pump	151

Dynamo

Gasoline Engine Generator	152
Gasoline Inverter Generator	154
Gasoline Inverter Generator/Welding	155
Diesel Welding Generator	155
Silent Diesel Generator	157

Power and Landscape

Gasoline Grass Trimmer	159
Gasoline Lawn Mower	159
Cable Reel	160
High Pressure Washer	160
Car Washer	160
High Pressure Washer	161
Gasoline Chain Saw	161
Gasoline Car Washer	162
Earth Auger	162

DC Inverter Welder

Model **MMA-200**Arc Current
20-200 A

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Arc Current: 20-200 A
- Max. Welding Rod: 1.6-3.2 mm

- 1 pc Electrode Holder With 1.8 m Cable
- 1 pc Earth Clamp With 1.2 m Cable
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	35 × 23 × 30 cm

DC Inverter Welder

Model **MMA-250**Arc Current
20-250 A

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Arc Current: 20-250 A
- Applied Welding Rod: 1.6-3.2 mm

- 1 pc Electrode Holder With 2.5 m Cable
- 1 pc Earth Clamp With 1.5 m Cable
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	40 × 19.5 × 35.5 cm

DC Inverter Welder

Model **MMA-225**Arc Current
20-225 A

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Arc Current: 20-225 A
- Applied Welding Rod: 1.6-2.3 mm

- 1 pc Electrode Holder With 2.5 m Cable
- 1 pc Earth Clamp With 1.5 m Cable
- 1 pc Plastic case
- 1 pc Face shield
- 1 pc Brush
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	33.5 × 13.5 × 37 cm

Igbt Welder

Model **MMA-400**Arc Current
20-400 A

- Voltage: 380 V
- Frequency: 50/60 Hz
- Arc Current: 20-400 A
- Applied Welding Rod: 2.5-5 mm

- 1 pc Electrode Holder With 2.5 m Cable
- 1 pc Earth Clamp With 1.5 m Cable
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	55 × 30.3 × 47.8 cm

DC Inverter Welder

Model **MMA-200**

Arc Current
20-200 A



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Arc Current: 20-200 A
- Max. Welding Rod: 2.5-4.0 mm

- 1 pc Electrode Holder With 1.8 m Cable
- 1 pc Earth Clamp With 1.2 m Cable
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	35 × 19 × 23.5 cm

DC Inverter Welder

Model **MMA-250**

Arc Current
20-250 A



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Igbt Current: 20-250 A
- Max. Welding Rod: 2.5-4.0 mm

- 1 pc Electrode Holder With 2.5 m Cable
- 1 pc Earth Clamp With 1.5 m Cable
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	44.5 × 19.5 × 35.5 cm

DC Inverter Welder

Model **MMA-200S**

Arc Current
20-200 A



- Voltage: 110-240 V
- Frequency: 50/60 Hz
- Igbt Current: 20-200 A
- Rated Duty: 60%

- 1 pc Electrode Holder With 2.5 m Cable
- 1 pc Earth Clamp With 1.5 m Cable
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	44.5 × 19.5 × 35.5 cm

DC Inverter Welder

Model **MMA-250S**

Arc Current
20-250 A



- Voltage: 110-240 V
- Frequency: 50/60 Hz
- Igbt Current: 20-250 A
- Rated Duty: 60%

- 1 pc Electrode Holder With 2.5 m Cable
- 1 pc Earth Clamp With 1.5 m Cable
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	44.5 × 19.5 × 35.5 cm

DC Inverter Welder

Model MMA-300

Arc Current
20-300 A


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- IGBT Current: 20-300 A
- Max. Welding Rod: 2.5-4.0 mm

- 1 pc Electrode Holder With 2.5 m Cable
- 1 pc Earth Clamp With 1.2 m Cable
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	44.5 × 19.5 × 35.5 cm

Tig/Mma Welder

Model TIG/MMA-200

TIG Current:
10-200 A


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Tig Current: 10-200 A
- Mma Current: 20-180 A

- 1 pc Electrode holder with 2.5m cable
- 1 pc Earth clamp with 1.2m cable
- 1 pc 2.4m MIG Welding gun
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	44.5 × 25 × 32.5 cm

DC Inverter Welder

Model MMA-400S

Arc Current
20-400 A


- Voltage: 220V / 380 V
- Frequency: 50/60 Hz
- Arc Current: 20-400 A
- Max. Welding Rod: 2.5-5.0 mm

- 1 pc Electrode Holder With 2.5 m Cable
- 1 pc Earth Clamp With 1.2 m Cable
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	50.5 × 30.5 × 45.5 cm

Plasma Cutter

Model CUT-40

IGBT Current
15-40 A


- Voltage: 220-240 V
- Frequency: 50/60 Hz
- IGBT Current: 15-40 A
- Part: Pt-31 Gun

- 1 pc 1.8 m Power Cable
- 1 pc Earth Clamp With 1.2 m Cable
- 1 pc 4 m Pt-31 Cutting Gun 1pc-Tube
- 1 pc Pressure Gauge
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	50 × 27 × 35 cm

Co₂ Gas Protection Welding Machine

Model **MIG/MMA-200(5KG)**

MIG Current
30-200 A

MMA Current
30-180 A



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Mig Current: 30-200 A
- Mma Current: 30-180 A

- 1 pc Electrode Holder With 2.5 m Cable
- 1 pc Earth Clamp With 1.2 m Cable
- 1 pc Mig Welding Gun
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	49 × 28 × 37.5 cm

DC Inverter Welder

Model **MIG-200 (1KG)**

IGBT Current
20-200 A



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- IGBT Current: 20-200 A
- Rated Duty: 60%

- 1 pc Electrode holder with 1.5m cable
- 1 roll 0.8/1.0mm welding wire(1kg)
- 1 pc 2m MIG Welding gun
- 1 pc Welding mask
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	41.5 × 27 × 25.5 cm

Plastic Welding Machine Set

Model **W040**

Output power
1800 W



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1800 W
- High Temp: 300 °C
- Size: 20/25/32/40 mm

- 1 pair Welding Gloves
- 1 pc Ph2 x 100 mm Screwdriver
- 1 pc 3 x 16 mm Abs Measuring Tape
- 1 pc 100 mm Spirit Level

Case Pack	Carton Size
10 pcs	46 × 47 × 44 cm

Plastic Welding Machine Set

Model **W063**

Output power
1800 W



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1800 W
- High Temp: 0-300 °C
- Size: 20/25/32/40/50/63 mm

- 1 pair Welding Gloves
- 1 pc Ph2 x 100 mm Screwdriver
- 1 pc 3 x AV16 mm Abs Measuring Tape
- 1 pc 100 mm Spirit Level

Case Pack	Carton Size
10 pcs	46 × 47 × 44 cm

Electrode Holder



Product Code	Specification	Material	Qty/Box(pcs)	Qty/Ctn(pcs)
W0500300	300 A	Copper + Iron	1	40
W0500500	500 A		1	40
W0500800	800 A	Copper	1	30

Electrode Clamp



Product Code	Material	Dimensions
W0510300	Purple copper strip link + rubber-coated handle	170 mm
W0510400		175 mm
W0510500		216 mm

Welding Electrodes



Product Code	Spec	Qty/Ctn(pcs)
W053000254	E6013 2.5 x 300 mm	8
W053000324	E6013 3.2 x 350 mm	4

Magnetic Welding Holder



Product Code	Specification	Material	Qty/Ctn(pcs)
W0500030	Max 30 kg	Steel Plate and Magnet	60
W0500060	Max 60 kg		30
W0500080	Max 80 kg		20

Welding Goggles

Model **W0500001**



- Material: Made Of High Quality PVC Material
- Detail: Easy To Carry, Virtually Eliminates Neck Strain
- Design: Welding Goggles Is A Light Screen Design, The Use Is More Secure And Assured
- Function: Can Well Protect Your Eyes During Works, Applicable To Gas Welding, Steel Welding, Cutting, Welding And So On

Product code	Material	Carton Size(cm)	Qty/Box(pcs)	Qty/Ctn(pcs)
W0500001	PVC	56 x 39.5 x 34	1	100

Auto Darkening Welding Helmet

Model **W0509242**



- Power Supply: Replaceable Solar Battery
- Light Shade: Din 3
- Dark Shade: Din 11
- Delay Time: 0.2-1s
- Switching Time: 1/25000 s
- Uv/Ir Protection: Din 16
- Operating Temperature: -15 - 55° Chdpe Material

Material	Cartridge Size(mm)	View size(mm)
Nylon	133 x 114 x 10	92 x 42

Auto Darkening Welding Helmet

Model **W0509242**



- Filter Size: 110 x 90 x 9 mm
- Viewing Area: 92 x 42 mm
- Ultraviolet Ray Transmittance Rate: 313-365 nm < 3.4 x 10⁻⁶ %
- Infrared Ray Transmittance Rate: 780-1300 nm < 0.0027%; 1300-2000 nm < 0.0097%
- Dark Shade Range: Din 9-13
- Light Shade Number: Din 4
- Arc Sensors: 2
- Switching Time: 1/30000 s From Bright To Dark
- Recovery Time: 0.1s to 0.8 s From Dark To Bright
- Sensitivity Control: Yes
- Delay Time Control: Yes
- Grinding Function: Yes
- Power Supply: Solar Cells
- Eye Protection: En379 1/2/1
- Face Protection: En175
- Testing Standard: Ansi Z87.1
- Auto-Power On/Off: Yes
- Net Weight: 460 g ± 10 g

Carton Size(cm)	Qty/Ctn(pcs)
58 x 48 x 48	40

Gasoline Water Pump

Model **2HP50**

H_{max} 7.0 HP
Q_{max} 19 m³/h



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 7.0 hp
- Power Speed: 3600 r/min
- Inlet&Outlet Inside Dia: 50 mm
- Suction Height: 7 m
- H_{max}: 80 m
- Q_{max}: 19 m³/h
- Fuel Tank Capacity: 3.6 L
- Displacement: 212 cm³

Case Pack	Carton Size
1 pc	50 x 40.5 x 39.5 cm



Gasoline Water Pump

Model DP80

H _{max}	Q _{max}
25 m	60 m ³ /h



- Voltage: 220-240 V
- Frequency: 50-60 Hz
- Power: 7.0 hp
- Power Speed: 3600 r/min
- Inlet&Outlet Inside Dia: 80 mm
- Suction Height: 7 m
- H_{max}: 25 m
- Q_{max}: 60 m³/h
- Fuel Tank Capacity: 3.6 L
- Displacement: 212 cm³

Case Pack	Carton Size
1 pc	56 x 45 x 42 cm

Gasoline Water Pump

Model WP50

H _{max}	Q _{max}
26 m	33 m ³ /h



- Voltage: 220-240 V
- Frequency: 50-60 Hz
- Power: 7.0 hp
- Power Speed: 3600 r/min
- Inlet&Outlet Inside Dia: 50 mm
- Suction Height: 7 m
- H_{max}: 26 m
- Q_{max}: 33 m³/h
- Fuel Tank Capacity: 3.6 L
- Displacement: 212 cm³

Case Pack	Carton Size
1 pc	51 x 39 x 42.5 cm

Gasoline Water Pump

Model WP80

H _{max}	Q _{max}
28 m	60 m ³ /h



- Voltage: 220-240 V
- Frequency: 50-60 Hz
- Power: 7.0 hp
- Power Speed: 3600 r/min
- Inlet&Outlet Inside Dia: 80 mm
- Suction Height: 7 m
- H_{max}: 28 m
- Q_{max}: 60 m³/h
- Fuel Tank Capacity: 3.6 L
- Displacement: 212 cm³

Case Pack	Carton Size
1 pc	51 x 39 x 42.5 cm

Gasoline Water Pump

Model WP50C

H _{max}	Q _{max}
26 m	33 m ³ /h



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 7.0 hp
- Power Speed: 3600 r/min
- Inlet&Outlet Inside Dia: 50 mm
- Suction Height: 7 m
- H_{max}: 26 m
- Q_{max}: 33 m³/h
- Fuel Tank Capacity: 3.6 L
- Displacement: 196 cm³

Case Pack	Carton Size
1 pc	48 x 39 x 41.5 cm

Gasoline Water Pump

Model **WP100C**

H _{max}	Q _{max}
28 m	60 m ³ /h



- Voltage: 220-240 V
- Frequency: 50-60 Hz
- Inlet&Outlet Dia: 100 mm
- Max.Flow: 80 m³/h
- Max.Lift head: 25 m
- Max.Suction head: 7 m
- Self-suction time: ≤180 s
- Net weight: 28 kg

Case Pack	Carton Size
1 pc	53 x 42 x 51.5 cm

Automatic Pump Control

Model **1001**

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Max Rate Current: 10 A
- Max Liquid Temp: 60 °C
- Max Rated Power Input: 1.1 kW

1 pc Manual&Warranty Card

Case Pack	Carton Size
12 pc	55.2 x 49x 43.5 cm

Automatic Pump Control

Model **1003**

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Max Rate Current: 10 A
- Max Rated Power Input: 1.1 kW

1 pc Manual&Warranty Card

Case Pack	Carton Size
12 pc	52 x 44 x 28 cm

Automatic Pump Control

Model **1014**

- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Max Rate Current: 10(6) A
- Max Rated Power Input: 1.1 kW
- Max liquid temperature: 55 °C

1 pc Manual&Warranty Card

Case Pack	Carton Size
12 pc	52 x 44 x 28 cm

Float Switch

Model **1006**



- Voltage: AC 110-250 V
- Frequency: 50/60 Hz
- Rated Current: 16(8) A
- Protection Grade: IP68
- Max Working Temp: 55 °C
- Electric Wire: 2.0 m

Case Pack	Carton Size
20 pcs	45 × 42 × 24 cm

Centrifugal Pump

Model **CPM130**

H_{max} 20 m
Q_{max} 85 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.37 kW / 0.5 hp
- H_{max}: 20 m
- Q_{max}: 85 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	29.7 × 18 × 23.5 cm

Centrifugal Pump

Model **CPM158**

H_{max} 35 m
Q_{max} 100 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.75 kW / 1hp
- H_{max}: 35 m
- Q_{max}: 100 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	34.2 × 21.3 × 27.5 cm

Centrifugal Pump

Model **CPM170**

H_{max} 36 m
Q_{max} 125 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 1.1 kw / 1.5 hp
- H_{max}: 36 m
- Q_{max}: 125 L/min
- Inlet & Outlet: 1.2" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	39 × 24.2 × 30.4 cm

Centrifugal Pump

Model CPM190

H _{max}	Q _{max}
40 m	120 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 1.5 kW / 2.0 hp
- H_{max}: 40 m
- Q_{max}: 120 L/min
- Inlet & Outlet: 1.2" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	39.5 × 24 × 31.5 cm

Centrifugal Pump

Model MHF/5B

H _{max}	Q _{max}
17 m	450 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.75 kW / 1 hp
- H_{max}: 17 m
- Q_{max}: 450 L/min
- Inlet & Outlet: 2" x 2"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	38.6 × 21.4 × 28.6 cm

Centrifugal Pump

Model MHF/5AM

H _{max}	Q _{max}
22 m	500 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 1.5 kw / 2 hp
- H_{max}: 22 m
- Q_{max}: 500 L/min
- Inlet & Outlet: 2" x 2"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	42 × 23 × 28.5 cm

Centrifugal Pump

Model MHF/5BM

H _{max}	Q _{max}
20 m	500 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 1 kw / 1.5 hp
- H_{max}: 20 m
- Q_{max}: 500 L/min
- Inlet & Outlet: 2" x 2"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	43.2 × 24.3 × 28.6 cm

Centrifugal Pump

Model **MHF/6B**

H _{max}	Q _{max}
15 m	860 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 1.5 kW / 2 hp
- H_{max}: 15 m
- Q_{max}: 860 L/min
- Inlet & Outlet: 3" x 3"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	44.5 x 26 x 34 cm

Centrifugal Pump

Model **MHF/7BR**

H _{max}	Q _{max}
20 m	1300 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 3.0 kW / 4 hp
- H_{max}: 20 m
- Q_{max}: 1300 L/min
- Inlet & Outlet: 4" x 4"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	53 x 25.8 x 34 cm

Centrifugal Pump

Model **MHF/6C**

H _{max}	Q _{max}
13 m	720 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 1.1kW / 1.5 hp
- H_{max}: 13 m
- Q_{max}: 720 L/min
- Inlet & Outlet: 3" x 3"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	44.5 x 26 x 34 cm

Peripheral Pump

Model **W10160QB**

H _{max}	Q _{max}
35 m	1.7-1.8 m/h



- Voltage: 220 V
- Frequency: 50 Hz
- Power: 0.37 kW / 0.5 hp
- H_{max}: 35 m
- Q_{max}: 1.7-1.8 m/h
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
4 pcs	37.5 x 32.5 x 23.5 cm

Peripheral Pump

Model W10170QB

H _{max}	Q _{max}
45 m	2.7-2.8 m³/h



- Voltage: 220 V
- Frequency: 50 Hz
- Power: 0.6 kW / 0.8 hp
- H_{max}: 45 m
- Q_{max}: 2.7 ~ 2.8 m³/h
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
2 pc	36 x 36 x 23 cm

Peripheral Pump

Model W10180QB

H _{max}	Q _{max}
50 m	2.7-2.8 m³/h



- Voltage: 220 V
- Frequency: 50 Hz
- Power: 0.75 kW / 1.0 hp
- H_{max}: 50 m
- Q_{max}: 2.7-2.8 m³/h
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
2 pcs	36.3 x 35.3 x 22.7 cm

Peripheral Pump

Model W10060QB

H _{max}	Q _{max}
40 m	37 L/min



- Voltage: 220 V
- Frequency: 50 Hz
- Power: 0.37 kW / 0.5 hp
- H_{max}: 40 m
- Q_{max}: 37 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
4 pcs	31.8 x 30 x 37 cm

Peripheral Pump

Model W10070QB

H _{max}	Q _{max}
50 m	50 L/min



- Voltage: 220 V
- Frequency: 50 Hz
- Power: 0.6 kW / 0.8 hp
- H_{max}: 50 m
- Q_{max}: 50 L/min
- Inlet & Outlet: 1"X1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
2 pc	37.5 x 33.4 x 24 cm

Peripheral Pump

Model W10080QB

H _{max}	Q _{max}
55 m	50 L/min



- Voltage: 220 V
- Frequency: 50 Hz
- Power: 0.75 kW / 1.0 hp
- H_{max}: 55 m
- Q_{max}: 50 L/min
- Inlet & Outlet: 1"X1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
2 pcs	37.5 x 32.5 x 23.5 cm

Jet Pump

Model TJM-60

H _{max}	Q _{max}
40 m	50 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.45 kW / 0.6 hp
- H_{max}: 40 m
- Q_{max}: 50 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	46.5 x 19.5 x 22.5 cm

Jet Pump

Model TJM-80

H _{max}	Q _{max}
45 m	50 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.6 kW / 0.8 hp
- H_{max}: 45 m
- Q_{max}: 50 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	46.5 x 19.5 x 22.5 cm

Jet Pump

Model TJM-100

H _{max}	Q _{max}
55 m	60 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.75 kW / 1 hp
- H_{max}: 55 m
- Q_{max}: 60 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	46.5 x 19.5 x 22.5 cm

**Self-Priming Peripheral Pump****Model SK125**

H _{max}	Q _{max}
28 m	30 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.18 kW / 0.25 hp
- H_{max}: 28 m
- Q_{max}: 30 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	28.7 × 20.1 × 28.5 cm

**Self-Priming Peripheral Pump****Model SK370**

H _{max}	Q _{max}
35 m	33 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.37 kW / 0.5 hp
- H_{max}: 35 m
- Q_{max}: 33 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	27.8 × 19.8 × 28 cm

**Self-Priming Peripheral Pump****Model SK250**

H _{max}	Q _{max}
30 m	30 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.25 kW / 0.3 hp
- H_{max}: 30 m
- Q_{max}: 30 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	27.8 × 19.8 × 28 cm

**Water Pump****Model 1WZB-35**

H _{max}	Q _{max}
35 m	33 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.37 kW / 0.5 hp
- H_{max}: 35 m
- Q_{max}: 33 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	28.5 × 19.2 × 27.3 cm

Water Pump

Model **1WZB-45**

H_{max} 45 m
Q_{max} 47 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.6 kW / 0.8 hp
- H_{max}: 45 m
- Q_{max}: 47 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	30.7 × 23 × 30 cm

Water Pump

Model **1WZB-65**

H_{max} 50 m
Q_{max} 50 L/min



- Voltage: 220-240 V
- Frequency: 50Hz
- Power: 0.75kW / 1 hp
- H_{max}: 50 m
- Q_{max}: 50 L/min
- Inlet & Outlet: 1" x 1"

1 pc Manual&Warranty Card

Case Pack	Carton Size
1 pc	30.7 × 23 × 30 cm

Circulating Pump

Model **S25/4-180**

H_{max} 5 m
Q_{max} 45 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 70 W
- H_{max}: 5 m
- Q_{max}: 45 L/min

1 pc Steel quality unions

1 pc Manual&Warranty Card

Case Pack	Carton Size
8 pcs	39.5 × 28.5 × 28 cm

Circulating Pump

Model **S25/6-180**

H_{max} 6 m
Q_{max} 55 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 100 W
- H_{max}: 6 m
- Q_{max}: 55 L/min

1 pc Steel quality unions

1 pc Manual&Warranty Card

Case Pack	Carton Size
8 pcs	39 × 29.5 × 29 cm

Circulating Pump

Model S25/8-180

H _{max}	Q _{max}
8 m	80 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 248 W
- H_{max}: 8 m
- Q_{max}: 80 L/min

1 pc	Steel quality unions
1 pc	Manual&Warranty Card

Case Pack	Carton Size
4 pcs	39.5 × 37.5 × 16 cm

Circulating Pump

Model S32/6-180

H _{max}	Q _{max}
6 m	55 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 100 W
- H_{max}: 6 m
- Q_{max}: 55 L/min

1 pc	Steel quality unions
1 pc	Manual&Warranty Card

Case Pack	Carton Size
8 pcs	39 × 29.5 × 29 cm

Circulating Pump

Model S32/4-180

H _{max}	Q _{max}
5 m	45 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 70 W
- H_{max}: 5 m
- Q_{max}: 45 L/min

1 pc	Steel quality unions
1 pc	Manual&Warranty Card

Case Pack	Carton Size
8 pcs	39.5 × 28.5 × 28 cm

Circulating Pump

Model S32/8-180

H _{max}	Q _{max}
8 m	80 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 248 W
- H_{max}: 8 m
- Q_{max}: 80 L/min

1 pc	Steel quality unions
1 pc	Manual&Warranty Card

Case Pack	Carton Size
4 pcs	39.5 × 37.5 × 16 cm

Clean Submersible Pump

Model QDX1.5-32-0.75

H _{max}	Q _{max}
33 m	100 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.75kW / 1 hp
- H. Max: 33 m
- Q. Max: 100 L/min

1 pc	Manual&Warranty Card
1 pc	Floating ball
8 m	Cable

Case Pack	Carton Size
1 pc	53.5 × 34 × 26 cm

Clean Submersible Pump

Model QDX3-30-1.1

H _{max}	Q _{max}
30 m	167 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 1.1 kw / 1.5 hp
- H. Max: 30 m
- Q.max: 167 L/min

1 pc	Manual&Warranty Card
1 pc	Floating ball
8 m	Cable

Case Pack	Carton Size
1 pc	45.5 × 21 × 22 cm

Clean Submersible Pump

Model QDX10-16-0.75

H _{max}	Q _{max}
20 m	250 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.75 kW / 1 hp
- H.max: 20 m
- Q.max: 250 L/min

1 pc	Manual&Warranty Card
1 pc	Floating ball
8 m	Cable

Case Pack	Carton Size
1 pc	42 × 20 × 23 cm

Clean Submersible Pump

Model QDX50-9-2.2

H _{max}	Q _{max}
11.5 m	875 L/min



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 2.2 kW / 3 hp
- H. Max: 11.5 m
- Q.max: 875 L/min

1 pc	Manual&Warranty Card
1 pc	Floating ball
8 m	Cable

Case Pack	Carton Size
1 pc	53.5 × 34 × 25.5 cm

Clean Submersible Pump

Model **QDX1.5-12-0.25F**



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.25 kW

- 1 pc** Manual&Warranty Card
- 1 pc** Floating ball
- 8 m** Cable

Case Pack	Carton Size
1 pc	40 x 18.5 x 18.5 cm

Clean Submersible Pump

Model **QDX1.5-16-0.37F**



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 0.37 kW

- 1 pc** Manual&Warranty Card
- 1 pc** Floating ball
- 8 m** Cable

Case Pack	Carton Size
1 pc	41 x 19 x 19 cm

DSU Large Flow Self Priming Pump

Model **DSU-80**

H _{max}	Q _{max}
25 m	50 m ³ /h



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 3000 W
- H_{max}: 25 m
- Q_{max}: 50 m³/h
- Discharge: 80 mm
- Suction Lift: 8 m

Case Pack	Carton Size
1 pc	59 x 27 x 40 cm

DC Oil Pump

Model **R2111201F**



- DC Voltage: 12 V
- Rated Current: 16 A
- No-Load Speed: 5500 r/min
- Speed Range: 4500 r/min
- Rated Power: 200 W

- 2 pcs** Metal Wose Wlamps
- 1 pc** L-Shaped Wrench
- 2 pcs** Black O-rings
- 2 pcs** Metal Connectors
- 1 pc** Filter Connector

Case Pack	Carton Size
8 pc	47.5 x 35.5 x 34 cm

Gasoline Engine Generator

Model SL2200

Max. Power	HP Power
2200 W	7 HP



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Max/Rated Power: 2200/2000 W
- HP Power: 7.0 hp
- RPM: 3000 r/min
- Alternator Core Diameter: 85 mm
- Phases: Single
- Strokes (2/4): 4 Strokes
- Fuel Tank Capacity: 12 L
- Displacement: 212 cm³

Case Pack	Carton Size
1 pc	60 × 45 × 44 cm

Gasoline Engine Generator

Model SL3000

Max. Power	HP Power
3000 W	7 HP



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Max/Rated Power: 3000/2700 W
- HP Power: 7 hp
- RPM: 3000 r/min
- Alternator Core Diameter: 120 mm
- Strokes (2/4): 4 Strokes
- Fuel Tank Capacity: 12 L
- Displacement: 212 cm³

Case Pack	Carton Size
1 pc	60 × 45 × 44 cm

Gasoline Engine Generator

Model SL5500

Max. Power	HP Power
5500 W	15 HP



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Max/Rated Power: 5500/5000 W
- HP Power: 15 hp
- RPM: 3000 r/min
- Alternator Core Diameter: 140 mm
- Strokes (2/4): 4 Strokes
- Fuel Tank Capacity: 22 L
- Displacement: 439 cm³

Case Pack	Carton Size
1 pcs	68.5 × 53 × 54.5 cm

Gasoline Engine Generator

Model SL7500

Max. Power	HP Power
7500 W	18 HP



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Max/Rated Power: 7500/7000 W
- HP Power: 18 hp
- RPM: 3000 r/min
- Alternator Core Diameter: 160 mm
- Strokes (2/4): 4 Strokes
- Fuel Tank Capacity: 22 L
- Displacement: 458 cm³

Case Pack	Carton Size
1 pc	70.4 × 53.8 × 55.5 cm

Gasoline Engine Generator

Model SL950A

Rated Power
650 w


- Voltage: 220 V
- Frequency: 50 Hz
- Rated Power: 650 W
- Max/Rated A.C Output: 800/650 VA
- Starting: Recoil
- Voltage Regulator: Avr
- Strokes: 2 Strokes
- Fuel Tank Capacity: 4.2 L

Case Pack	Carton Size
1 pc	38.4 × 33.5 × 34.6 cm

Gasoline Engine Generator

Model SL3000P

Max. Power
3000 w


- Voltage: 220 V
- Frequency: 50 Hz
- Max/Rated Power: 3000/2800 W
- Power Factor: 1
- Starting: Key Start
- Voltage Regulator: Avr
- Strokes: 4 Strokes
- Fuel Tank Capacity: 15 L
- Displacement: 212 cm³

Case Pack	Carton Size
1 pc	62.5 × 45 × 52 cm

Gasoline Engine Generator

Model SL2200P

Max. Power
2200 w


- Voltage: 220 V
- Frequency: 50 Hz
- Max/Rated Power: 2200/2000 W
- Power Factor: 1
- Starting: Recoil
- Alternator Diameter: 85 mm
- Strokes(2/4): 4 Strokes
- Fuel Tank Capacity: 15 L
- Displacement: 212 cm³

Case Pack	Carton Size
1 pc	61 × 45 × 52 cm

Gasoline Engine Generator

Model SL5500P

Max. Power
5500 w


- Voltage: 220 V
- Frequency: 50 Hz
- Max/Rated Power: 5500/5000 W
- Power Factor: 1
- Starting: Recoil/Key
- Voltage Regulator: Avr
- Strokes: 4 Strokes
- Fuel Tank Capacity: 25 L
- Displacement: 390 cm³

Case Pack	Carton Size
1 pc	70 × 45 × 60 cm

Gasoline Engine Generator

Model SL7500P

Max. Power
7500 w


- Voltage: 220 V
- Frequency: 50 Hz
- Max/Rated Power: 7500/7000 W
- Power Factor: 1
- Starting: Recoil/Key
- Voltage Regulator: Avr
- Strokes: 4 Strokes
- Fuel Tank Capacity: 25 L
- Displacement: 440 cm³

Case Pack	Carton Size
1 pc	70 x 55 x 60 cm

Gasoline Inverter Generator

Model S3300VFG

Max Power
3300 w


- AC Rated Voltage: 220-240 V
- AC Rated Current: 13 A
- AC Rated Power: 3000 W
- AC Max Power: 3300 W
- AC Rated Frequency: 50 Hz
- AC Power Factor: 1.0
- Weight: 23 kg
- Protection Class: IP23 M

Case Pack	Carton Size
1 pc	54.5 x 34 x 49 cm

Gasoline Inverter Generator

Model S5500VFG

Max Power
5500 w


- AC Rated Voltage: 220-240 V
- AC Rated Current: 21.7 A
- AC Rated Frequency: 50 Hz
- AC Rated Power: 5000 W
- AC Max Power: 5500 W
- AC Rated Power Factor: 1.0
- DC Output: 12 V / 5 A
- IP23 M
- Net Weight: 40.5 kg
- Insulation Class: Class A
- Performance Level: G2
- Protection Class: IP23 M

Case Pack	Carton Size
1 pc	63 x 59 x 42 cm

Gasoline Inverter Generator

Model 3500VFG

Max Power
3500 w


- Rated Voltage: 220-240 V
- Rated Current: 13 A
- Rated Power: 3000 W
- Max Power: 3500 W
- Power Factor: 1
- Rated Frequency: 50 Hz
- Weight: 27.5 kg
- Size: 475 x 385 x 490 mm

Case Pack	Carton Size
1 pc	51 x 41 x 52 cm

Gasoline Inverter Generator/Welding

Model **5200AVFG**Max Power
6000 w

- Rated Voltage: 220-240 V
- Rated Frequency: 50Hz
- Rated AC Output (W): 5.0 kW
- Max. AC Output (W): 6.0 kW
- Peak Current: 26 A
- Sine Wave: $\leq 3\%$
- Power Factor: 1
- Weight: 31 kg
- Insulation Class :Class A
- Performance Level: G4
- Protection Class: IP23 M

Case Pack	Carton Size
1 pc	59 x 44 x 58 cm

Diesel Generator

Model **DG3000**Max. Power
3000 w

- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.296 L
- Max/Rated Power: 3000 / 2800 W
- Cylinder Diameter: 78 x 62 mm
- Starting: Recoil/Key
- Power type: XCD178F / XE: CD178FE
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 12.5 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	67 x 50 x 60 cm

Diesel Welding Generator

Model **SL200A(D)**Rate Output
5000 w

- Rated Welding Current: 200 A
- Welding Voltage (DC): 24-30 V
- Welding Current Range: 50-200 A
- Applicable Electrode: 2.5-4.0 mm
- AC Frequency: 50 Hz
- Rate Output Power: 5000 W
- Rate Output Voltage: 220 V
- Fuel Tank Capacity: 15 L
- Displacement: 438 cm³

Case Pack	Carton Size
1 pc	75 x 52.5 x 63 cm

Diesel Generator

Model **DG5000**Max. Power
5000 w

- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.418 L
- Max/Rated Power: 5000 / 4500 W
- Cylinder Diameter: 86 x 72 mm
- Starting: Recoil/Key
- Power type: XCD186FA / XE: CD186FAE
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 12.5 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	96 x 56 x 76 cm

Diesel Generator**Model DG6000****Max. Power**
5500 w

- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.456 L
- Max/Rated Power: 5500/5000 W
- Cylinder Diameter: 88 x 75 mm
- Starting: Recoil / Key
- Power type: XCD188FA / XE: CD188FAE
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 12.5 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	74,2 × 51,1 × 64,3 cm

Diesel Generator**Model DG7000****Max. Power**
7000 w

- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.499 L
- Max/Rated Power: 7000 / 6500 W
- Cylinder Diameter: 92 x 75 mm
- Starting: Recoil / Key
- Power type: XCD192F / XE: CD192FE
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 12.5 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	74,5 × 51,3 × 64 cm

Diesel Generator**Model DG8000****Max. Power**
8000 w

- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.531 L
- Max/Rated Power: 8000/7500 W
- Cylinder Diameter: 95 x 75 mm
- Starting: Recoil / Key
- Power type: CD195FE
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 12.5 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	77 × 54 × 65 cm

Diesel Generator**Model DG9000****Max. Power**
8500 w

- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.667 L
- Max/Rated Power: 8500/8000 W
- Cylinder Diameter: 100 x 85 mm
- Starting: Key
- Power type: CD1100FE
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 12.5 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	96 × 56 × 76 cm

Silent Diesel Generator

Model SDG5000

Max. Power
5000 w


- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.418 L
- Max/Rated Power: 5000/4500 W
- Cylinder Diameter: 86 x 72 mm
- Starting: Recoil/Key
- Power type: CD186FAE
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 14.5 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	97 × 57 × 78 cm

Silent Diesel Generator

Model SDG7000

Max. Power
7000 w


- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.499 L
- Max/Rated Power: 7000 / 6500 W
- Cylinder Diameter: 92 x 75 mm
- Starting: Recoil/Key
- Power type: CD192FE
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 26 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	95 × 66 × 55 cm

Silent Diesel Generator

Model SDG6000

Rated output
6000 w


- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.456 L
- Max/Rated Power: 6000 / 5500 W
- Cylinder Diameter: 88 x 75 mm
- Starting: Recoil/Key
- Power type: CD188FAE
- Voltage Regulator: Avr
- Rotary Speed: 3000r / min
- Fuel Capacity: 14.5 L
- DC/AC: 12V / 8.3 A

Case Pack	Carton Size
1 pc	97 × 56 × 76 cm

Silent Diesel Generator

Model SDG8000

Rated output
8000 w


- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.531 L
- Max/Rated Power: 8000 / 7500 W
- Cylinder Diameter: 95 x 75 mm
- Starting: Recoil/Key
- Power type: CD195FE
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 26 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	80 × 57 × 97 cm

Silent Diesel Generator

Model **SDG9000**

Max. Power
9000 w



- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.667 L
- Max/Rated Power: 9000 / 8000 W
- Cylinder Diameter: 100 x 85 mm
- Starting: Recoil/Key
- Power type: CD1100FE
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 26 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	107 × 60 × 78 cm

Silent Diesel Generator

Model **SDG10000**

Rated output
10000 w



- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.794 L
- Max/Rated Power: 10000 / 9000 W
- Cylinder Diameter: 2-80 x 79 mm
- Starting: Recoil/Key
- Power type: CD2V88F
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 26 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	96 × 56 × 76 cm

Silent Diesel Generator

Model **SDG12000**

Max. Power
12000 w



- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 0.997 L
- Max/Rated Power: 12000/11000 W
- Cylinder Diameter: 2-92 x 75 mm
- Starting: Recoil/Key
- Power type: CD2V92F
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 26 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	96 × 56 × 76 cm

Silent Diesel Generator

Model **SDG15000**

Max. Power
16000 w



- Voltage/Frequency: 220 V / 50 Hz
- Displacement: 1.247 L
- Max/Rated Power: 16000/15000 W
- Cylinder Diameter: 2-95 x 88 mm
- Starting: Recoil/Key
- Power type: CD2V95F
- Voltage Regulator: Avr
- Rotary Speed: 3000 r/min
- Fuel Capacity: 26 L
- DC/AC: 12 V / 8.3 A

Case Pack	Carton Size
1 pc	96 × 56 × 76 cm

Gasoline Grass Trimmer

Model

CG520

Power

1400w



- Power: 1400 W
- Displacement: 52 cm³
- No-Load Speed: 3000 r/min
- Cutting Width (Blade): 255mm (3 Teeth)
- Cutting Width (Trimmer): 430 mm
- Engine: 2-Cycle
- Gasoline Mixed With 2 Cycle Oil: 25:1

Case Pack	Carton Size
1 pc	36.5 x 33.5 x 33.5 cm

Gasoline Grass Trimmer

Model

CG520C

Power

1400 w



- Power: 1400 W
- Displacement: 52 cm³
- No-Load Speed: 3000 r/min
- Cutting Width (Blade): 255mm (3 Teeth)
- Cutting Width (Trimmer): 430 mm
- Engine: 2-Cycle
- Tank Volume: 1200 mL

Case Pack	Carton Size
1 pc	33.5 x 32 x 25 cm

Gasoline Lawn Mower

Model

GLM18



- Power: 5.75 hp
- Displacement: 173 cm³
- Dry Typr: 4 Stroke Engine
- Cutting Width: 460 mm (18")
- Engine: 4-Cycle
- Cutting Height: 20-75 mm, 6 position
- Collection: 65 L

Case Pack	Carton Size
1 pc	76 x 59 x 46 cm



Cable Reel

Model **W0600001**



- Voltage: 220-240 V / 10 V
- Diameter: 50/60 Hz
- Loading Capacity: 110 m
- Protection: 4ways Outlets
- Circuit Break Indicator Light: Two
- Surface Material: ABS/PVC
- Backside Conductor: Cooper

Case Pack	Carton Size
2 pcs	47 × 35 × 53 cm

High Pressure Washer

Model **WH1400A**

Input Power
1400 w



- Rated Voltage: 220-240 V
- Frequency: 50 Hz
- Input Power: 1400 W
- Max Pressure: 110 Bar
- Flow Rate: 320 L/h

Case Pack	Carton Size
1 pc	28 × 55 × 31.5 cm

High Pressure Washer

Model **WH180**

Input Power
1280 w



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 1280 W
- Max. Pressure: 90 Bar
- Flow Rate: 360 L/h

Case Pack	Carton Size
1 pc	38 × 24 × 40 cm

Car Washer

Model **WH1500**

Input Power
1500 w



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 1500 W
- Max Pump Pressure: 115 Bar
- Flow Rate: 540 L/h

Case Pack	Carton Size
1 pc	41 × 20 × 38 cm

High Pressure Washer

Model **WH2800**

Input Power
2800 w



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 2800 W
- Max Pump Pressure: 160 Bar
- Flow Rate: 1080 L/h



Case Pack	Carton Size
1 pc	63 × 54 × 51 cm

Gasoline Chain Saw

Model **3022A**

Power
2400 w



- Input Power: 2400 W
- Displacement: 58 cm³
- No-Load Speed: 12500 r/min
- Bar Length: 22"

Case Pack	Carton Size
2 pcs	60.5 × 55.5 × 30.5 cm



Gasoline Chain Saw

Model **3020A/3020B**

Power
2400 w



- Power: 2400 W
- Displacement: 58 cm³
- No-Load Speed: 13500 r/min
- Bar Length: 20"
- Max Speed: 13500 ± 500 r/min
- Chain/Guide Bar Pitch Gauge: 3/8"-72/0.325-76

- 1 pc Chain
- 1 pc Screwdriver
- 2 pcs Hex wrench
- 2 pcs Screws
- 2 pcs Nuts
- 1 pc Oil box
- 1 pc Manual&Warranty Card

Case Pack	Carton Size
2 pcs	56 × 61 × 31 cm

Gasoline Car Washer

Model **SYA-170**

Input Power
5520 w



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Power: 7.5 hp
- Max. Pressure: 200 Bar
- Psi: 2900

Case Pack	Carton Size
1 pc	64 × 41 × 55 cm

Earth Auger

Model **EA520**

Power
1400 w



- Displacement: 52 cm³
- Power: 1400 W
- Idling Speed: 3000 r/min
- Fuel Capacity: 1200 mL
- Fuel Mixture: 1:25
- Bit Diameter: 6"

Case Pack	Carton Size
1 pc	56 × 34 × 39 cm

AIR TOOLS



Air Compressor	165
Air Nailer	169
Pneumatic Steel Nail Gun	170
PU Compressor Hose	171
Spray Gun	171
Pneumatic Cleaning Gun	174
Pneumatic Dust Blower	175
Air Tire Inflating Gun	175
Vehicle-Mounted Air Pump	175
Pneumatic Screw Driver	176
Electric Spray Gun	176



Oil Air Compressor

Model **71030**

Tank	Speed	Power
30 L	2850 r/min	2HP/1300 W



- Type: Copper-Clad Aluminum
- Power: 2 hp / 1300 W
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 2850 r/min
- Capacity: 0.12 m³/min
- Tank: 30 L
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	59.5 × 24 × 59 cm

Oil Air Compressor

Model **71050**

Tank	Speed	Power
50 L	2850 r/min	2HP/1300 W



- Type: Oil /100% Copper
- Power: 2 hp / 1300 W
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 2850 r/min
- Capacity: 0.12 m³/min
- Tank: 50 L
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	70 × 31 × 64 cm

Diesel Air Compressor

Model **71100**

Tank	Power
320 L	2200 W



- Type: Oil/100% Copper
- Power: 2200 W
- Voltage: 220-240 V
- Frequency: 50 Hz
- Air Flow: 320 L/min
- Max Pressure: 8 Bar
- Tank: 100 L
- Cylinder: 65 x 2

Case Pack	Carton Size
1 pc	111 × 40.5 × 97 cm

Diesel Air Compressor

Model **73200**

Tank	Power
725 L	2200 W



- Type :Oil/100% Copper
- Power: 2200 W
- Voltage: 220-240 V
- Frequency: 50 Hz
- Air flow: 725 L/min
- Max Pressure: 8 Bar
- Tank: 200 L
- Cylinder: 80 x 2

Case Pack	Carton Size
1 pc	139 × 50.5 × 120 cm

Silent Oil-free Air Compressor

Model 72030

Tank	Speed	Power
30 L	1390 r/min	980 W



- Type: Ultra Quiet / Oil-Free
- Power: 1390 W / 100 % Copper
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 1450 r/min
- Capacity: 0.17 m³/min
- Tank: 30 L
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	58.5 × 27 × 56.5 cm

Silent Oil-free Air Compressor

Model 72050

Tank	Speed	Power
50 L	1450 r/min	1500 W



- Type: Ultra Quiet / Oil-Free
- Power: 1500 W / 100% Copper
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 1450 r/min
- Capacity: 0.25 m³/min
- Tank: 50 L
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	70 × 31 × 65 cm

Silent Oil-free Air Compressor

Model 72030C

Tank	Speed	Power
30 L	2800 r/min	1100 W



- Type: Ultra Quiet / Oil-Free
- Power: 1100 W
- Voltage: 220 V
- Frequency: 50 Hz
- Speed: 2800 r/min
- Capacity: 100 L/min
- Tank: 30 L
- Pressure: 7 Bar

Case Pack	Carton Size
1 pc	56 × 26 × 49 cm

Silent Oil-free Air Compressor

Model 72050C

Tank	Speed	Power
50 L	2800 r/min	1100 W x 2



- Type: Ultra Quiet / Oil-Free
- Power: 1100 W x 2
- Voltage: 220 V
- Frequency: 50 Hz
- Speed: 2800 r/min
- Capacity: 200 L/min
- Tank: 50 L
- Pressure: 7 Bar

Case Pack	Carton Size
1 pc	69 × 30 × 53 cm

Silent Oil-free Air Compressor

Model **72100**

Tank	Speed	Power
100 L	1450 r/min	1600 W x 2



- Type: Ultra Quiet/Oil-Free
- Power: 1600 W x 2 / 100% Copper
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 1450 r/min
- Capacity: 0.36 m³/min
- Tank: 100 L
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	92 × 42 × 83 cm

Silent Oil-free Air Compressor

Model **72200**

Tank	Speed	Power
200 L	1050 r/min	1600 W x 4



- Type: Ultra Quiet / Oil-Free
- Power: 1600 W x 4 / 100% Copper
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 1050 r/min
- Capacity: 320 L/min
- Tank: 200 L
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	131 × 54 × 91 cm

Silent Oil-free Air Compressor

Model **72150**

Tank	Speed	Power
150 L	1450 r/min	1600 W x 3



- Type: Ultra Quiet / Oil-Free
- Power: 1600 W x 3 / 100% Copper
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 1450 r/min
- Capacity: 0.45 m³/min
- Tank: 150 L
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	129 × 42 × 88 cm

Oil Air Compressor Belt Type

Model **73050**

Tank	Speed	Power
50 L	960 r/min	1500 W



- Tank: 50 L
- Power: 1500 W / 2 hp
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 1050 r/min
- Capacity: 320 L/min
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	100 × 43 × 78 cm

Oil Air Compressor Belt Type

Model 73100

Tank	Speed	Power
100 L	960 r/min	2250 W



- Tank: 100 L
- Power: 2250 W / 3 hp
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 1050 r/min
- Capacity: 320 L/min
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	121 × 45 × 82 cm

Oil Air Compressor Belt Type

Model 73150

Tank	Speed	Power
100 L	1050 r/min	2250 W



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 2250 W
- Speed: 1050 r/min
- Capacity: 320 L/min
- Tank: 100 L
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	121 × 45 × 82 cm

Oil Air Compressor Belt Type

Model 73200

Tank	Speed	Power
200 L	1030 r/min	2250 W



- Tank: 200 L
- Power: 2250 W / 3 hp
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 1030 r/min
- Capacity: 320 L/min
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	152 × 48 × 94 cm

Oil Air Compressor Belt Type

Model 73270

Tank	Speed	Power
270 L	1050 r/min	2250 W



- Voltage: 220-240 V
- Frequency: 50 Hz
- Power: 2250 W
- Speed: 1050 r/min
- Capacity: 320 L/min
- Tank: 270 L
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	152 × 48 × 94 cm

Oil Air Compressor Belt Type

Model **F73300**

Tank	Speed	Power
300 l	1030 r/min	2250 W



- Tank: 300 L
- Power: 2250 W / 3 hp
- Voltage: 220-240 V
- Frequency: 50 Hz
- Speed: 1030 r/min
- Capacity: 250 L/min
- Pressure: 8 Bar / 116 psi

Case Pack	Carton Size
1 pc	153 × 58 × 104 cm

Air Nailer

Model **F30A**Pressure
0.4-0.8 MPa

- Working Air Pressure: 0.4-0.8 Mpa
- Applied Nail: 10-30 mm
- Capacity: 100 pcs

Product Code	Case Pack	Carton Size
Q0200030	20 pcs	47.5 × 33 × 36.8 cm

Air Nailer

Model **F50A**Pressure
0.5-0.7 MPa

- Working Air Pressure: 0.5-0.7 Mpa
- Applied Nail: 10-50 mm
- Capacity: 100 pcs

Product Code	Case Pack	Carton Size
Q0200050	10 pcs	55.5 × 36.2 × 41 cm

Air Nailer

Model **1013A**Pressure
0.4-0.7 MPa

- Working Air Pressure: 0.4-0.7 Mpa
- Applied Nail: 6-13 mm
- Capacity: 100 pcs

Product Code	Case Pack	Carton Size
Q0211013	20 pcs	53.2 × 34.5 × 28.5 cm

Air Nailer

Model **8016A**

Pressure
0.4-0.8 MPa



- Working Air Pressure: 0.4-0.8 Mpa
- Air Nail: 8-16 mm
- Capacity: 100 pcs

Product Code	Case Pack	Carton Size
Q0218016A	10 pcs	36.5 × 27 × 32 cm

Air Nailer

Model **8016B**

Pressure
0.4-0.8 MPa



- Working Air Pressure: 0.4-0.8 Mpa
- Air Nail: 8-16 mm
- Capacity: 100 pcs

Product Code	Case Pack	Carton Size
Q0218016B	20 pcs	47.5 × 30.5 × 37 cm



Pneumatic Steel Nail Gun

Model **ST64B**Pressure
0.45-0.8 MPa

- Working Air Pressure: 0.45-0.8 Mpa
- Air Nail: 10-64 mm
- Capacity: 80 pcs

Product Code	Case Pack	Carton Size
Q0230064B	6 pcs	58.5 × 36 × 33.8 cm

PU Compressor Hose



Product Code	Specification Size (Mm/Inch)	Q'ty/CTN(pcs)	Cbm/m ²	N.w. (kg)	G.w. (kg)
Q9910508	5 x 8/5 m	100	0.125	28	29
Q9901508	5 x 8/9 m	80	0.163	29	30
Q9902508	5 x 8/12 m	40	0.105	34	35
Q9903508	5 x 8/15 m	40	0.152	24	25

Spray Gun

Model **H-827**

- Nozzle Size: 1.4/1.7 mm
- Air Inlet: 1/4"
- Tank Capacity: 600 mL

Product Code	Case Pack	Carton Size
Q030H827	20 pcs	57 × 32 × 43 cm

Spray Gun

Model **S-990G**

- Nozzle Size: 1.5 mm
- Air Inlet: 1/4"
- Tank Capacity: 750 mL

Product Code	Case Pack	Carton Size
Q031S990	20 pcs	57 × 32 × 43 cm

Spray Gun

Model **K-3**



- Nozzle Size: 0.55 mm
- Air Inlet: 1/4"
- Cup Capacity: 250 mL

Product Code	Case Pack	Carton Size
Q03000K3	40 pcs	50 × 35.5 × 32 cm

Spray Gun

Model **F-75G**



- Nozzle Size: 1.5 mm
- Air Inlet: 1/4"
- Tank Capacity: 400 mL

Product Code	Case Pack	Carton Size
Q0300G75	30 pcs	66.5 × 43.5 × 37.5 cm

Spray Gun

Model **F75-S**



- Nozzle Size: 1.5 mm
- Air Inlet :1/4"
- Cup Capacity: 750 mL

Product Code	Case Pack	Carton Size
Q0300S75	30 pcs	64.5 × 42 × 37 cm

Spray Gun

Model **S-990S**



- Nozzle Size: 1.5 mm
- Air Inlet: 1/4"
- Tank Capacity: 750 mL

Product Code	Case Pack	Carton Size
Q031S990	20 pcs	57 × 32 × 43 cm

 Spray Gun

Model **4001A**



- Nozzle Size: 1.8 mm
- Air Inlet: 1/4"
- Tank Capacity: 1000 mL

Product Code	Case Pack	Carton Size
Q034001A	20 pcs	58 × 35 × 61.5 cm

 Spray Gun

Model **4001B**



- Nozzle Size: 1.8 mm
- Air Inlet: 1/4"
- Tank Capacity: 1000 mL

Product Code	Case Pack	Carton Size
Q034001B	20 pcs	58 × 35 × 61.5 cm



Spray Gun

Model **FR-300**



- Nozzle Size: 6/4/8 mm
- Air Inlet: 1/4"
- Tank Capacity: 6 L

Product Code	Case Pack	Carton Size
Q03FR300	8 pcs	49 × 49 × 58 cm

Spray Gun

Model **FR-301**



- Nozzle Size: 6/4/8 mm
- Air Inlet: 1/4"
- Tank Capacity: 6 L

Product Code	Case Pack	Carton Size
Q03FR301	8 pcs	49 × 49 × 58 cm

Spray Gun

Model **H-2008**



- Nozzle Size: 1.4 mm
- Air Inlet: 1/4"
- Tank Capacity: 600 mL

Case Pack	Carton Size
20 pcs	68 × 46 × 30 cm

Pneumatic Cleaning Gun

Model **DO-9**



- Nozzle Size: 4.0 mm
- Air Inlet: 1/4"
- Cup Capacity: 900 mL

Case Pack	Carton Size
30 pcs	57 × 41.5 × 43 cm

Pneumatic Dust Blower

Model **A60-1**



- Air Consumption: 3-8 cfm
- Fluid Delivery: 160-240 mL/min
- Working Pressure: 86-114 psi, 6-8 kg/cm²

Case Pack	Carton Size
100 pcs	60 × 54 × 25 cm

Pneumatic Dust Blower

Model **DG-10**



- Air Consumption :3-8 cfm
- Fluid Delivery: 160—240 mL/min
- Working Pressure: 86-114 psi, 6-8 kg/cm²

Case Pack	Carton Size
100 pcs	60 × 54 × 25 cm

Air Tire Inflating Gun

Model **TG-6**



- Air consumption: 1.5 mm
- Size: 1/4"
- Rubber hose: 13' / 250 psi

Case Pack	Carton Size
50 pcs	88 × 34 × 36 cm

Vehicle-Mounted Air Pump

Model **70001**

H_{max} 30 m
Q_{max} 30 L/min



- Voltage: 12.8 V
- Current Range: ≤ 20 A
- Rated Duty: 33 %
- Max.pressure: 150 psi
- Output Air: 60 L/min

Case Pack	Carton Size
8 pcs	62 × 33 × 47 cm

Pneumatic Screw Driver

Model **2062**



- Chuck Size: 1/4" (6.35 mm)
- No-Load Speed: 12000 r/min
- Torque: 20.4-51.2 N·m
- Air Consumption: 170 L/min
- Applicable Thread Size: 3/16" (5 mm)
- Inlet Size: 1/4"
- Pipe Diameter: 3/8"
- Operating Pressure: 90 psi

Case Pack	Carton Size
30 pcs	46 × 25 × 26 cm

Pneumatic Screw Driver

Model **2082**



- Chuck Size: 1/4" (6.35 mm)
- No-Load Speed: 8500 r/min
- Torque: 34-95.2 N·m
- Air Consumption: 170 L/min
- Applicable Thread Size: 5/16" (8 mm)
- Inlet Size: 1/4"
- Pipe Diameter: 3/8"
- Operating Pressure: 90 psi

Case Pack	Carton Size
20 pcs	41 × 24.5 × 25 cm

Electric Spray Gun

Model **SG800**

Input Power
550 w



- Voltage: 220-240 V
- Frequency: 50/60 Hz
- Input Power: 550 W
- No-Load Speed: 32000 r/min
- Nozzle: 1.8 mm
- Container Capacity: 800 mL

- 1 pc Manual&Warranty Card
- 1 pc Cup
- 1 pc Clean Brush
- 1 pc Nialer

Case Pack	Carton Size
12 pc	54 × 54 × 43 cm

HAND TOOLS

Garden Tools	179	Leather Punch	214
Pliers	182	Wrecking Gbar	214
Hammer	188	Caulking Gun With Aluminium Barrel	214
Spanner	191	Heavyduty 3 Way Staple Gun	214
Measuring Tape	200	Caulking Gun	215
Rulers	202	Foam Gun	216
Chalk Line Box	205	Acetic Silicone Sealant	216
Snip	205	Screwdriver	216
Saws	207	Chisel	219
Electronic Scale	212	Cutter	221
Grease Gun	213	Tools Set	224
Hand Riveter	213		



Tools Box	224
Ratchet Tie-Down Strap	224
Clamps	225
Bench Vise	225
Suction Cup	226
Painting Tools	227
Plastering Trowel	231
Voltage Tester	232
Universal PU Foam	233
Sprayer	233
Light Bulb	234

Plate Cutter	235
Pipe Threader Set	235
Die Head	235
PVC Lay Flat Hose	235
Tile Cutter	236
Hydraulic Bottle Jack	237
Steel Jack Auto Stands	238
Ladder	238
Wheel Barrow	240
Safety Tools	240



Garden Shears

Model **S02034003**



- Superior high blade made of 65 MN steel with antitrust processing
- The cutting edge heat treated extremely sharp and clean cut
- Surface elaborate polishing treatment
- Special oxidation for anti-rust, anti-fouling, anti-oil
- Comfortable and durable Aluminium alloy handle
- Lasting sharpness, smooth cutting
- Shock absorbing labor-saving spring, Long-term use does not deform and break
- Easy open/close safety lock for convenient security system
- It can be used to trim fruit, potted landscape and garden

Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
Aluminium Handle +65Mn Steel Blade	8 7/200 mm	10	60

Garden Shears

Model **S02034001**



- Shearing uses advanced SK5 steel precision forging, rust-proof and durable
- The cutting edge heat treated extremely sharp and clean cut
- Surface hard chromium never rust
- Shock absorbing labor-saving spring, long-term use does not deform and break
- Ergonomically designed non-slip handles are strong, lightweight and comfortable
- Huge opening end cutting edge
- Durable and passed 30,000 times fatigue tests
- It can be used to trim fruit, potted landscape and garden

Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
SK5 elctetric plated balde	8 7/200 mm	12	48

Garden Shears

Model **S02034004**



Feature:

- Professional- Garden Shears -Ultra Sharp & Ergonomic

Feature:

- Made of SK85 high-carbon steel with an impressive 58 HRC hardness
- Sharpened with German grinding technology, delivering 30% sharper cutting than scissors at the same price level

Handle:

- Aerospace-grade Aluminium alloy (GB standard) with anti-slip powder coating
- Ergonomic design for fatigue-free, comfortable grip even during prolonged use

Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
Aluminium Handle+SK85 Blade	8 7/200 mm	10	60

Garden Shears

Model **S02034005**



- Professional Garden Shear-Triple-Color & Triple-Blade Excellence
- Length: 214 mm
- Weight: 218g (Ultra-lightweight)
- SK85 high-carbon steel blades (58+ HRC)
- German precision grinding -30% sharper than standard
- Non-stick PTFE coating for smooth cutting & corrosion resistance
- Fiber-reinforced nylon handles - Durable & lightweight
- Trendsetting triple-color design - Style meets functionality
- Ergonomic grip - Reduces hand fatigue during prolonged use

Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
Aluminium Handle + SK85 Blade	8 7/200 mm	10	60

Garden Shears

Model **S02034006**



Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
Aluminium Handle + SK5 Blade	8"/200 mm	10	60

Hand Pruner

Model **S02031008**



- Blade Material: Stainless Steel HRC 52-54
- Handle Material: Ash Wood
- With Secure Lock

Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
Stainless Steel	8"/200 mm	6	60

Steel Handle Loppers

Model **S02046001**



Material	Specification	Cutter head	Qty/Box (pcs)	Qty/Ctn (pcs)
Steel Handle + 65Mn Steel Blade	65Mn Steel	14.3cm	1	12

Steel Handle Loppers

Model **S02046002**



Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
Steel Handle + 65Mn Steel Blade	65Mn Steel	1	12

Telescoping Aluminium Handle Lopper

Model **S02045001**



Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
Aluminium Handle + 65Mn Steel Blade	65Mn Steel	1	12

Steel Handle Hedge Shear

Model **S02046003**



Material	Specification	Cutter Head	Qty/Box (pcs)	Qty/Ctn (pcs)
Steel Handle + 65Mn Steel Blade	65Mn Steel	23.5 cm	1	12



Telescoping Aluminium Handle Lopper

Model **S02045002**



Material	Cutter head	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
Aluminium Handle + 65Mn Steel Blade	27cm	65Mn Steel	1	12

Combination Pliers

Model **S01012160**



Product Code	Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S01012160	C55E4	6"160 mm	12	72
S01012180	C55E4	7"180 mm	12	72
S01012200	C55E4	8"200 mm	12	72

Combination Pliers

Model **S01011160**



Product Code	Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S01011160	60CrV	6"160 mm	6	72
S01011180	60CrV	7"180 mm	6	72
S01011200	60CrV	8"200 mm	6	60

American Long Nose Pliers

Model **S01032160**



Product Code	Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S01032160	C55E4	6"160 mm	12	72
S01032200	C55E4	8"200 mm	12	72

American Diagonal-Cutting Pliers

Model **S01022160**



Product Code	Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S01022160	C55E4	6"160 mm	12	72
S01022200	C55E4	8"200 mm	12	72

Long Nose Pliers

Model **S01031160**



Product Code	Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S01031160	60CrV	6"160 mm	6	72
S01031200	60CrV	8"200 mm	6	60

Diagonal-Cutting Pliers

Model **S01021160**



Product Code	Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S01021160	60CrV	6"/160 mm	6	72
S01021180	60CrV	7"/180 mm	6	60

Combination Plier

Model **S01013160**



Product Code	Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S01013160	60CrV	6"/160 mm	6	48
S01013180	60CrV	7"/180 mm	6	36
S01013200	60CrV	8"/200 mm	6	36

Long Nose Plier

Model **S01033160**



Product Code	Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S01033160	60CrV	6"/160 mm	6	48
S01033200	60CrV	8"/200 mm	6	36

Diagonal-Cutting Plier

Model **S01023160**



Product Code	Material	Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S01023160	60CrV	6"/160 mm	6	48
S01023180	60CrV	7"/180 mm	6	36

End Cutter Snip

Model **S01081006**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01081006	CrV	6"/160 mm	6	60
S01081007	CrV	7"/180 mm	6	60
S01081008	CrV	8"/200 mm	6	60

Cable Hydraulic Crimping Tool Set-Handle Use

Model **S22010070**



- Crimping Force: 45 kN
- Crimping Range: Cu 4-70 mm²
- Crimping Tape: Hexagon Crimping
- Stroke: 11 mm
- Length: 310 mm
- Crimping Dies: 4, 6, 8, 10, 16, 25, 35, 50, 70 mm²



Product Code	Material	Weight	Carton Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S22010070	Steel	14.9 kg	42 x 34 x 19 mm	1	5

Cable Hydraulic Crimping Tool Set-Handle Use

Model **S22010120**



- Crimping Force: 60 kN
- Crimping Range: Cu 10-120 mm²
- Crimping Tape: Hexagon Crimping
- Stroke: 13 mm
- Length: 415 mm
- Crimping Dies: 10, 16, 25, 35, 50, 70, 95, 120 mm²



Product Code	Material	Weight	Carton Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S22010120	Steel	16.9 kg	46 x 37 x 21 mm	1	4

Cable Hydraulic Crimping Tool Set-Handle Use

Model **S22010240**



- Crimping Force: 70 kN
- Crimping Range: Cu 16-240 mm²
- Crimping Tape: Hexagon Crimping
- Stroke: 18 mm
- Length: 475 mm
- Crimping Dies: 16, 25, 35, 50, 70, 95, 120, 150, 185, 240 mm²



Product Code	Material	Weight	Carton Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S22010240	Steel	23.9 kg	52 x 39 x 21 mm	1	4

Cable Hydraulic Crimping Tool Set-Handle Use

Model **S22010300**



- Crimping force: 70 kN
- Crimping range: Cu 10-300 mm²
- Crimping tape: Hexagon crimping
- Stroke: 18 mm
- Length: 475 mm
- Dies: 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300 mm²



Product Code	Material	Weight	Carton Size	Qty/Box (pcs)	Qty/Ctn (pcs)
S22010300	Steel	24.7 kg	52 x 39 x 21 mm	1	4

Locking Pliers

Model **S01071002**



- Max. Opening Range: 6 mm
- Max. Cutting Capacity: 2.5 mm

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01071002	Cr-Mo	10"	6	36

Mini Bolt Cutter

Model **S01062008**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01062008	CrV	8"	6	60

Bolt Cutter

Model **S01061018**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01061012	CrV	12"	1	-
S01061014	CrV	14"	1	-
S01061018	CrV	18"	1	20
S01061024	CrV	24"	1	10
S01061030	CrV	30"	1	5
S01061036	CrV	36"	1	-
S01061042	CrV	42"	1	-
S01061048	CrV	48"	1	-

Bar Cutter

Model **S02012052**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S02012052	CR-V	52"/1320 mm	-	1

Bolt Cutter

Model **S01061036**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01061036	CrV	36"	1	5
S01061042	CrV	42"	1	3
S01061048	CrV	48"	1	3

Wire Strippers

Model **S01120007**



- For use with copper only
- For Stripping wire (10-20 AWG SOLID & 12-22 AWG STRANDED wires)
- Re-threads screws
- Heat treated, high carbon steel stays sharp longer providing accurate stripping
- Compact, Lightweight & Easy to use
- Durable, Reliable and Efficient
- Ergonomic grip is designed to fit your hand more naturally and comfortable
- Special edge treatment make sharper shear
- Coiled spring return allows the user to strip, cut, bend and loop wire faster

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01120007	C50E4	7"	10	100

Rabbit Plier

Model **S01082009**



Product Code	Material	Hardness	Max. Cutting Thickness	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01082009	CrV	60-61 HRC	0.5 mm	9"/225 mm	6	60

Heavy Duty Pipe Wrench

- Premium Heavy Duty Material: Heavy duty high carbon steel pipe wrenches come with a sturdy cast iron handle to protect the tool from damage in harsh conditions
- Easy Nut Adjustment: Smooth rotation and smooth matching between the nut and hook jaws allow you to easily and quickly adjust the size of the opening to improve efficiency
- I-Beam Handle: The wide design of the I-Beam handle provides excellent weight distribution and better bite than traditional wrenches. Ergonomic it makes it easier to tighten/loosen pipes or remove stubborn bolts
- Ergonomically Designed Handle: The I-beam handle's wide design provides excellent weight distribution. Compared to traditional wrenches, our wrench is easier to handle and provide greater torque.

Heavy Duty Pipe Wrench with Rubber Grip



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01041008	C45E4 47 HRC - 52 HRC	8"	6	72
S01041010		10"	6	48
S01041012		12"	6	36



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01041014	C45E4 47 HRC - 52 HRC	14"	6	24
S01041018		18"	6	12
S01041024		24"	5	10
S01041036		36"	3	6
S01041048		48"	2	4

Heavy Duty Straight Pipe Wrench



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01042010	CrV Hook Jaw, Heat Treated HRC 52	10"	6	24
S01042012		12"	6	24
S01042014		14"	6	24
S01042018		18"	6	12
S01042024		24"	5	10

 Pump Pliers

- **MATERIAL:** Selected high-quality steel forging, overall heat treatment, high hardness, durable, reliable quality
- **ADJUSTABLE:** 7-speed adjustable design of the clamp head, suitable for clamping different size parts, easy to operate
- **HANDLE:** Grip handle with dipping process is more friendly for users, comfortable and non-slip, effortless design, suitable for long-term work
- **DURABLE:** High-frequency quenching treatment, hardened jaws, strong rust-proof body, long-term use, not easy to deform
- **WIDE APPLICATION:** Suitable for various scenarios such as automobile maintenance, water pipe maintenance, agricultural machinery maintenance, pipeline maintenance, faucet replacement, etc.



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01051010	45# Carbon Steel	10"/250 mm	6	48
S01051012		12"/300 mm	6	36



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01052010	45# Carbon Steel	10"/250 mm	6	48

 Snap Ring Plier

Model S01111070



- 45# carbon steel precision forging to prevent rusting corrosion
- The head of the product is blackened to prevent rust and corrosion
- Anti slip plastic handle, feel comfortable
- Snap ring pliers allow you to work at different angles

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01111070	C45E4	7"	6	60
S01112070	C45E4	7"	6	60
S01113070	C45E4	7"	6	60
S01114070	C45E4	7"	6	60



Snap Ring Plier Set

Model **S01110065**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01110065	65Mn	6.5"	10	60

Plastic Cutting Plier

Model **S01091005**



- Made of high hardness heat-treated chrome vanadium steel that provides durability and long life
- Blackened of the pliers head, polished, rust-proof and oil-proof
- Labor-saving design with spring
- Ergonomically designed non-slip rubber handle for comfortable operation
- Small and flexible, strong practicality, easy to carry
- Machined jaws for maximum gripping strength
- Light weight and sharp edge reduce fatigue of continuous cutting work
- Application: Cutting plastic products, plastic rough edges, jewelry processing or flexible wires, etc

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01091005	60CrV	5"/125 mm	6	120
S01091006	60CrV	6"/150 mm	6	120

Revolving Punch Plier

Model **S01140001**



Product Code	Material	Specification	Weight	Qty/Ctn (pcs)
S01140001	Steel + ABS	2.5-4 mm	400 g	48

Combination Pliers

Model **S01015085**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01015085	CrV	8.5"	6	60

Diagonal Cutting Pliers

Model **S01015185**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01015185	CrV	7.5"	6	60

Long-Nose Pliers

Model **S01015275**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01015275	CrV	8.5"	6	60

Sledge Hammer

Model **S10045002**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10045002	Steel Head PP +TPR Handle	2 LBS	6	24
S10045003		3 LBS	6	12
S10045004		4 LBS	6	12

Sledge Hammer

Model **S10045006**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10045006	Steel Head PP + TPR Handle	6 LBS	1	4
S10045008		8 LBS	1	4
S10045010		10 LBS	1	4
S10045012		12 LBS	1	4
S10045014		14 LBS	1	4
S10045016		16 LBS	1	2
S10045018		18 LBS	1	2
S10045020		20 LBS	1	2

Claw Hammer

Model **S10055010**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10055010	#45 Steel PP+TPR	1 LBS	6	36
S10055015		1.5 LBS	6	24
S10055020		2 LBS	6	24
S10055025		2.5 LBS	6	12



Plastic Handle Axe

Model S10120600



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10120600	Steel	600 g	6	24
S10120800		800 g	6	12



Plastic Handle Axe

Model S10121000



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10121000	Steel	1000 g	6	12



Plastic Handle Axe

Model S10111250



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10111250	Steel	1250 g	6	12



Double-Faced Rubber Soft Hammer

Model S10080025



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10080025	Rubber + iron head, PP+ TPR handle	25 mm	6	72
S10080030		30 mm	6	60
S10080035		35 mm	6	36
S10080040		40 mm	6	36

Machinist Hammer

Model **S10025050**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10025050	55 Steel Head PP +TPR Handle	0.5 kg	6	36
S10025100		1 kg	6	24
S10025150		1.5 kg	6	12
S10025200		2 kg	6	12

Stoning Hammer

Model **S10015100**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10015100	Steel Head PP + TPR Handle	1 kg	6	24
S10015150		1.5 kg	6	12
S10015200		2 kg	6	12

Claw Hammer

Model **S10033070**



- 700G Claw Hammer: This 700G claw hammer achieves a perfect balance between power and control, allowing you to easily handle various tasks
- Milled-Faced Steel Head: A milled-faced steel head that provides exceptional strength and durability
- Magnetic Nail Holder: Equipped with a magnetic nail holder, making it easier to hold and position nails for quick and efficient nailing
- Beech Handle: This carpenter hammer features a beech handle that provides a comfortable grip and absorbs vibrations during use
- Versatile Hammers: This SALI nailing hammer is a versatile tool that can be used for various applications such as home repairs, DIY projects, camping, and woodworking

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10033070	Steel + Wood	700 g	6	24

Claw Hammer

Model **S10035025**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10035025	Steel Head PP + TPR Handle	250 g	6	48
S10035050		500 g	6	36
S10035075		750 g	6	24

Rubber Hammer Black

Model **S10091008**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10091008	Rubber + Steel	8 oz	6	36
S10091012		12 oz	6	36
S10091016		16 oz	6	24
S10091024		24 oz	6	24

Rubber Hammer Black

Model **S10101008**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S10101008	Rubber + Steel	8 oz	6	36
S10101012		12 oz	6	36
S10101016		16 oz	6	24
S10101024		24 oz	6	24

9 pcs Hex Key Set

Model **S04011122**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04011122	CrV	Standard	12	120
S04011179		Long	10	60
S04011235		Extra long	10	60

9 pcs Ball End Hex Key Set

Model **S04012122**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04012122	CrV	Standard	12	120
S04012179		Long	10	60
S04012235		Extra long	10	60

9 pcs Star End Hex Key Set

Model **S04013103**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04013103	CrV	Standard	12	120
S04013162		Long	10	60
S04013230		Extra long	10	60

T-Handle Socket Wrench

Model **S04040006**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04040006	40CrV	6 mm	20	80
S04040008		8 mm	20	80
S04040010		10 mm	20	80
S04040011		11 mm	20	80
S04040012		12 mm	20	80
S04040013		13 mm	20	80
S04040014		14 mm	20	80
S04040015		15 mm	20	80
S04040016		16 mm	20	80
S04040017		17 mm	20	80
S04040018		18 mm	20	80
S04040019		19 mm	20	80

L Socket

Model **M0300001**



- **Material** – The L-shaped handle socket wrench is made of 40Cr + high carbon steel material, with high hardness, good toughness, wear resistance, stability and durability, chrome on the surface, with corrosion resistance.
- **Feature** – The 90-degree L-shaped bend design provides a firm grip and gives you greater rotational force for easy rotation, which is more suitable for working around obstacles or in small spaces
- **Applications** – The L-shaped hexagonal socket wrench is suitable for electrician repairs, home repairs, plumbing repairs, automotive repairs, mechanical repairs, industrial repairs, DIY handmade, etc.

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
M0300001	40Cr+C45E4	6 mm	100	400
M0300002		7 mm	100	400
M0300003		8 mm	90	360
M0300004		9 mm	70	280
M0300005		10 mm	54	216
M0300006		11 mm	48	192
M0300007		12 mm	42	168
M0300008		13 mm	36	144
M0300009		14 mm	25	100
M0300010		15 mm	20	80
M0300011		16 mm	18	72
M0300012		17 mm	16	64
M0300013		18 mm	12	48
M0300014		19 mm	12	48
M0300015		20 mm	12	48
M0300016		21 mm	10	40
M0300017		22 mm	10	40
M0300018		23 mm	8	32
M0300019		24 mm	8	32
M0300020		27 mm	6	24
M0300021		30 mm	4	16
M0300022		32 mm	4	12
M0300023		36 mm	4	12
M0300024		41 mm	4	12
M0300025		42 mm	4	12

Y-Type Socket Wrench

Model **S04051010**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04051010	40CrV	8 x 9 x 10 mm	20	80
S04051012		8 x 10 x 12 mm	20	80
S04051014		10 x 12 x 14 mm	20	80
S04051017		12 x 14 x 17 mm	20	80
S04051019		14 x 17 x 19 mm	20	80

4-Way Cross Wrench

Model **S04071014**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04071014	CrV	14"/350 mm 17/19/21/23 mm	1	20
S04071016		16"/400 mm 17/19/21/23 mm	1	20
S04071018		18"/450 mm 17/19/21/23 mm	1	16
S04071020		20"/500 mm 17/19/21/23 mm	1	16

Combination Spanner

Model **S04101006**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04101006	40CrV	6 mm	10	600
S04101007		7 mm	10	600
S04101008		8 mm	10	600
S04101009		9 mm	10	600
S04101010		10 mm	10	600
S04101011		11 mm	10	500
S04101012		12 mm	10	400
S04101013		13 mm	10	300
S04101014		14 mm	10	300
S04101015		15 mm	10	200
S04101016		16 mm	10	200
S04101017		17 mm	10	160
S04101018		18 mm	10	160
S04101019		19 mm	10	120
S04101020		20 mm	10	120
S04101021		21 mm	10	120
S04101022		22 mm	10	80
S04101023		23 mm	10	80
S04101024		24 mm	10	60
S04101026		26 mm	10	50
S04101027		27 mm	10	50
S04101028		28 mm	10	50
S04101029		29 mm	10	40
S04101030		30 mm	10	40
S04101032		32 mm	10	40
S04101036		36 mm	10	20
S04101038		38 mm	10	20
S04101040		40 mm	10	20
S04101041		41 mm	10	20

Combination Spanner Set

Model **S04111006**



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)	
S04111006	CrV	6, 8, 10, 12, 14, 17	6 pcs	1	20
S04111008		6, 8, 10, 12, 13, 14, 17, 19	8 pcs	1	20
S04111009		8, 10, 12, 13, 14, 17, 19, 22, 24	9 pcs	1	10
S04111106		8, 9, 10, 12, 14, 17	6 pcs	1	20
S04111108		6, 8, 10, 12, 14, 17, 19, 22	8 pcs	1	20
S04111109		8, 9, 10, 12, 13, 14, 17, 19, 22	9 pcs	1	10
S04111206		6, 8, 10, 12, 13, 14	6 pcs	1	20
S04111208		8, 10, 11, 12, 13, 14, 17	8 pcs	1	20
S04111308		8, 9, 10, 12, 14, 17, 19, 22	8 pcs	1	20

Combination Spanner Set

Model **S04110012**



Product Code	Specification	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04110012	40CrV	6-32 mm (12 pcs)	1	10
S04110014		6-32 mm (14 pcs)	1	10
S04110112		8-32 mm (12 pcs)	1	10
S04110212		8-24 mm (12 pcs)	1	10

Ratchet Wrench

Model **S04021008**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04021008	5° Movement 40CrV	8 mm (5/16)	12	180
S04021010		10 mm (3/8)	12	180
S04021011		11 mm (7/16)	12	180
S04021012		12 mm	12	180
S04021013		13 mm (1/2)	12	180
S04021014		14 mm (9/16)	12	120
S04021015		15 mm	12	120
S04021016		16 mm (5/8)	12	120
S04021017		17 mm (11/16)	12	96
S04021018		18 mm	12	72
S04021020		19 mm (3/4)	12	72
S04021021		21 mm (13/16)	16	64
S04021022		22 mm (7/8)	16	64
S04021024		24 mm (15/16)	6	36
S04021027		27 mm	6	24
S04021030		30 mm	6	24
S04021032		32 mm	6	24
S04021036		36 mm	6	24

72 T Ratchet Wrench

Model **M0900901**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
M0900901	CrV	1/4"	6	72
		3/8"	6	60
		1/2"	6	36

Driver Bar

Model **S04063005**



Product Code	Material	Handle Length	Qty/Box (pcs)	Qty/Ctn (pcs)
S04063005	CrV	5" x 15.5 mm	50	100
S04063010		10" x 15.5 mm	25	50
S04063012		12" x 15.5 mm	25	50

Slider Driver Bar

Model **S04064010**



Product Code	Material	Handle Length	Qty/Box (pcs)	Qty/Ctn (pcs)
S04064010	CrV	10" x 12.8 mm	25	50
S04064012		12" x 12.8 mm	25	50
S04064018		18" x 20 mm	4	16
S04064020		20" x 22 mm	10	20

L-Type Driver Bar

Model **S04061010**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04061010	CrV	1/2-10"	25	50
S04061012		1/2-12"	25	50
S04062015		3/4-15" x 23 mm	10	20
S04062018		3/4-18" x 23 mm	4	16
S04062020		3/4-20" x 23 mm	4	16

Multi-Function Self-Adjusting Spanner

Model **S04090006**



- Made of 40CrV chrome vanadium steel, strong and durable
- Three-sided tooth pattern coverage, not easy to slip, strong clamping, tight bite
- Applicable to a variety of nuts and screws: hexagonal nuts, pipe nuts, octagonal nuts, round pipes special-shaped screws
- Multi-functional wrench, ring wrench, open-end wrench, adjustable wrench, socket wrench, pipe wrench, water pump wrench, all in one
- The fast self-locking function can operate parts continuously and effortlessly

Product Code	Material	Specification	Weight	Jaw Capacity	Qty/Box (pcs)	Qty/Ctn (pcs)
S04090006	40CrV	6"/150 mm	85 g	7-15 mm	12	120
S04090008		8"/200 mm	214 g	9-25 mm	12	60
S040900010		10"/286 mm	286 g	15-35 mm	12	60
S040900012		12"/300 mm	549 g	19-43 mm	12	36

Tubing Ratchet Wrench

Model **S04131008**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04131008	5° Movement 40CrV	8 mm	10	90
S04131009		9 mm	10	90
S04131010		10 mm	10	90
S04131011		11 mm	12	72
S04131012		12 mm	12	72
S04131013		13 mm	12	72
S04131014		14 mm	12	72
S04131015		15 mm	8	36
S04131016		16 mm	8	36
S04131017		17 mm	8	36
S04131018		18 mm	8	36
S04131019		19 mm	8	36

Flexible Tubing Ratchet Wrench

Model **S04132008**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04132008	5° Movement 40CrV	8 mm	15	90
S04132009		9 mm	15	90
S04132010		10 mm	15	90
S04132011		11 mm	12	72
S04132012		12 mm	12	72
S04132013		13 mm	12	72
S04132014		14 mm	12	72
S04132015		15 mm	6	36
S04132016		16 mm	6	36
S04132017		17 mm	6	36
S04132018		18 mm	6	36
S04132019		19 mm	6	36
S04132021		21 mm	-	-
S04132022		22 mm	-	-
S04132024		24 mm	-	-
S04132027		27 mm	-	-
S04132028		28 mm	-	-
S04132030		30 mm	-	-

Adjustable Wrench

Model **S04031008**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04031008	Cr-V Surface: Matt Chrome Plated	8"/200 mm	6	48
S04031010		10"/250 mm	6	36
S04031012		12"/300 mm	6	24
S04031015		15"/375 mm	4	16

Adjustable Wrench

Model **S04032008**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04032008	Cr-V Handle material: with PPR Surface: Matt Chrome Plated	8"/200 mm	6	48
S04032010		10"/250 mm	6	36
S04032012		12"/300 mm	6	24

Adjustable Wrench

Model **00100020**



- Material: Carbon steel 50BV30
- Surface Treatment: Matte /Mirror /Satin /Black nickel
- HRC: 40-46

Size	L(mm)	LWGT(g)	PCS/CTN	G.W./N.W(kg)	MEAS(cm)
8(5/16")	160	51	300	16/15	31 x 28 x 23
9	160	56	300	18/17	31 x 28 x 23
10 (3/8")	173	72	250	19/18	31 x 28 x 23
11 (7/16")	185	90	250	24/23	31 x 28 x 23
12	195	125	200	26/25	31 x 28 x 23
13(1/2")	207	135	200	28/27	31 x 28 x 23
14 (9/16")	225	185	150	29/28	31 x 28 x 23
15	225	185	150	29/28	31 x 28 x 23
16(5/8")	233	225	100	24/23	31 x 28 x 23
17(11/16")	233	225	100	24/23	31 x 28 x 23
18	240	258	100	27/26	31 x 28 x 23
19(3/4")	247	295	100	31/30	31 x 28 x 23
20	270	367	80	30/29	31 x 28 x 23
21(13/16")	290	415	50	22/21	31 x 28 x 23
22(7/8")	290	405	50	21/20	31 x 28 x 23
23	293	428	40	22/21	31 x 28 x 23
24	293	469	40	20/19	31 x 28 x 23

Double Flexsocket Wrench

Model **00100021**



- Material: Carbon steel 50BV30
- Surface Treatment: Matte /Mirror /Satin /Black nickel
- HRC: 40-46

Size	L(mm)	LWGT(g)	PCS/CTN	MEAS (cm)
8 x 9	180	80	200	31 x 28 x 23
8 x 10	184	82	200	31 x 28 x 23
10 x 11	196	115	200	31 x 28 x 23
10 x 12	200	125	200	31 x 28 x 23
12 x 13	215	176	150	31 x 28 x 23
12 x 14	220	181	150	31 x 28 x 23
14 x 15	238	223	100	31 x 28 x 23
14 x 17	240	247	100	31 x 28 x 23
16 x 17	255	306	80	31 x 28 x 23
17 x 19	255	340	60	31 x 28 x 23
8 x 19	277	399	60	31 x 28 x 23
20 x 22	293	545	40	31 x 28 x 23
21 x 23	300	613	40	31 x 28 x 23

Self-Adjusting Wrench



Size	Qty (psc)	Inner Box Size (cm)	Carton Size (cm)	G.W./N.W. (kg)
7-10	200	25 x 13 x 6	33 x 27 x 29	12.0/11.0
10-13	200	25 x 13 x 6	33 x 27 x 29	23.0/22.0
13-16	120	25 x 13 x 6	33 x 27 x 29	24.0/23.0
16-19	60	25 x 13 x 6	33 x 27 x 29	19.0/18.0
19-24	60	32 x 14 x 6	33 x 34 x 31	23.0/22.0
24-32	36	36 x 15 x 6	28 x 38 x 33	27.0/26.0

Hexacon Key Wrench Set

Model **S04012008**



Product Code	Material	Set	Specification (mm)	Carton Size (cm)	Qty/Ctn (pcs)
S04012008	CrV	8 pcs	1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 5.0, 6.0	39 x 25 x 18	120
S04012010		8 pcs	1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 5.0, 6.0, 8.0, 10	45 x 25 x 21	120

Chain Wrench

- Flexible tooth chain & jaw: Designed with double-serrated jaws that can hold the pipe tightly
 - Clamping capacity: Provide maximum locking force and bring more convenience to your work
 - Sturdy steel wrench: Integrally forged from high-quality carbon steel and then heat-treated to brighten chrome
 - Ergonomic handle: The long and wide I-beam handle design provides better weight distribution and saves labor
- Wide application: For all pipe-related home improvement repairs that need a tight grip



Single Chain Wrench



Product Code	Material	Size	Application	Qty/Ctn (pcs)
S04180009	Carbon Steel+Chrome	9"	60-120 mm	50
S04180012		12"	60-140 mm	50
S04180016		16"	60-210 mm	24

Double Chains Wrench



Product Code	Material	Size	Application	Qty/Ctn (pcs)
S04181012	Carbon Steel + Chrome	12"	60-140 mm	50

Strap Wrench

- High-quality material: The wrench handle is made of high-quality forged steel, strong and durable. The belt is made of tire rubber, which has good toughness and is not easy to break
- Adjustable design: The wrench is adjustable, making it easy to fit different sizes of oil filters and nstraps. It is versatile and can be used for different applications
- Comfortable grip: The handle is designed to provide a comfortable grip, allowing you to exert more force without straining your hands
- Time-Saving Tool: This wrench makes it easy to remove or install oil filters and belts quickly and efficiently, saving you time and effort
- Wide application: Suitable for cars, tractors, oil filters, glue joints, shower heads, fuel filters, PVC joints, faucets, water filters, sinks, faucets, and many more objects

Strap Wrench



Product Code	Material	Size	Application	Qty/Ctn (pcs)
S04183009	PVC Belt	9"	510 mm	50
S04183012		12"	600 mm	50
S04183016		16"	1000 mm	24

Strap Wrench



Product Code	Material	Size	Application	Qty/Ctn (pcs)
S04182009	PVC Belt	9"	510 mm	50
S04182012		12"	600 mm	50
S04182016		16"	1000 mm	24

Strap Wrench



Product Code	Material	Size	Application	Qty/Ctn (pcs)
S04184009	PVC Belt	9"	510 mm	50
S04184012		12"	600 mm	50
S04184016		16"	1000 mm	24

1/2" Socket

Model **S04200008**



- High quality chrome vanadium steel alloy forging 50bv30 maintain excellent properties
- Cr-v material socket with straight grain knurled high visibility markings
- 72 tooth fast ratchet + extension rod, save labor and not fatigue
- Ergonomic anti-slip handle bar enables comfortable firm grip chrome vanadium forged body for torque, strength and durability
- Easy tool management
- A variety of specifications, convenient and durable
- Suitable for mechanical repair, car repair, household use, etc

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04200008	50BV30	8 mm	24	288
S04200010		10 mm	24	288
S04200011		11 mm	24	288
S04200012		12 mm	24	288
S04200013		13 mm	24	288
S04200014		14 mm	24	288
S04200015		15 mm	24	288
S04200016		16 mm	24	288
S04200017		17 mm	20	280
S04200018		18 mm	24	240
S04200019		19 mm	24	240
S04200021		21 mm	24	240
S04200023		23 mm	20	160
S04200024		24 mm	20	160
S04200027		27 mm	15	120
S04200030		30 mm	12	96
S04200032		32 mm	12	96

1/2" Deep Socket

Model **S04220008**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04220008	50BV30	M8	36	288
S04220009		M9	36	288
S04220010		M10	36	288
S04220011		M11	36	288
S04220012		M12	36	288
S04220013		M13	36	288
S04220014		M14	36	288
S04220015		M15	36	288
S04220016		M16	36	288
S04220017		M17	36	288
S04220018		M18	25	200
S04220019		M19	25	200
S04220020		M20	25	200
S04220021		M21	25	200
S04220022		M22	16	128
S04220023		M23	16	128
S04220024		M24	16	128
S04220027		M27	16	128
S04220030		M30	9	72
S04220032		M32	9	72

12 pcs 1/2" Ratchet Wrench Socket Set

Model **S04202012**

- High Quality Chrome Vanadium Steel Alloy Forging 50bv30, Maintain excellent properties
- CrV Material Socket With Straight Grain Knurled High Visibility markings
- 72 Tooth Fast Ratchet + Extension Rod, Save Labor And Not Fatigue
- Ergonomic Anti-Slip Handle Bar Enables Comfortable Firm Grip
- Chrome Vanadium Forged Body For Torque, Strength And Durability
- Easy Tool management
- A Variety of Specifications, Convenient and Durable
- Suitable For Mechanical Repair, Car Repair, Household Use, Etc



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04202012	50BV30	10, 11, 12, 13, 14, 15, 17, 19, 21, 22 mm	1	8

25 pcs 1/2" Ratchet Wrench Socket Set

Model **S04201025**

- High Quality Chrome Vanadium Steel Alloy Forging 50BV30, Maintain excellent properties
- CrV Material Socket With Straight Grain Knurled High Visibility markings
- 72 Tooth Fast Ratchet + Extension Rod, Save Labor And Not Fatigue
- Ergonomic Anti-Slip Handle Bar Enables Comfortable Firm Grip
- Chrome Vanadium Forged Body for Torque, Strength and Durability
- Easy Tool Management
- A Variety of Specifications, Convenient And Durable
- Suitable for Mechanical Repair, Car Repair, Household Use, Etc



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S04201025	50BV30	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27, 30, 32mm	1	3

Hex Socket Sleeve

Model **S05126508**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05126508	CrV	65 x 8 mm	20	120
S05126510		65 x 10 mm	20	120
S05126511		65 x 11 mm	20	120
S05126512		65 x 12 mm	16	120
S05126513		65 x 13 mm	16	120

ABS Measuring Tape

Model **S08021316**

- Grade: professional level
- Precision: 0.1 mm
- Case material: New ABS
- Blade material: #65Mn spring steel KSA-class I
- Hook material: Stainless Steel
- Blade thickness: 0.12 mm



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08021316	65Mn, inch & mm	3 m x 16 mm	12	120
S08021519		5 m x 19 mm	12	120
S08021525		5 m x 25 mm	12	60
S08021725		7.5 m x 25 mm	6	48
S08024316	65Mn, mm	3 m x 16 mm	12	120
S08024519		5 m x 19 mm	12	120
S08024525		5 m x 25 mm	12	60
S08024725		7.5 m x 25 mm	6	48

ABS + TPR Measuring Tape

Model **S08022316**

- Grade: professional level
- Precision: 0.1 mm
- Case material: ABS + TPR Cover
- Blade material: #65Mn spring steel KSA-class I
- Hook material: Stainless Steel
- Blade thickness: 0.12 mm



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08022316	65Mn, inch & mm	3 m x 16 mm	12	120
S08022519		5 m x 19 mm	12	120
S08022525		5 m x 25 mm	12	60
S08022725		7.5 m x 25 mm	6	48
S08026316	65Mn, mm	3 m x 16 mm	12	120
S08026519		5 m x 19 mm	12	120
S08026525		5 m x 25 mm	12	60
S08026725		7.5 m x 25 mm	6	48

ABS Measuring Tape

Model **S08020316**

- High impact resistant ABS body makes the product more convenient to hang and store
- Metric & INCH scale printing, easy for reading and measuring
- High-quality 65Mn blade tape is waterproof and anti-rust and can stand out without bending
- Yellow background and black and red text make the tick marks more visible
- Thumb lock can also slow down the blade retraction speed to prevent accidental injury



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08020316	65Mn Metric & Inch Blade + ABS Cover	3 m x 16 mm	12	180
S08020519		5 m x 19 mm	12	120
S08020525		5 m x 25 mm	12	120
S08020725		7.5 m x 25 mm	6	72
S08021025		10 m x 25 mm	6	60

Model **S08120316**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08120316	65Mn Metric Blade + ABS Cover	3 m x 16 mm	12	180
S08120519		5 m x 19 mm	12	120
S08120525		5 m x 25 mm	12	120
S08120725		7.5 m x 25 mm	6	72
S08121025		10 m x 25 mm	6	60

Auto-Brake Measuring Tape

Model **S08023316**

- Grade: professional level
- Precision: 0.1 mm
- Case material: New ABS
- Blade material: #65Mn spring steel KSA-class I
- Hook material: Stainless Steel
- Blade thickness: 0.125 mm



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08025316	Nylon Coated Metric Blade, inch & mm	3 m x 16 mm	12	120
S08025519		5 m x 19 mm	12	120
S08025525		5 m x 25 mm	12	60
S08025725		7.5 m x 25 mm	6	48
S08023316	Nylon Coated Metric Blade, mm	3 m x 16 mm	12	120
S08023519		5 m x 19 mm	12	120
S08023525		5 m x 25 mm	12	60
S08023725		7.5 m x 25 mm	6	48

ABS+TPR Measuring Tape

Model **S08322316**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08322316	ABS + TPR	3 m x 16 mm	12	120
S08322519		5 m x 19 mm	12	120
S08322525		5 m x 25 mm	12	120
S08322725		7.5 m x 25 mm	6	48

ABS Measuring Tape

Model **S08081025**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08081025	ABS	10 m x 25 mm	-	48

Closed Reel Fiberglass Measuring Tape

Model **S08041020**

- High impact resistant ABS body
- Blade size 13 mm width and 0.45 mm thickness, Metric & INCH scale printing, easy for reading and measuring
- Contoured rubber grip for comfortable in hand
- High quality fiberglass tape: waterproof and anti-rust, high tensile strength, double side printing for user convenience
- The open reel type which with double guide pulley effectively prevent wear of ruler belt
- High-impact case, high strength and impact resistance, provides maximum protection from drops or abuse
- 4:1 quick soundless release handle. Fast rewind crank with rotating fingertip knob to make blade rewind smoother and easier



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08041020	13 x 0.45 mm, Metric & inch Blade, Closed	20 m	1	60
S08041030		30 m	1	40
S08041050	ABS Housing Type	50 m	1	30

Open Reel Fiberglass Measuring Tape

Model **S08031050**

- High impact resistant ABS body
- Blade size 13 mm width and 0.45 mm thickness, Metric & INCH scale printing, easy for reading and measuring
- Contoured rubber grip for comfortable in hand
- High quality fiberglass tape: waterproof and anti-rust, high tensile strength, double side printing for user convenience
- The open reel type which with double guide pulley effectively prevent wear of ruler belt
- High-impact case, high strength and impact resistance, provides maximum protection from drops or abuse
- 4:1 quick soundless release handle. Fast rewind crank with rotating fingertip knob to make blade rewind smoother and easier



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08031050	13 x 0.45 mm, Metric & inch Blade, Open Reel Type	50 m	1	20
S08031100		100 m	1	10

Fiberglass Tape Measure

Model **S08042020**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08042020	13 x 0.45mm, Metric & inch blade, Closed ABS Housing type	20 mm	1	48
S08042030		30 mm	1	36
S08042050		50 mm	1	24

Fiberglass Tape Measure

Model **S08032050**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08032050	15 x 0.45mm, Metric & inch blade, ABS550 + TRP	50 mm	1	16
S08032100		100 mm	1	14

Fiberglass Tape Measure

Model **S08033050**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08033050	15 x 0.45mm, Metric & inch blade, ABS 550 + TRP	50 mm	1	16
S08033100		100 mm	1	14

L-Shape Square Ruler

Model **S08060030**

- Dimension: 300 mm / 400 mm - Inch Metric Right Angle Ruler;
- Material: Aluminium alloy. Lightweight design that's easy to maneuver and works perfectly in tight spaces
- Multifunction: Front + Reverse Dual side reading scale makes measuring more efficient
- Clear Scale: The scale is high-definition, not easy to wear, can be quickly measured, high hardness, suitable for more workpieces
- Built-In Bubble Levelers: For proper placement and level measurements
- Wide Application: Practical carpentry tool, for doors window framing, stair layouts and so many more other applications




Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08060030	Aluminium alloy	30 cm	10	60
S08060040		40 cm	10	60

Combination Square Ruler

Model **S08019300**

- Separable Design
- Stainless Steel Ruler Body
- Aluminium Alloy Head
- Scribing Needle
- Clear Leveling Bubble



Product Code	Material	Specification	Qty/Ctn (pcs)
S08019300	Stainless Steel Aluminium Alloy	300 mm / 12"	60

Superior Magnetic Spirit Level

Model **S08010030**

- Strong holding magnetic edge
- Air- cushioned shockproof end caps
- Precision milled measuring surfaces
- Aluminium Alloy + PVC



Product Code	Material	Specification	Qty/Ctn (pcs)
S08010030	Magnetic Shockproof End Caps	30 cm	50
S08010040		40 cm	50
S08010050		50 cm	50
S08010060		60 cm	30
S08010080		80 cm	30
S08010100		100 cm	30
S08010120		120 cm	20

Classic Magnetic Spirit Level

Model **S08011030**

- Strong holding magnetic edge
- Air- cushioned shockproof end caps
- Precision milled measuring surfaces
- Heavyduty aluminium frame
- VIALS:5 Year Guarantee



Product Code	Material	Specification	Qty/Ctn (pcs)
S08011030	Aluminium Alloy Strong magnet,metric scales,milled bottom finish	30 cm	50
S08011040		40 cm	50
S08011050		50 cm	50
S08011060		60 cm	50
S08011080		80 cm	50
S08011100		100 cm	50

High-Grade Magnetic Spirit Level

Model **S08013040**

- Three styles, 5-6 sizes each, you can choose arbitrarily
- Accurate measurement of different angles, 45 degrees, 90 degrees, 180 degrees, high-precision water bubble error reduced to 0.1mm
- The thickened Aluminium alloy bottom is strong magnetic, impact-resistant, and can be tested for drop resistance
- Rubber handle, comfortable to use
- High-precision digital scale, clearly visible, measuring while measuring
- Flat side, strong magnetic adsorption, easy to use
- Warranty for 3 years, avoid high temperature exposure
- Industrial architecture, home design, widely used



Product Code	Material	Specification	Qty/Ctn (pcs)
S08013040	Aluminium alloy soft grip handle,shockproof end caps	16"/40 cm	30
S08013050		20"/50 cm	30
S08013060		24"/60 cm	30
S08013080		32"/80 cm	30
S08013100		40"/100 cm	30

High-Grade Mini Spirit Level

Model **S08017115**

- Grade: professional level
- Precision: 0.1 mm
- Case material: New ABS
- Blade material: #65Mn spring steel KSA-class I
- Hook material: Stainless Steel
- Blade thickness: 0.125 mm



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08017115	5"/115 mm	140 g	1
S08017155	6"/155 mm	178 g	1
S08017180	7"/180 mm	195 g	1
S08017200	8"/200 mm	215 g	1
S08017230	9"/230 mm	250 g	1

Economic Spirit Level

Model **S08014030**

- Grade: professional level
- Precision: 0.1 mm
- Case material: New ABS
- Blade material: #65Mn spring steel KSA-class I
- Hook material: Stainless Steel
- Blade thickness: 0.125 mm



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08014030	Aluminium alloy Strong magnet, Metric scales, Milled bottom finish	12"/300 mm	Magnetic	1
S08014040		16"/400 mm	Magnetic	1
S08014045		18"/450 mm	Magnetic	1
S08014050		20"/500 mm	Magnetic	1
S08014060		24"/600 mm	Magnetic	1
S08014080		32"/800 mm	Magnetic	1
S08014100		40"/1000 mm	Magnetic	1

Economical Mini Spirit Level

Model **S08018105**



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S08018105	4"/105 mm	1	160
S08018150	6"/150 mm	1	120
S08018200	8"/200 mm	1	120

Torpedo Level

Model **S08019230**

- Top View: Clear and intuitive green acrylic vials with top views, easy to read
 - Durability: This spirit level's extruded ABS body frame provides stability and lightweight for carrying
 - DIFFERENT ANGLE: Horizontal-180°, vertical-90°, and 45-degree bubble level for measuring
 - Bottom milling: Ensure that the measuring surface is more flat and the measuring results are more accurate
- Wide Application: Ideal for decoration, home furnishings, and related work for aligning



Product Code	Material	Specification	Qty/Ctn (pcs)
S08019230	ABS	9"/230 mm	120

Bridge Type Spirit Level

Model **S08019246**

- Solid block vial provides accuracy of 0.5/1000mm
- Gradient markings angle transfer vial
- Bridge reinforced profile
- Heavy duty cast Aluminium tapered body



Product Code	Material	Specification	Qty/Ctn (pcs)
S08019246	Aluminium Alloy	246mm / 10"	60

Chalk Line Box

Model **S1801001**

- With 1 pc spirit bubble
- With 1 bottle chalk



Product Code	Weight	Length	Set	Qty/Box (pcs)	Qty/Ctn (pcs)
S1801001	115 g	30 m	3 pcs	1	48

Tin Snip

- Comfortable to Use: The PVC-dipped handle on the metal cutter is comfortable and has a good grip. It is also oil-resistant and non-slip
- High-quality materials: The head of the tin snip pliers is forged with 55# carbon steel, and the overall heat treatment has high hardness, good wear resistance, and durability
- Efficient: The tin scissors have hardened edges, high hardness, and good toughness.
- They can cut smoothly and accurately
- Universal Scissors: The center axis screw can be adjusted according to the usage scenario
- Spring Design: The spring in tin snips automatically opens the blades after each cut, reducing effort and increasing efficiency

Model **S02012008**



Product Code	Material	Specification	Qty/Ctn (pcs)
S02012008	55#C.S	8"/200 mm	60
S02012010		10"/250 mm	60
S02012012		12"/300 mm	48
S02012014		14"/350 mm	24

Model **S02013010**



Product Code	Material	Specification	Qty/Ctn (pcs)
S02013010	55#C.S	10"/250 mm	36
S02013012		12"/300 mm	36

Cable Cutters

Model **S01101006**

- Material: 60 CR-V, 55# Carbon steel
- Edge hardness with 48-52 HRC
- Body hardness with 40-45 HRC
- Double heat treatment of knife edge, greater strength
- Both surfaces deal with blackening and polishing better anti-rust effect
- Finely polished cutting jaw
- High leverage design for superior cutting ability
- The rubber cover handle is non-slip and comfortable
- Optimum Transmission of Force due to ergonomically designed handgrips
- Perfect for working in confined spaces



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01101006	60CrV	6"	12	60
S01101008		8"	12	60
S01101010		10"	12	60

Aviation Snips

Model **S01011101**

- High-quality Anti-rust CRV steel and heat-treated, hard and durable
- High-Leverage compound cutting design
- Bilateral Serrations design, improve cutting quality and tool life
- Comfortable TPR and PVC handle, non-slip and wear-resistant
- Ergonomic, single handed latch operation for left or right handed use
- Hanging holes on the tail for easy storage and carry
- Safety Lock, easy to open and lock to prevent accidental injury
- Ideal for cutting Aluminium, sheet metal, leather, floor covering, card board, plastic and etc...



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01011101	60CrV	10" straight	6	48
S01011102		10" left	6	48
S01011103		10" right	6	48
S01011112		12" straight	6	48

Cable Cutters

Model **S01102006**

- **High Hard Material:** Forged with chrome vanadium steel through heat treatment that makes a long lifespan. Through high-frequency quenching, polished and hardened, the blades of cable cutting pliers has strong cutting force. High hardness, durability and wear-resistance.
- **Sharp and Smooth Cuts:** Designed precision-machined blades and shear-type jaws, our cable cutter pliers can make exact and clean cuts without fraying or smashing the cable end
- **High-Leverage:** The special high-leverage design makes the product have super long handle; Compared with other ordinary tools on the market, this labor-saving design conforms to ergonomics, helps to save most of the effort, effectively prevents hand fatigue, and makes the work become easier
- **Non-slip Handle:** The cable cutters heavy duty ensure a better and more stable grip;
- The handle is covered with a flexible and non-slip double color dipped plastic to increase friction and provide a more comfortable grip
- **One-hand Operation:** Accurate cutting, easy to use even with one hand, it is very suitable for working in narrow confined space; The handle is comfortable and easy to spot in your tool bag
- **Widely Used:** This cable cutter has a wide range of applications, which can cut for Aluminium, copper, communications cable etc.; PLEASE NOTE: The dipped plastic handle is not insulated, please do not use it to cut the live wires



Product Code	Material	Specification	Qty/Ctn (pcs)
S01102006	60CrV	6"	72
S01102008		8"	60
S01102010		10"	48

Ratcheting Cable Cutters

Model **S02050040**

- **Durable and Rust-Resistant Blade:** The sharp blade is forged with spring steel material, ensuring it is resistant to rust, dullness, and corrosion
- **High Hardness Gears:** The gears are made with high hardness and undergo high-frequency quenching treatment, resulting in stable and reliable performance. The teeth are efficient in adjusting freely, making it easier to use
- **Telescopic Insulated Handle:** Safety-focused and ergonomic, providing insulation and a comfortable grip for professionals working with electrical equipment
- **Convenient Packaging:** The tool comes in fine packaging, making it easy to carry and store. This ensures that it is always protected and ready for use whenever needed



Product Code	Material	Specification	Net Weight (kg)	Shear Range	Qty/Ctn (pcs)
S02050040	Steel + Rubber	346 x 120 x 38 mm	1.15	Cu-Al armored cable ≤ 300 mm ² and 1000 pairs of communication cable	10
S02050052		397 (Extend 568) x 165 x 54 mm	3.1	Cu-Al armored cable ≤ Φ50 mm	8
S02050075		416 (Extend 587) x 200 x 55 mm	3.5	Cu-Al armored cable ≤ Φ75 mm or 3 x 120 mm ² and 3600 pairs of communication cable	6
S02050095		416 (Extend 587) x 200 x 55 mm	5.7	Cu-Al armored cable ≤ Φ95 mm or 3 x 185 mm ²	5
S02050100		482 (Extend 655) x 270 x 59 mm	6.5	Cu-Al armored cable ≤ Φ100 mm or 3 x 300 mm ²	3



PVC Pipe Cutter

Model **S02021036**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S02021036	Blade Material: Stainless Steel	36 mm	6	48
S02021042	Body Material: Aluminium Alloy	42 mm	6	36

PVC Pipe Cutter

Model **S02023042**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S02023042	T12 Steel Body + 65Mn Blade	42 mm	10	40

PVC Pipe Cutter

Model **S02022042**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S02022042	Blade Material: 65Mn Blade Body Material: Aluminium Alloy	42 mm	6	48

PVC Pipe Cutter

Model **S02023063**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S02023063	T12 Steel Body + 65Mn Blade	63 mm	10	30

PVC Pipe Cutter

Model **S02023032**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S02023032	T12 Steel Body + 65Mn Blade	32 mm	20	80

Folding Pruning Saw

Model **S03042210**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03042210	65Mn-Steel	210 mm	12	60

Folding Pruning Saw

Model **S03042270**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03042270	65Mn-Steel	270 mm	12	60

Pruning Saw

Model **S03041013**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03041013	65Mn-Steel	330 mm	15	60

Pruning Saw

Model **S03041250**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03041250	65Mn-Steel	250 mm	12	72

Pruning Saw

Model **S03041014**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03041014	65Mn-Steel	14" 350 mm	10	60

Replaceable Waist Saw

Model **S03042200**



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03042200	14" 350 mm	-	48

Single Hook Curved Saw

Model **S03042013**



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03042013	15" 380 mm	-	60

Replacement Saw Blade

Model **S03042201**



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03042201	14" 350 mm	-	240

Hand Saw

Model **S03022016**

- Size: 16"/400mm 18"/450 mm 20"/500 mm
- Material: Blades in 65Mn Steel
- 7TPI, heat treatment teeth, hardness > 53 HRC, hard and sharp
- Triple teeth (Precision ground teeth 3 edges)
- Ergonomic Non-Slip comfortable grip handle
- Fast cut, long life, convenient and labor -saving



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03022016	65Mn Steel	16"/400 mm	6	24
S03022018		18"/450 mm	6	24
S03022020		20"/500 mm	6	24
S03022022		22"/550 mm	6	24
S03022024		24"/600 mm	6	24

Jig Saw Blade

Model **D0600100**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
D0600100	HCS / HSS	T111C	50	400
D0600101		T114D	50	400
D0600102		T244D	50	400
D0600103		T101B	50	400
D0600104		T118A	50	400
D0600105		16PCS	10	40

Bi-Metal Hack Saw Blade

Model **S03030001**


- Ultra material- M2/D6A
- 50 pack Bi-Metal hacksaw frame blades 24/18TPI x 12"
- High speed steel wavy set teeth for maximum cutting performance
- Spring steel body for being flexible and safe and long life
- Shatter resistant and extended life, ideal for variety of materials
- Come with plastic case



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03030001	Teeth: HSS M2	12", 24 TPI	50	1000
S03030002	Basic: 6150	12", 18 TPI	50	1000

High Carbon Steel Saw Blade

Model **S03030010**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03030010	High Carbon Steel	12", 24 TPI	100	1000
S03030011		12", 18 TPI	100	1000

Tubular Hacksaw Frame

Model **S03014001**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03014001	Aluminium Tube + 3 pcs Blades	390 g	12	48

Aluminium Alloy Hacksaw Frame

Model **S03015001**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03015001	High-Tension Hacksaw + Saw Blade	440 g	12	48

Hacksaw Frame

Model **S03011001**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03011001	Heavy Duty Steel Frame + Saw Blade	570 g	12	48

Hacksaw Frame

Model **S03011002**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03011002	ABS Handle + Steel Frame	550 g	12	48

Adjustable Hacksaw Frame With Saw Blade

Model **S03012001**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03012001	Heavy Duty Steel Frame + Saw Blade	530 g	12	48

Tubular Hacksaw Frame

Model **S03013001**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03013001	Aluminium Tube	300 g	12	48

Bow Saw

Model **S03041021**

- Made of lightweight, high quality steel tubing for durability and easy handling
- Hardened steel blade with double ground teeth and rust-resistant coating stays sharpness and long life
- Innovative tensioning mechanism for high blade tension and straight cutting
- Easy, rapid blade change design;
- Ergonomics handle with knuckle protector provides comfort and safety;
- High impact paint protects frame from rust and corrosion
- Ideal for pruning or roofing work. Clear brush, prune hedges, cross cut branches, or slice logs etc...
- Suitable for a wide variety of uses including gardeners / builders/farmers / DIY enthusiasts etc...



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S03041021	Steel	21"	12	24
S03041024		24"	12	24
S03041030		30"	12	24



**Grease Gun****Model S06041001**

- High-strength and durable zinc alloy head
- Double exhaust release valve can quickly and effectively eliminate the extra air
- High-precision connecting rod design to prevent grease leakage
- Push and pull rod lock button, oiling more convenient
- T-shape handle with high hardness, durable, work with comfortable hand feel, and easy to operate
- Heavy duty spring ensure valve compress resistance, long life with free deformation, and guarantee the oil pressure effectively
- The end cap can open, easy to clean 600 cc capacity, 12000 psi pressure
- Applications: Cars, trucks, steamboat, grass cutter, tractor and other equipment



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06041001	Steel Body + Zinc Alloy Handle	600CC	1	12

**Hand Riveter****Model S06020095**


- Nonslip cushioned handle grips
- For single handed operation & repetitive tasks
- Heavy duty carbon steel head & lattice
- It's operating easy and light, with long life
- Replace nozzles: 2.4 mm (3/32"), 3.2 mm (1/8"), 4.0 mm (5/32"), 4.8 mm (3/16")



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06020095	Steel Body+TPR Handle	9.5"	10	40

**Hand Riveter****Model S06022105**

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06022105	Aluminium Alloy Body+PVC Handle	10.5"	6	36

**Hand Riveter****Model S06023105**

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06023105	Aluminum Alloy+PVC Handle	10.5"	6	24

**Heavy Duty Hand Riveter****Model S06024013**

Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06024013	AD12 Aluminium Alloy Head+A3 Steel+PVC Handle	13"	6	24

Lazy Tonghand Riveter

Model **S06025032**

- All- steel/ Solid Aluminium construction
- Nonslip cushioned handle grips
- Rivet heads and wrench store in handle
- Heavy duty riveter, with 40 rivets in four different sizes
- For single handed operation & repetitive tasks
- Heavy duty carbon steel head & lattice
- Used engineering plastic, it's operating easy and light, with long life
- Nozzle Size: 3.2mm, 4.0mm, 4.8mm, 6.0mm, 6.4mm



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06025032	Nyplon Head + A3 Carbon Steel	32"	1	10

Leather Punch

Model **S01140001**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S01140001	Steel + ABS	2.5-4.0 mm	1	48

Wrecking Bar

Model **S1803018**

- Forged from hex bar stock for ultimate strength
- Sharp, precisely-machined chisel ends slide into cracks and crevices
- High-leverage hook end with deep V nail slot
- Durable enamel finish resists rust and corrosion



Product Code	Material	Specification	Thickness	Qty/Ctn (pcs)
S1803018	65Mn Steel	450 mm / 18"	12 mm	10
S1803024		600 mm / 24"	15 mm	6
S1803030		750 mm / 30"	15 mm	6
S1803036		900 mm / 36"	15 mm	6

Caulking Gun With Aluminium Barrel

Model **S06014009**

- Replacement nozzles available
- Aluminium barrel single component applicator is for silicone sausage foiled pack
- Revolving frame allows barrel to rotate for maintaining bead orientation when caulking around corners
- Smooth pressure rod requires less force and is quieter than a ratchet-style pressure rod
- Aluminium barrel with ergonomics handle and trigger is lightweight and corrosion resistant



Product Code	Material	Specification	Qty/Ctn (pcs)
S06014009	Aluminium barrel Body +	9"	20
S06014015	Zinc Alloy Handle	15"	20

Heavy Duty 3 Way Staple Gun

Model **S06031001**

- Color paint coating surface
- Multifunctional design: apply to 3 different types of staples
- Steel construction keeps a long life time
- Adjustable driving force and quick jam release make sure every task professionally
- Staple remover for wiping off staples easily
- Adjustable impact control, high efficiency, heavy duty, easy carry
- The comfortable grip and easy squeeze operation allows for continual use with minimum fatigue



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06031001	A3 Steel	8 mm / 10 mm / 12 mm	6	24

Staples

Model **H0700101**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (box)
H0700101	Steel	8 x 1.2 x 0.6 mm	5000	30

Revolving Frame Caulking Gun

Model **S06011560**

- 9" Heavy-duty sealant caulking gun securely holds 10-ounce cartridges
- Corrosion-resistant Aluminium alloy handle & trigger
- Smooth rod with "U" hook
- Convenient rotating 360° swivel barrel
- Full sized handle for comfortable, efficient dispensing
- Double gripping plate technology for no slipping and long life



Product Code	Material	Specification	Qty/Ctn (pcs)
S06011560	Aluminium Handle + Steel Body	310 mm / 560 g	24

Half Round Caulking Gun

Model **S06012525**

- 9" Super Ratchet Rod Cradle Caulk gun
- Finger guard and nylon wrist strap
- Seal puncture tool and spout cutter built into side for opening cartridges without a knife
- Smooth pressure rod requires less force and is quieter than a ratchet-style pressure rod
- Rod retracts after each pull of the trigger to help prevent dripping



Product Code	Material	Specification	Qty/Ctn (pcs)
S06012525	Steel body + Powder Coating Surface	310 mm / 520 g	24

Parallel Frame Caulking Gun

Model **S06013370**

- Light, flexible, easy-to-operate
- Smooth, consistent, drip-free application
- Stores flat in a toolbox, out of the way
- Built-in ladder hook pull and cartridge puncture tool
- Designed and built for general use



Product Code	Material	Specification	Qty/Ctn (pcs)
S06013370	Aluminium Handle + Steel Body	310 mm / 370 g	24

Foam Gun

Model **S06050002**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06050002	Aluminium + Rubber	407 g	-	28

A5 Acetic Silicone Sealant

Model **S06063001**



Product Code	Material	Color	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06063001	88% Silicone Content	White	300 mL	12	24
S06063002		Black	300 mL	12	24
S06063003		Hyaline	300 mL	12	24

A6 Better Acetic Silicone Sealant


Model **S06063011**



Product Code	Material	Color	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06063011	95% Silicone Content	White	300 mL	12	24
S06063012		Black	300 mL	12	24
S06063013		Clear	300 mL	12	24

Screwdriver

Model **S05031503**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05031503	CrV, PP Handle	5 x 75 mm -	12	240
S05031604		6 x 100 mm -	12	180
S05031605		6 x 125 mm -	12	180
S05031606		6 x 150 mm -	12	180
S05031608		6 x 200 mm -	12	180
S05031806		8 x 150 mm -	12	120
S05031808		8 x 200 mm -	12	120

Screwdriver

Model **S05041503**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05041503	CrV, PP Handle	5 x 75 mm +	12	240
S05041604		6 x 100 mm +	12	180
S05041605		6 x 125 mm +	12	180
S05041606		6 x 150 mm +	12	180
S05041608		6 x 200 mm +	12	180
S05041806		8 x 150 mm +	12	120
S05041808		8 x 200 mm +	12	120

Screwdriver 2 in 1

Model **S05056125**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05056140	CrV, PP Handle	6.3 x 100 mm±	12	180
S05056125		6.3 x 125 mm±	12	180
S05056150		6.3 x 150 mm±	12	180
S05056200		6.3 x 200 mm±	12	180
S05056250		6.3 x 250 mm±	12	180
S05056300		6.3 x 300 mm±	12	180

Screwdriver Set

Model **S05081002**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05081002	CrV, PP Handle	6 x 100 mm ±	12	72

Screwdriver Set

Model **S05081006**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05081006	CrV, PP Handle	5 x 75 mm ± 6 x 100 mm ± 6 x 150 mm ±	12	48

Screwdriver

Model **S05106341**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05106341	CrV, PP Handle	H6.3 x 100 mm -	12	120
S05106351		H6.3 x 125 mm -	12	120
S05106361		H6.3 x 150 mm -	12	120
S05106381		H6.3 x 200 mm -	12	120
S05108061		H8 x 150 mm -	12	120
S05108081		H8 x 200 mm -	12	72
S05108101		H8 x 250 mm -	12	72

Screwdriver

Model **S05106342**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05106342	CrV, PP Handle	H6.3 x 100 mm +	12	120
S05106352		H6.3 x 125 mm +	12	120
S05106362		H 6.3 x 150 mm +	12	120
S05106382		H 6.3 x 200 mm +	12	120
S05108062		H8 x 150 mm +	12	120
S05108082		H8 x 200 mm +	12	72
S05108102		H8 x 250 mm +	12	72

Screwdriver

Model **S05093031**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05093031	CrV, PP Handle	3 x 75 mm -	12	720
S05093041		3 x 100 mm -	12	720
S05094031		4 x 75 mm -	12	720
S05094041		4 x 100 mm -	12	720
S05095031		5 x 75 mm -	12	360
S05095041		5 x 100 mm -	12	360
S05096041		6 x 100 mm -	12	180
S05096051		6 x 125 mm -	12	180
S05096061		6 x 150 mm -	12	180
S05096081		6 x 200 mm -	12	180
S05098061		8 x 150 mm -	12	120
S05098081		8 x 200 mm -	12	120

Screwdriver

Model **S05093032**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05093032	CrV, PP Handle	3 x 75 mm +	12	720
S05093042		3 x 100 mm +	12	720
S05094032		4 x 75 mm +	12	720
S05094042		4 x 100 mm +	12	720
S05095032		5 x 75 mm +	12	360
S05095042		5 x 100 mm +	12	360
S05096042		6 x 100 mm +	12	180
S05096052		6 x 125 mm +	12	180
S05096062		6 x 150 mm +	12	180
S05096082		6 x 200 mm +	12	180
S05098062		8 x 150 mm +	12	120
S05098082		8 x 200 mm +	12	120

8 pcs Ratchet Screwdriver Set

Model **S05140801**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05140801	PP + TPR Handle	1 pc 6.3 x 40 mm ratchet handle; 7 pcs bits: PH1, PH2, PH3, SL5, SL6, T15, T20	-	96

11 pcs Screwdriver Bit Set

Model **S05141101**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05141101	PP + TPR Handle	1 pc 6 x 75 mm ratchet handle; 10 pcs bits: SL3, SL4, SL5, SL6, PH0, PH1, PH2, PH3, PZ1, PZ1	-	96

Wooden Handle Wood Chisel

Model **S07011006**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S07011006	CrV	1 / 4" / 6 mm	6	72
S07011008		5 / 16" / 8 mm	6	72
S07011010		3 / 8" / 10 mm	6	72
S07011012		1 / 2" / 12 mm	6	72
S07011014		9 / 16" / 14 mm	6	72
S07011016		5 / 8" / 16 mm	6	72
S07011019		3 / 4" / 19 mm	6	72
S07011025		1" / 25 mm	6	72
S07011028		1 1 / 8" / 28 mm	6	72
S07011032		1 1 / 4" / 32 mm	6	72
S07011038		1 1 / 2" / 38 mm	6	72
S07011050		2" / 50 mm	6	72

Plastic Handle Wood Chisel

Model **S07021006**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S07021006	CrV	1 / 4" / 6 mm	6	72
S07021008		5 / 16" / 8 mm	6	72
S07021010		3 / 8" / 10 mm	6	72
S07021012		1 / 2" / 12 mm	6	72
S07021014		9 / 16" / 14 mm	6	72
S07021016		5 / 8" / 16 mm	6	72
S07021019		3 / 4" / 19 mm	6	72
S07021025		1" / 25 mm	6	72
S07021032		1-1 / 4" / 32 mm	6	48

Plastic Handle Wood Chisel Set

Model **S07026025**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S07026025	CrV	6, 12, 19, 25 mm	6	24

Half Round File

Model **S14010108**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S14010108	T12 Steel, PP + TPR Handle	8"	12	120
S14010110		10"	12	72
S14010112		12"	12	60

Flat File

Model **S14010208**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S14010208	T12 Steel, PP + TPR Handle	8"	12	120
S14010210		10"	12	72
S14010212		12"	12	60

Triangular File

Model **S14010308**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S14010308	T12 Steel, PP + TPR Handle	8"	12	120
S14010310		10"	12	72
S14010312		12"	12	60

Round File

Model **S14010408**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S14010408	T12 Steel, PP + TPR Handle	8"	12	120
S14010410		10"	12	72
S14010412		12"	12	60

Retractable Utility Knife

Model **S09011018**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S09011018	ABS + TPR, 1 Blade (SK5)	18 mm	12	144

Retractable Utility Knife

Model **S09011118**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S09011118	ABS + TPR, 3 Blades (SK5)	18 mm	12	144

Retractable Utility Knife

Model **S09011218**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S09011218	Zinc Alloy, 1 Blade (SK5)	18 mm	12	144

Retractable Utility Knife

Model **S09010018**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S09010018	ABS, 1 Blade (CK75)	18 mm	24	240

Retractable Utility Knife

Model **S09011301**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S09011301	Zinc Alloy, 1 + 3 Blades (SK5)	60 mm	12	96

Retractable Utility Knife

Model **S09011302**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S09011302	Aluminium Alloy, 1 + 3 Blades (SK5)	60 mm	12	144

Retractable Utility Knife

Model **S09011303**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S09011303	Aluminium Alloy, 1 + 3 Blades (SK5)	60 mm	12	144

Folding Utility Knife

Model **S09012001**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S09012001	ABS, 1 + 5 Blades (SK5)	60 mm	12	144

Folding Utility Knife

Model **S09012002**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S09012002	Zink alloy cover, 1 + 5 Blades(SK5)	60 mm	12	96

Folding Utility Knife

Model **S09012003**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S09012003	Aluminium Alloy, 1 + 3 Blades	60 mm	12	96

Knife Blade

Model **S09011000**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (box)
S09011000	Ck75	100 x 18 x 0.5 mm	10	280

T Type Knife Blade

Model **S09011001**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (box)
S09011001	SK5	61 x 18.9 x 0.6 mm	10	400

Razor Blade Scraper Tool with Bottom Bit S2

Model **S09031025**



Product Code	Material	Length	Qty/Ctn (pcs)
S09031025	Carbon Steel + ABS	25 cm	180

Razor Blade Scraper Tool with 5 pcs Blade

Model **S09017019**



Product Code	Material	Length	Qty/Ctn (pcs)
S09017019	Carbon Steel + ABS + TPR	19 cm	120

Razor Blade Scraper Tool

Model **S09022030**



Product Code	Material	Length	Qty/Ctn (pcs)
S09022030	Aluminium Alloy Head + Stainless Steel covered with ABS+ TPR Handle + Carbon Steel Blade	30 cm	60
S09022060		60 cm	60
S09022100		100 cm	60

Hand Tools Set 30 pcs

Model **S16010000**

- Multiple complete tools including measuring tape, hammer, pliers, wrenches, screw drivers, utility knife, knife blade, electrical tape, test pencil and hacksaw frame
- All the plier, screw driver and hammer made from heavy duty chrome-vanadium steel with ergonomic comfortable handle
- All tools is industrial grade
- Professional and durable tool set
- Heavy duty box case keep the tools well organized
- Easy storage and carrying



Product Code	Specification	Qty/Box (set)	Qty/Ctn (set)
S16010000	30 pcs	1	10

Hand Tools Set 200 pcs

Model **S16010200**

- Multi-purpose tools kit - Ideal for tackling all assembly maintenance, repair projects, and little emergencies around the house, office or garage, etc.
- Longer service life-Complete tool set is adopted excellent materials and technology
- Comprehensive assortment - 200 PCS tool set. It includes a hammer, level, auto lock tape measure, pliers, screwdriver, wrenches, cable ties, a utility knife and much more
- Easy storage and carrying - Heavy duty box case keep the tools well organized



Product Code	Specification	Qty/Box (set)	Qty/Ctn (set)
S16010200	200 pcs	1	4

Tools Box

Model **S12020420**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S12020420	Material: A3 Steel Surface: Paint Spraying Thickness: 0.5 mm	420 x 200 x 200 mm	1	6
S12020560		560 x 200 x 210 mm	1	2

Heavy Duty Ratchet Tie-Down Strap

Model **S12010208**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S12010208	100% High Polyester	2" x 8 m	1	10
S12010212		2" x 12 m	1	10

Heavy Duty Ratchet Tie-Down Strap

Model **S12010209**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S12010209	100% High Polyester	2" x 9 m	1	12

Lifting Sling Strap

Model **S12020205**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S12020205	100% Polyester	2" x 5 m	1	30

Quick Release F-Clamp

Model **S19051006**



Product Code	Material	Specification	Qty/Ctn (pcs)
S19051006	Nylon + Steel	6"	48
S19051008		8"	48
S19051010		10"	36
S19051012		12"	36
S19051018		18"	24
S19051024		24"	24

Heavy Duty G Style Clamps

Model **S19060001**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S19060001	Cast Iron + A3 Steel	1"	12	144
S19060002		2"	12	72
S19060003		3"	6	36
S19060004		4"	6	36
S19060005		5"	6	30
S19060006		6"	6	24
S19060008		8"	6	12
S19060010		10"	5	10
S19060012		12"	5	10

Bench Vise

Model **S19070003**

- **High-Grade Cast Iron Construction:** Manufactured with durable high-grade cast iron, ensuring exceptional strength and longevity for any project undertaken on your workbench or shop bench
- **Smooth and Easy Operation:** Equipped with a chrome-plated spindle and nut, allowing for effortless use and quick release when working with various materials such as wood and pipes
- **Corrosion-Resistant Powder Coating:** The table clamp is powder-coated, providing high corrosion resistance and ensuring reliable performance even in harsh conditions



Product Code	Specification	Anvil Size	Max Opening	Qty/Ctn (pcs)	N.W. (kg)
S19070003	3"	60 x 60 mm	75 mm	4	4.60
S19070004	4"	69 x 69 mm	90 mm	4	6.00
S19070005	5"	86 x 86 mm	115 mm	2	10.00
S19070006	6"	96 x 96 mm	140 mm	1	14.50
S19070008	8"	121 x 121 mm	190 mm	1	24.00
S19070010	10"	135 x 135 mm	200 mm	1	40.00
S19070012	12"	150 x 150 mm	250 mm	1	52.00

Glass Suction Cup

Model **S21010001**



Product Code	Material	Horizontal Suction	Vertical Suction	Diameter	Qty/Ctn (pcs)
S21010001	Aluminium alloy + Rubber	50 kg	40 kg	123 mm	20

Glass Suction Cup

Model **S21010002**



Product Code	Material	Horizontal Suction	Vertical Suction	Diameter	Qty/Ctn (pcs)
S21010002	Carbon Steel + Rubber	150 kg	120 kg	150 mm	10

Glass Suction Cup

Model **S21010003**



Product Code	Material	Horizontal Suction	Vertical Suction	Diameter	Qty/Ctn (pcs)
S21010003	Carbon Steel + Rubber	200 kg	160 kg	150 mm	10

Heavy Duty Suction Cup

Model **S21020001**



Product Code	Material	Max Load Capacity	Diameter	Qty/Ctn (pcs)
S21020001	Rubber + NY	200 kg	200 mm	10

Heavy Duty Suction Cup

Model **S21020101**



Product Code	Material	Max Load Capacity	Diameter	Qty/Ctn (pcs)
S21020101	Rubber + NY	160 kg	200 mm	10

Electric Suction Cup

Model **S21020201**



Product Code	Material	Max Load Capacity	Diameter	Power Source	Qty/Ctn (pcs)
S21020201	Rubber + NY	220 kg	200 mm	Battery	10

Paint Brush (Wooden Handle)

Model **S13102010**

- Durable and easy to clean
- Hold enough paint and no splatter
- High quality products are preferred by industry users
- Great utility brushes for use with most paints, stains, varnish, acrylic and gesso
- The premium filaments provide a smooth, even release: more finesse and precision
- Clean and smooth handle with easy hanging hole, reasonable design and easy to work



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S13102010	1"	24	360
S13102015	1.5"	24	288
S13102020	2"	12	240
S13102025	2.5"	12	192
S13102030	3"	12	144
S13102040	4"	12	72

Paint Brush (Plastic Handle)

Model **S13103010**



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S13103010	1"	24	360
S13103015	1.5"	12	288
S13103020	2"	12	240
S13103025	2.5"	12	192
S13103030	3"	12	144
S13103040	4"	12	72

Paint Brush

Model **S13101403**

- Plastic grips comfortable to hold
- Faster application of stains, sealers and paints for decks, fence, railing



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S13101403	3x14 cm	12	96
S13101404	4x14 cm	12	72

Paint Roller (White)

Model **S13111007**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13111007	7"	12 mm	1	48
S13111009	9"	12 mm	1	48

Paint Roller (Double Blue Stripes)

Model **S13111017**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13111017	7"	12 mm	1	48
S13111019	9"	12 mm	1	48

Paint Roller (Blue-Gray Stripes)

Model **S13111027**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13111027	7"	18 mm	1	48
S13111029	9"	18 mm	1	48

Paint Roller (Yellow-Black Tiger Stripes)

Model **S13111039**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13111039	9"	13 mm	1	48

Paint Roller (Yellow-Blue Stripes)

Model **S13111046**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13111046	7"	20 mm	1	48
S13111049	9"	20 mm	1	48

Paint Roller (Color Stripes)

Model **S13111057**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13111057	7"	18 mm	1	48
S13111059	9"	18 mm	1	48

Paint Roller (Single Yellow Stripe)

Model **S13111014**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13111014	7"	12 mm	1	48
S13111099	9"	12 mm	1	48

Paint Roller (Green)

Model **S13111069**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13111069	9"	18 mm	1	48

Paint Roller (Yellow-Black Tiger Stripes)

Model **S13111039**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13111089	9"	20 mm	1	60

Paint Roller (Single Yellow Stripe)


Model **S13112014**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13112014	4"	12 mm	1	120

Paint Roller (Red-Gray Stripes)

Model **S13112004**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13112004	4"	12 mm	1	120

Mini Roller Covers Set (Red-Gray Stripes)


Model **S13119004**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (set)
S13119004	4"	12 mm	10	50

Paint Roller (White)

Model **S13112005**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (pcs)
S13112005	4"	12 mm	1	120

Mini Roller Covers Set (White)

Model **S13119005**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (set)
S13119005	4"	5 mm	10	50

Mini Roller Covers Set (Single Yellow Stripe)

Model **S13119014**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (set)
S13119014	4"	12 mm	10	50

Mini Roller Covers Set (Green-Gray Stripes)

Model **S13114004**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (set)
S13114004	4"	12 mm	6	48

Mini Roller Covers Set (White Wool)

Model **S13119015**



Product Code	Specification	Bristle Height	Qty/Box (pcs)	Qty/Ctn (set)
S13119015	4"	4 mm	10	50

9 pcs Roller Brush Set

Model **S13121009**

- A complete kit perfect for all interior and exterior projects:
- Proper Paint Pick Up and Release Evenly for all Paints and Stains
- Perfect on Smooth, Semi-gloss Surfaces and Rough Walls. Ideal Interior/ Exterior
- Painting Tools: Big tray with wells for brush storage



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S13121009	Microfiber	9 pcs US model	1	10
S13122009		9 pcs EU model	1	10

20 pcs Roller Brush Set

Model **S13121020**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S13121020	Microfiber	20 pcs US model	1	10
S13122020		20 pcs EU model	1	10

25 pcs Roller Brush Set

Model S13121025



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S13121025	Microfiber	25 pcs US model	1	10
S13122025		25 pcs EU model	1	10

 Plastering Trowel

Model H0400313



Product Code	Material	Specification	Teeth	Qty/Ctn (pcs)
H0400313	0.7 mm Thick Steel ABS handle Aluminium connecting rod	360 x 120 mm	Without	60
H0400314		500 x 130 mm	Without	48
H0400315		600 x 130 mm	Without	48
H0400320		280 x 120 mm	Without	60
H0400321		280 x 120 mm	With	60
H0400324		500 x 130 mm	With	48

 Plastering Trowel

Model H0400311



Product Code	Material	Specification	Teeth	Qty/Ctn (pcs)
H0400307	0.7 mm Thick Steel Soft ABS+TPR Handle	300 x 120 mm	Without	60
H0400308		400 x 120 mm	Without	60
H0400309		500 x 130 mm	Without	48
H0400310		600 x 130 mm	Without	48
H0400311		500 x 130 mm	With	48
H0400312		600 x 130 mm	With	48
H0400316		300 x 120 mm	With	48
H0400317		400 x 130 mm	With	48
H0400318		280 x 120 mm	Without	48
H0400319		280 x 120 mm	With	48

Bricklaying Trowel

Model H0400300

- Made of heat-treated high carbon steel for supreme strength,durable and wear resistant
- Adopting 1.2mm thick steel plates
- First-grade wood grip is ergonomically designed to provide comfort and finger protection
- Fully polished blade, easy to clean after use
- Applicable to smoothing walls, home decoration, building bricks, laying bricks



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
H0400300	Carbon steel first-grade wood handle	18 cm	12	72
H0400301		20 cm	12	72
H0400302		22 cm	12	72

Putty Knife

Model **S13011010**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S13011010	0.7mm Thick Carbon Steel Beech Handle	1"	12	240
S13011015		1.5"	12	240
S13011020		2"	12	240

Putty Knife

Model **S13011025**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S13011025	0.7mm Thick Carbon Steel Beech Handle	2.5"	12	240
S13011030		3"	12	240
S13011040		4"	12	240
S13011050		5"	12	240

Wooden Handle Scraper

Model **S13061006**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S13061006	0.5mm Satinless Steel Blade Beech Handle	6"	6	120
S13061008		8"	6	120
S13061010		10"	6	60
S13061012		12"	6	60
S13061014		14"	6	60

Plastic Handle Scraper

Model **S13052006**

- High-Quality Material: Made of high-quality 0.5 mm stainless steel, no rust/tarnishing /corrosion or damage
- Multi-Size:Scraper, Blade width: 6 inch, 8 inch,10 inch, 12 inch,14 inch and 16 inch. They can meet different demands
- Ergonomic Handle Design: Unique two-color plastic handle,novel style and comfortable grip
- Multi-Purpose: Ideal for stripping wallpaper, painting, filling cracks & repairing holes



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S13052006	0.5 mm Stainless Steel	6"	12	96
S13052008		8"	12	96
S13052010		10"	12	96
S13052012		12"	12	48
S13052014		14"	12	48
S13052016		16"	12	48

Voltage Tester

Model **S05160001**

- Parameter:Test Voltage: 100-500 V; Circuit Type: AC/DC; Display Mode: Neon Tube; Test Head Type:Flat head; Special Function: Slotted Screwdriver;Total Length: 140 mm / 5.51"; Pole Length:40 mm / 1.57"
- Material: CR-V chrome vanadium steel material/anti-drop insulation ABS material / high hardness
- Neon Tube Light Display: The neon tube light of the circuit pen will light when the pen detects voltage; The higher the voltage, the brighter the neon tube light
- How to Use: When you use the voltage test electroprobe, before testing, it is necessary to insert the screwdriver to the bottom, hold the finger against the end of the handle. The neon tube turns light when there is electricity and operate safely.
- Two Usage: Two kinds of applications, one for measuringcircuit electrical pen and the other for screwdriver
- Warm Tips: AC circuit tester light detector is for indoor use only and to avoid strong light



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S05160001	CrV + ABS	140 mm	30	600



Universal PU Foam

Model S06070750

- A complete kit perfect for all interior and exterior projects
- Proper Paint Pick Up and Release Evenly for all Paints and Stains
- Perfect on Smooth, Semi-gloss Surfaces and Rough Walls. Ideal Interior/ Exterior
- Painting Tools: Big tray with wells for brush storage



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S06070750	Polyurethane	750 mL	1	12



Sprayer

Model R23020002



Product Code	Capacity	Max pressure	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
R23020002	2 L	80 psi	PP	1	20



Sprayer Manual Only

Model R23010016



Model	Capacity	Max pressure	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
R23010016	16 L	80 psi	PP	1	1



High Pressure Water Gun

Model W9930001



Product Code	Carton Size	Qty/Ctn (pcs)
W9930001	56 x 33 x 40 cm	60

High Pressure Water Gun

Model **W9930002**



Product Code	Carton Size	Qty/Ctn (pcs)
W9930002	56 x 33 x 40 cm	50

LED Bulb

Model **T0200006**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
T0200006	Diamond edition; Aluminium-clad plastic construction; independent constant-current driver	5w	1	100
T0200010		10w	1	100
T0200015		15w	1	100
T0200020		20w	1	100
T0200030		30w	1	50
T0200040		40w	1	40
T0200050		50w	1	30
T0200060		60w	1	20

LED Bulb

Model **T0210005**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
T0210005	A-bulb style linear light, plastic-clad Aluminium construction	5W A50 E27	1	100
T0210007		7W A60 E27	1	100
T0210009		9W A60 E27	1	100
T0210012		12W A65 E27	1	100
T0210015		15W A70 E27	1	100
T0210018		18W A80 E27	1	100

LED Bulb

Model **T0210005**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
T0220020	Premium-style DOB LED light, plastic material	20W T80 E27	1	50
T0220030		30W T100 E27	1	50
T0220040		40W T115 E27	1	40
T0220050		50W T120 E27	1	30

Plate Cutter

Model **00500194**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
00500194	Steel	1	50

Pipe Threader Set

Model **D1000120**



Product Code	Material	Specification	Qty/Ctn (pcs)
D1000120	Steel	3 pcs (1/2", 3/4", 1")	4
D1000123		4 pcs (1/2", 3/4", 1", 1-1/2")	4
D1000121		5 pcs (1/2", 3/4", 1", 1-1/2", 2")	2
D1000124		6 pcs (1/2", 3/4", 1-1/2", 2", 2-1/2")	2

Die Head

Model **D1000100**



Product Code	Material	Specification	Qty/Ctn (pcs)
D1000100	Steel	1/2"	30
D1000101		3/4"	30
D1000102		1"	30
D1000104		1-1/2"	10
D1000105		2"	10

PVC Lay Flat Hose

Model **W9802390**



Product Code	Material	Specification	Qty/Ctn (pcs)
W9802390	PVC	2", 3 Bar, 90 m	1
W9803390		3", 3 Bar, 90 m	1

Tile Cutter

Model **S15010060**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S15010060	Aluminium head	60 cm	1	2
S15010080		80 cm	1	2
S15010100		100 cm	1	2
S15010120		120 cm	1	2

Tile Cutter

Model **S15011080**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S15011080	Steel Head	80 cm	1	2
S15011100		100 cm	1	2
S15011120		120 cm	1	2

Tile Cutter

Model **S15020080**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S15020080	Aluminium head	80 cm	1	2
S15020100		100 cm	1	2
S15020120		120 cm	1	2

Tile Cutter

Model **S15030800**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S15030600	Aluminium head	60 cm	1	2
S15030800		80 cm	1	2
S15031000		100 cm	1	2
S15031200		120 cm	1	2
S15031600		160 cm	1	1
S15031800		180 cm	1	1

Tile Cutter

Model **S15040600**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S15040600	Aluminium head	60 cm / 2.5 mm	1	2
S15040800		80 cm / 2.5 mm	1	2
S15041000		100 cm / 2.5 mm	1	2

Tile Cutter

Model **H1100121**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
H1100121	Steel + Aluminium head	80 cm	1	2
H1100122		100 cm	1	2
H1100120		120 cm	1	2

Tile Cutter Wheel

Model **E0500103**



Product Code	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
E0500103	20000 m	1	250
E0500104	50000 m	1	250
E0500105	80000 m	1	500

Hydraulic Bottle Jack

Model **S1200002T**



Product Code	Capacity	Min Height	Lifting Height	Adjust Height	Max Height	Packing Quantity	Inner Box Size (cm)	Outer Box Size (cm)
S1200002T	2T	150 mm	80 mm	55 mm	285 mm	10	11 x 10 x 16	52 x 23.5 x 17.5
S1200004T	4T	195 mm	125 mm	60 mm	380 mm	8	12.5 x 11 x 21	46 x 26.5 x 22.5
S1200006T	6T	197 mm	125 mm	60 mm	382 mm	6	13 x 12 x 21	38 x 27.5 x 22.5
S1200008T	8T	205 mm	125 mm	60 mm	390 mm	4	14 x 13 x 21	29.5 x 27.5 x 22.5
S1200010T	10T	205 mm	125 mm	60 mm	390 mm	4	14.5 x 14 x 22.5	30.5 x 29.5 x 24
S1200012T	12T	215 mm	125 mm	60 mm	400 mm	2	15 x 14.5 x 22.5	30.5 x 16.5 x 24
S1200016T	16T	225 mm	140 mm	60 mm	425 mm	2	15.5 x 15 x 23	31.5 x 17 x 24.5
S1200020T	20T	244 mm	145 mm	60 mm	449 mm	2	18 x 16.5 x 25.5	34.5 x 19.5 x 27
S1200032T	32T	285 mm	180 mm	-	465 mm	2	18 x 18 x 29.5	37.5 x 19.5 x 31
S1200050T	50T	255 mm	150 mm	-	405 mm	1	23.5 x 21.5 x 29	23 x 21 x 29

Hydraulic Floor Jack

Model **S1201020T**



Product Code	Capacity	Min Height	Lifting Height	Max Height	Packing Quantity	Outer Box Size (cm)
S1201020T	2T	135 mm	200 mm	335 mm	1	45.5 x 21 x 14.5 cm
S1201025T	2.5T	85 mm	300 mm	385 mm	1	58 x 24 x 16 cm
S1201030T	3T	75 mm	425 mm	500 mm	1	78 x 37.5 x 17.5 cm
S1202030T	3T	80 mm	428 mm	508 mm	1	82 x 38 x 20 cm

Steel Jack Auto Stands

Model **S12050030**



Product Code	Material	Specification	Size	Qty/Ctn (pcs)
S12050030	Steel Plate	High: 275-415 mm	N.W. 4.8 kg	3T
S12050060		High: 360-585 mm		6T

Folding Aluminium Ladder

Model **S17010402**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S17010702	Aluminium+0.8mm thickness	7 x 2	1	2
S17010802		8 x 2	1	2
S17010902		9 x 2	1	2
S17011002		10 x 2	1	2

Folding Aluminium Ladder (Home A)

Model **S17020003**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S17020003	Aluminium + 1.0mm thickness	3	1	2
S17020004		4	1	2
S17020005		5	1	2
S17020006		6	1	2
S17020007		7	1	2
S17020008		8	1	2
S17020009		9	1	2
S17020010		10	1	2



Folding Aluminium Ladder (Home B)

Model S17030003



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S17020003	Aluminium + 1.0 mm thickness	3	1	2
S17020004		4	1	2
S17020005		5	1	2
S17020006		6	1	2
S17020007		7	1	2
S17020008		8	1	2
S17020009		9	1	2
S17020010		10	1	2



Multi-Purpose Aluminium Folding Ladder

Model S17040304



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S17040304	Aluminium + 1.5 mm thickness	4 x 3	1	1
S17040404		4 x 4	1	1
S17040504		4 x 5	1	1
S17040604		4 x 6	1	1
S17040704		4 x 7	1	1



Folding Aluminium Ladder (D)

Model S17050003



Product Code	Material	Specification	Qty/Ctn (pcs)
S17050002	Aluminium + 0.75 mm thickness	2	5
S17050003		3	5
S17050004		4	5
S17050005		5	5
S17050016		6	5
S17050017		7	5



Multi-Purpose Metal Ladder

Model S17070003



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S17070002	Metal+ 0.8 mm thickness	2 steps	4	1
S17070003		3 steps	4	1
S17070004		4 steps	4	1
S17070005		5 steps	4	1
S17070006		6 steps	4	1
S17070007		7 steps	4	1

Multi-Purpose Aluminium Extension Ladder

Model **S17080026**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S17080026	Aluminium + 1.5 mm thickness	2.6 m / 9 step	1	1
S17080032		3.2 m / 11 step	1	1
S17080041		4.1 m / 14 step	1	1
S17080050		5 m / 13 step	1	1
S17080062		6.2 m / 16 step	1	1

Multi-Purpose Aluminium Extension Ladder

Model **006RZT01**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
S17080016	Aluminium + 1.5 mm thickness	1.6 x 1.6 mm	1	1
S17080022		2.2 x 2.2 mm	1	1
S17080025		2.5 x 2.5 mm	1	1
S17080028		2.8 x 2.8 mm	1	1
S17080038		1.9 x 1.9 mm	1	1
S17080040		4.0 x 4.0 mm	1	1
S17080048		4.8 x 4.8 mm	1	1
S17080132		3.2 x 3.2 mm	1	1

Wheel Barrow

Model **S18081001**



Product Code	Material	Specification	Qty/Ctn (pcs)
S18081001	Steel + TPR	Max Load: 130 kg Water Capacity: 65 L Sand Capacity: 5 CBF	1

Safety Helmet

Model **G0700003**



Product Code	Material	Specification	Weight	Qty/Box (pcs)	Qty/Ctn (pcs)
G0700003	Pure Fresh ABS	4 Points Suspension Adjustable Ratchet Knob Adjustable Chin Strap Foamed Sweatband	340 g ± 10 g	1	50

Safety Helmet

Model **G0700004**



Product Code	Material	Specification	Weight	Qty/Box (pcs)	Qty/Ctn (pcs)
G0700004	Pure Fresh ABS	4 Points Suspension Adjustable Ratchet Knob Adjustable Chin Strap Foamed Sweatband	340 g ± 10 g	1	50

Gas Mask

Model **G0200401**



Product Code	Material	Weight	Qty/Box (pcs)	Qty/Ctn (pcs)
G0200401	PP, PVC, activated carbon, elastic band	-	-	1
G0200510	PP, PVC, activated carbon, elastic band	-	-	1
G0200511	PP, PVC, activated carbon, elastic band	-	-	1

Gas Mask

Model **G0200402**



Product Code	Material	Weight	Qty/Box (pcs)	Qty/Ctn (pcs)
G0200402	PP, PVC, activated carbon, elastic band	-	-	2

Gas Powder

Model **G0200411**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0200411	PP + Activated Carbon	6	300

Ear Covers

Model **G0200817**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0200817	ABS + POM	-	50

PVC Protective Face Shield

Model **G0200703**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0200703	PE Overhead	10	40

Non-woven Fabric Facemask

Model **G0200201**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0200201	Non-woven fabric	50	1000

Non-woven Fabric Facemask FFP2

Model **G0200205**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0200205	FFP2 non-woven fabric	20	400

Retractable Protectiveglasses

Model **G0300301**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0300301	PC lenses, nylon frames	10	200

Frameless Lightweight Protective Glasses

Model **G0300303**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0300303	PC lenses, PC frames	10	200

New Protective Glasses

Model **G0300305**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0300305	PC lenses, frames, rubber-tipped temples	10	200

Black Goggles

Model **G0300309**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0300309	PC lenses, nylon temples, scratch-resistant coating	10	200

Clear Lens Goggles With Blue Temples

Model **G0300314**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0300314	PC lenses, nylon temples, scratch-resistant coating	10	200

PVC Ski Goggles

Model **G0300315**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0300315	PC lens, PVC frame, elastic strap; anti-scratch coating included	6	60

Regular Eye Protection Glasses

Model **G0300320**



Product Code	Material	Qty/Box (pcs)	Qty/Ctn (pcs)
G0300320	PC lens, PVC frame, elastic strap	10	100

Latex Coated Gloves

Model **G0100225**



Product Code	Material	Specification	Weight	Qty/Box (pcs)	Qty/Ctn (pcs)
G0100225	13 Gauge Polyester	10" Latex Coated Crinkle Finished	105 g	12	120

Welding Gloves

Model **G0100088**



Product Code	Material	Specification	Weight	Qty/Box (pcs)	Qty/Ctn (pcs)
G0100088	Cow Split Leather + Canvas	10" No Lining	195 g / Pair	12	120

Latex Coated Gloves

Model **G0100235**



Product Code	Material	Specification	Weight	Qty/Box (pcs)	Qty/Ctn (pcs)
G0100235	13 Gauge Polyester	10" Latex Coated Crinkle Finished	60 g / Pair	12	600

Latex Gloves

Model **G0100005**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0100005	Latex	70 g	12	600

Latex Gloves

Model **G0100057**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0100057	Latex	70 g	12	600

Latex Gloves

Model **G0100060**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0100060	Latex	100 g	12	600

Latex Gloves

Model **G0100237**



Product Code	Material	Quantity Per Bundle (Pairs)	Quantity Per Carton (Pairs)
G0100237	Latex	12	240
G0100238		12	120

Safety Vest Neon Yellow

Model **G0508030**



Product Code	Material	Weight	Specification
G0508030	120 g Woven Fabric	120 g	L
G0508031		120 g	XL
G0508032		120 g	XXL
G0508033		120 g	XXXL



Safety Vest Orange

Model **G0502030**

Product Code	Material	Weight	Specification
G0502030	120 g Woven Fabric	120 g	L
G0502031		120 g	XL
G0502032		120 g	XXL
G0502033		120 g	XXXL



Safety Vest Red

Model **G0503030**

Product Code	Material	Weight	Specification
G0503030	120 g Woven Fabric	120 g	L
G0503031		120 g	XL
G0503032		120 g	XXL
G0503033		120 g	XXXL



Safety Vest Dark Blue

Model **G0504030**

Product Code	Material	Weight	Specification
G0504030	120 g Woven Fabric	120 g	L
G0504031		120 g	XL
G0504032		120 g	XXL
G0504033		120 g	XXXL



Safety Vest Light Blue

Model **G0505030**

Product Code	Material	Weight	Specification
G0505030	120 g Woven Fabric	120 g	L
G0505031		120 g	XL
G0505032		120 g	XXL
G0505033		120 g	XXXL

Rain Suit

Model **G0600035**



Product Code	Material	Specification	Qty/Ctn (pcs)
G0600037	Hot Pressed Knitted Fabric	XL	20
G0600035		XXL	20
G0600036		XXXL	20

Tool Bag

Model **G0800015**



Product Code	Inch	Number of Pockets (pcs)	Max load (kg)	Size (L*W*H)	Carton Size(cm)	Qty/Ctn (pcs)
G0800015	15"	16	26	35 × 21 × 28 cm	52 × 47 × 65	25
G0800018	18"	16	26.5	41 × 24 × 30 cm	52 × 47 × 65	20
G0800020	20"	16	25	46 × 26.5 × 33 cm	64×50x 51.5	15
G0800023	23"	16	28	49 × 27 × 34 cm	64×53 x51.5	15

13 inch Oxford Fabric Waist Pack

Model **G0800013**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0800013	Water proof oxford cloth	13"	1	30

16 inch Oxford Fabric Waist Pack

Model **G0800016**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0800016	Water proof oxford cloth	16"	1	25

Oxford Fabric Tool Pouch Small Size

Model **G0800210**



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
G0800210	Water proof oxford cloth	210 × 210 × 190	1	50

Oxford Fabric Tool Pouch Middle Size

Model **G0800250**



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
G0800250	Water proof oxford cloth	250 x 250	1	50

Oxford Fabric Waist Pack

Model **G0800560**



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
G0800560	Water proof oxford cloth	550 x 200	1	50

Oxford Fabric Waist Pack

Model **G0800570**



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
G0800570	Water proof oxford cloth	570 x 160 x 190	1	50

Oxford Fabric Waist Pack

Model **G0800565**



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
G0800565	Water proof oxford cloth	565 x 170 x 135	1	50

Oxford Fabric Waist Pack

Model **G0801560**



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
G0801560	Water proof oxford cloth	565 x 165 x 190	1	50

Oxford Fabric Waist Pack

Model **G0801565**



Product Code	Material	Specification (mm)	Qty/Box (pcs)	Qty/Ctn (pcs)
G0801565	Water proof oxford cloth	565 x 165 x 190	1	50

Safety Shoes

Model **G0400016**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0400016	Grain Leather & Rubber	39-46	1	10

Safety Shoes

Model **G0400065**



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0400065	SBP	39-46	1	10

Safety Shoes

Model **G04086138**

- Outsole Material: Rubber
- Upper Material: Suede Leather Leather
- Steel Toe Cap Thickness: 1.0 mm
- Steel Midsole Thickness: 0.3 mm
- Oil Resistant, Anti-Slip, Anti-Smash



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G04086138	Leather & Synthetic	38-46	1	10

Safety Shoes

Model **G04086238**

- Outsole Material: Rubber
- Upper Material: Suede Leather Leather
- Steel Toe Cap Thickness: 1.0 mm
- Steel Midsole Thickness: 0.3 mm
- Oil Resistant, Anti-Slip, Anti-Smash



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G04086238	Leather & Synthetic	38-46	1	10

Safety Shoes

Model **G04091039**

- High quality leather offers excellent breathability
- Lining provides comfort and support, absorbs and wicks away moisture
- PU Slip-resistant outsole to provide beter grip on slippery surfaces
- Comfortable,wear-resistant,anti-slip,anti-static, heat-resistant, oil/acid/alkali resistant optional



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G04091039	Leather & Synthetic	38-46	1	10

Safety Shoes

Model **G04091939**

- High quality leather offers excellent breathability
- Lining provides comfort and support, absorbs and wicks away moisture
- PU Slip-resistant outsole to provide beter grip on slippery surfaces
- Comfortable,wear-resistant,anti-slip,anti-static, heat-resistant, oil/acid/alkali resistant optional



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G04091939	Leather & Synthetic	38-46	1	10

Safety Shoes

Model **G04091139**

- High quality leather offers excellent breathability
- Lining provides comfort and support, absorbs and wicks away moisture
- PU Slip-resistant outsole to provide beter grip on slippery surfaces
- Comfortable,wear-resistant,anti-slip,anti-static, heat-resistant, oil/acid/alkali resistant optional



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G04091139	Leather & Synthetic	38-46	1	10

Safety Shoes

Model **G04091239**

- High quality leather offers excellent breathability
- Lining provides comfort and support, absorbs and wicks away moisture
- PU Slip-resistant outsole to provide beter grip on slippery surfaces
- Comfortable,wear-resistant,anti-slip,anti-static, heat-resistant, oil/acid/alkali resistant optional



Product Code	Material	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G04091239	Leather & Synthetic	38-46	1	10

Safety Rain Boots

Model **G0400320**



Product Code	Material	Thickness (mm)	Steel Midsole Thickness(mm)	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0400320	Material: PVC Steel Toe Cap 100% Waterproof Anti-Slip Outsole	1	0.5	38	1	10
G0400321		1	0.5	39	1	10
G0400322		1	0.5	40	1	10
G0400323		1	0.5	41	1	10
G0400324		1	0.5	42	1	10
G0400325		1	0.5	43	1	10
G0400326		1	0.5	44	1	10
G0400327		1	0.5	45	1	10
G0400328		1	0.5	46	1	10

Rain Boots without Iron

Model **G0430139**



Product Code	Material	Length (cm)	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0430139	PVC	20	39	1	15
G0430140		20	40	1	15
G0430141		20	41	1	15
G0430142		20	42	1	15
G0430143		20	43	1	15
G0430144		20	44	1	15
G0430145		20	45	1	15
G0430146		20	46	1	15

Rain Boots

Model **G0410140**



Product Code	Material	Length(cm)	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0410140	PVC	38	40	1	10
G0410141		38	41	1	10
G0410142		38	42	1	10
G0410143		38	43	1	10
G0410144		38	44	1	10
G0410145		38	45	1	10

Short Rain Boots

Model **G0410140**



Product Code	Material	Length (cm)	Specification	Qty/Box (pcs)	Qty/Ctn (pcs)
G0420139	PVC	31.5	39	1	10
G0420140		31.5	40	1	10
G0420141		31.5	41	1	10
G0420142		31.5	42	1	10
G0420143		31.5	43	1	10
G0420144		31.5	44	1	10
G0420145		31.5	45	1	10
G0420146		31.5	46	1	10



Chapter

4

GLOBAL MARKET LAYOUT

@ SALI Global



Facebook



Twitter



Instagram



YouTube



TikTok



WeChat



CONTACT SALI

ZHEJIANG SALI ABRASIVE TECHNOLOGY CO., LTD

 7th Floor, Futian Ginza-B, Yiwu City, Zhejiang Province, China.

 www.salitools.com www.sali-group.com

Rick

WhatsApp / WeChat

+86 133 8589 6022

Lily

WhatsApp / WeChat

+86 136 2679 0828

Amy

WhatsApp / WeChat

+86 188 6758 7348

Jason

WhatsApp / WeChat

+86 135 1698 4545



5

On 5
continents

160

More than 160 countries
and regions

45

45 national
agent

GLOBAL PARTNERS





GLOBAL Exhibition Hall



Sri Lanka



Turkmenistan



Mauritius



Ethiopia



Russia



Russia



Uzbekistan



Uzbekistan



Saudi Arabia



Kuwait



Kuwait



Afghanistan



Romania

GLOBAL PUBLIC WELFARE & CHARITY

"Love Knows No Bounds". In November 2019, SALI, together with its Ethiopian national agent, carried out a material donation activity for the Ethiopian community.



During the epidemic at the beginning of 2020, SAL donated a total of 128,000 KN95 masks and 50,000 disposable masks with a market value of 4 million yuan for free. The deeds were prominently reported by the "Morning News" program of China Central Television (CCTV), and Ms. Li Aizi, the General Manager, was honored to be listed on the "Good People in China" list released by the Central Spiritual Civilization Construction Office!





December 15-25, 2025: SALI conducted a 10-day free food and beverage donation in Mozambique, benefiting thousands of families.



December 2025: SALI donated a large quantity of daily necessities and toys to an orphanage in Côte d'Ivoire, helping children enjoy a happy and healthy childhood.



December 2025: SALI and its Ethiopian agent jointly established a "Charity Fund" to support the agent's local philanthropic endeavors.