




浙江合鸿工具股份有限公司
Zhejiang Hehong tools Co.,Ltd

Address: No.1186 Songshi West Road, Chengxi Industry Area, Yongkan, Jinhua, Zhejiang Province, China
Tel: 0086-579-89051580
Email: info@hehongtools.com
Webesite: www.hanakawatools.com



HANAKAWA
哈 纳 卡 瓦

HANAKAWA





专注园林工具产业超20年 (2006年至今)
Focused on the garden tool industry for over 20 years (2006 to present)





公司简介

浙江合鸿工具股份有限公司，成立于2006年。坐落于中国五金之都——浙江永康。注册资本超壹仟万元，占地1.1万平方米。生产面积2万平方米。是一家执着于园林工具研发、生产、销售为一体的民营企业。主要产品涵盖汽油链锯、割灌机（修剪机）、绿篱机、地钻等园林工具。

合鸿依托中国五金之都区域及产业优势，采用差异化战略，根据特定市场的适用性，聘请高素质研发，生产管理，销售拓展人才。卓越品质源自以人为本的经营理念。定期为一线员工提供专业技能培训，从而使其操作技能得以提高。工厂现有员工500余人，具有二十多年丰富研发经验的高级工程师。可以满足不同客户定制开发，贴牌生产之需求。

公司拥有美国进口加工中心20台，注塑机7台，铝压铸设备4台，我司生产的产品90%零部件自产，能够实现控制生产成本，稳定产品质量的目标。8条装配流水线能够满足最高日产8000台的生产任务，确保如期交货。

我司通过了ISO9001质量管理体系认证。德国GS、欧盟CE、欧盟EMC、加拿大CSA、欧洲排放EURII、美国排放EPAIII等国际认证和国家3C安全认证。严格执行EPAIL、EURO V、ROHS、REACH、WEEE等国际环保标准要求。

经过十五年的深耕细作，合鸿工具凭借精准的战略构想，强大的科研力量，卓越的产品质量以及诚信为本的经营理念，已成功成为国内外许多大型批发商，连锁店，五金大卖场和跨境电商的长期供应商。我们不断优化管理体系，采用ERP系统协助公司运营管理。我司已将销售网络拓展至俄罗斯、德国、西班牙、英国、波兰、巴西等20多个国家和地区，并以优异的服务，稳定的品质，获得了消费者的一致好评。公司自有品牌Hanakawa深得东南亚市场消费者青睐。

十多年来公司始终专注于实业，自2012年起，先后被评为高新技术企业等称号。公司将坚持引领工具革新、打造美好家园为使命，坚持以服务客户为已任，为力争成为全球园林工具的领跑者而不懈努力。秉承诚实开放双赢的原则，合鸿工具始终是您在中国最优质的合作伙伴。

Hanakawa
哈纳卡瓦

Company Introduction

Zhejiang Hehong Tools Co., Ltd with over ten million registered capital was established in 2006. Located in China's hardware capital—Yongkang City, Zhejiang Province.

It covers an area of 11,000 square meters. The production area is 20,000 square meters. It is a private enterprise dedicated to the research and development, production and sales of garden tools. The main products include gasoline chain saws, brush cutters (pruners), hedge trimmers, earth auger (ground drills) and other garden tools.

Relying on the regional and industrial advantages of China's hardware capital, Hehong adopts a differentiated strategy and employs high-quality R&D, production management, and professional sales staff according to the applicability of a specific market. Excellent quality comes from the people-oriented business philosophy. Regularly provide professional skills training for front-line employees to improve their operational skills. The factory has more than 500 employees and our senior engineers with more than 20 years R&D experience. We can meet the needs of customized order and OEM production.

The company has 20 processing equipments which imported from the United States, and 7 injection molding machines, and 4 aluminum die-casting equipment. 90% of the products produced by our company are self-produced, which can achieve the goal of controlling production costs and stabilizing product quality. The 8 assembly lines can meet the production task of up to 8,000 units per day and ensure timely delivery.

Our company has passed the ISO9001 quality management system certification. Germany GS, EU CE, EU EMC, Canadian CSA, European emission EURII, U.S. emission EPAIII and other international certifications and national 3C safety certification. Strictly implement EPAIL, EURO V, ROHS, REACH, WEEE and other international environmental protection standards.

After more than 15 years of intensive cultivation, Hehong Tools has successfully become many large wholesalers, chain stores, hardware hypermarkets, and Long-term supplier of cross-border e-commerce. We have expanded the sales network to more than 20 countries and regions such as Russia, Germany, Spain, the United Kingdom, Poland, Brazil, and has won unanimous praise from consumers with its excellent service and stable quality. Our own brand Hanakawa has won good reputation in the Southeast Asian market.

Since 2012, we have been rated as a high-tech enterpris. The company will adhere to the mission of leading the innovation of tools, insisting on serving customers as its' responsibility, and making unremitting efforts to become a leader in global garden tools. Adhering to the principle of honesty, openness and win-win, Hehong Tools is always your best partner in China.

HanakaWa
哈纳卡瓦

目录
CONTENTS

01 + 汽油锯
Gasoline Chainsaw

H640	H932	H945	H959	H962	H971
H972	H972E	N992	H9105	H745	H752
H758	H760	H760A	H768	NH60	NH5800
H865	H871	H871A	H872	H887	

23 + 割草机
Brush Cutter

GE931-C/GE931-B	GE936-C/GE936-B
GE940-C/GE940-B	GE938-C
GE945-C	GE955-C
GE7415-C/GE7415-B	GS139-3-C/GS139-3-B
GE40-5-C/GE40-5-B	GS141-A-C/GS141-A-B
GS145-C/GS145-B	



油锯系列

Gasoline Chain saw



H640
Gasoline Chain saw
油锯



40.2cc
发动机排量
Engine Displacement

1.6KW
发动机功率
Engine Power

18"
导板尺寸
Rollomatic bar length

40cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1744PCS			

全套配件可供 Full set spare parts available

H932 (180)
Gasoline Chain saw
油锯



31.8cc
发动机排量
Engine Displacement

1.5KW
发动机功率
Engine Power

14" 16" 18"
导板尺寸
Rollomatic bar length

40cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	6 Z	链规	Chain Gauge	0.05
装柜数	Container loading quantity	20GP:826PCS / 40GP:1680PCS / 40HQ:1920PCS			



H945 (250)
Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

45.5cc
发动机排量
Engine Displacement

2.2KW
发动机功率
Engine Power

16" 18" 20" 25"
导板尺寸
Rollomatic bar length

45cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	6 Z / 7 Z	链规	Chain Gauge	0.325
装柜数	Container loading quantity	20GP:736PCS / 40GP:1536PCS / 40HQ:1728PCS			

H959 (361)

Gasoline Chain saw
油锯

Popular in Mexico & Vietnam



59cc
发动机排量
Engine Displacement

3.1KW
发动机功率
Engine Power

18" 20" 22"
导板尺寸
Rollomatic bar length

55cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1680PCS			

全套配件可供 Full set spare parts available

H962 (360)

Gasoline Chain saw
油锯



61.5cc
发动机排量
Engine Displacement

3.2KW
发动机功率
Engine Power

18" 20" 22"
导板尺寸
Rollomatic bar length

55cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1680PCS			

全套配件可供 Full set spare parts available



H971 (440)

Gasoline Chain saw
油锯

Popular in Mexico & Vietnam



70.7cc

发动机排量
Engine Displacement

4.0KW

发动机功率
Engine Power

18" 20" 22" 25"

导板尺寸
Rollomatic bar length

45cm

最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1680PCS			

全套配件可供 Full set spare parts available



H972 (381)

Gasoline Chain saw
油锯

Popular in
Southeast Asia & South America



全套配件可供 Full set spare parts available

72cc

发动机排量
Engine Displacement

3.6KW

发动机功率
Engine Power

16" 20" 25" 30"

导板尺寸
Rollomatic bar length

60cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1680PCS			



H972E (038)
Gasoline Chain saw
油锯

Popular in
Southeast Asia & South America

全套配件可供 Full set spare parts available

72cc 发动机排量 Engine Displacement		3.6KW 发动机功率 Engine Power		16" 20" 25" 30" 导板尺寸 Rollomatic bar length		60cm 最大切割长度 Maximum cutting length		
发动机类型	Engine Type	Two-stroke air-cooled gasoline engine				链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z				链规	Chain Gauge	0.063
装柜数	Container loading quantity	20GP:700PCS / 40GP:1526PCS / 40HQ:1680PCS						



H992 (660)

Gasoline Chain saw
油锯

Popular in Mexico & Vietnam



91.6cc
发动机排量
Engine Displacement

5.2KW
发动机功率
Engine Power

20" 22" 25" 30" 36"
导板尺寸
Rollomatic bar length

60cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063
装柜数	Container loading quantity	20GP:504PCS / 40GP:1032PCS / 40HQ:1224PCS			

全套配件可供 Full set spare parts available



全套配件可供 Full set spare parts available

H9105 (070)

Gasoline Chain saw
油锯

Popular in
Southeast Asia & South America



105.7cc
发动机排量
Engine Displacement

4.8KW
发动机功率
Engine Power

20" 22" 30" 42"
导板尺寸
Rollomatic bar length

85cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	0.404
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063
装柜数	Container loading quantity	20GP:462PCS / 40GP:966PCS / 40HQ:1127PCS			





H745 (4500)

Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

45cc 发动机排量 Engine Displacement		1.8KW 发动机功率 Engine Power	18" 20" 导板尺寸 Rollomatic bar length	45cm 最大切割长度 Maximum cutting length		
发动机类型	Engine Type	Two-stroke air-cooled gasoline engine		链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z		链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:728PCS / 40GP:1512PCS / 40HQ:1728PCS				

H752 (5200)

Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

52cc 发动机排量 Engine Displacement		2.1KW 发动机功率 Engine Power	18" 20" 25" 导板尺寸 Rollomatic bar length	50cm 最大切割长度 Maximum cutting length		
发动机类型	Engine Type	Two-stroke air-cooled gasoline engine		链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z		链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:784PCS / 40GP:1624PCS / 40HQ:1586PCS				





H758 (5800)
Gasoline Chain saw
油锯

全套配件可供 Full set spare parts available

55cc 发动机排量 Engine Displacement		2.3KW 发动机功率 Engine Power	20" 22" 导板尺寸 Rollomatic bar length	50cm 最大切割长度 Maximum cutting length		
发动机类型	Engine Type	Two-stroke air-cooled gasoline engine		链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z		链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:648PCS / 40GP:1350PCS / 40HQ:1600PCS				



H760 (60)
Gasoline Chain saw
油锯

EASY START
易启动



55.6cc
发动机排量
Engine Displacement

2.5KW
发动机功率
Engine Power

20" 22"
导板尺寸
Rollomatic bar length

50cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:504PCS / 40GP:1056PCS / 40HQ:1232PCS			

全套配件可供 Full set spare parts available

H760A (60 optimized)
Gasoline Chain saw
油锯



55.6cc
发动机排量
Engine Displacement

2.5KW
发动机功率
Engine Power

20" 22"
导板尺寸
Rollomatic bar length

50cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:504PCS / 40GP:1056PCS / 40HQ:1232PCS			



H768 (688)
Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

55cc
发动机排量
Engine Displacement

2.3KW
发动机功率
Engine Power

18" 20" 22"
导板尺寸
Rollomatic bar length

50cm
最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:780PCS / 40GP:1620PCS / 40HQ:1728PCS			

NH60
Gasoline Chain saw
油锯



EASY START
易启动

55.6cc
发动机排量
Engine Displacement

2.7KW
发动机功率
Engine Power

20" 22"
导板尺寸
Rollomatic bar length

50cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:504PCS / 40GP:1056PCS / 40HQ:1232PCS			

全套配件可供 Full set spare parts available

NH5800
Gasoline Chain saw
油锯



EASY START
易启动

55cc
发动机排量
Engine Displacement

2.3KW
发动机功率
Engine Power

20" 22"
导板尺寸
Rollomatic bar length

50cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	0.325
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:648PCS / 40GP:1350PCS / 40HQ:1600PCS			



全套配件可供 Full set spare parts available

H865 (365)
Gasoline Chain saw
油锯



65.1cc
发动机排量
Engine Displacement

3.4KW
发动机功率
Engine Power

16" 18" 22" 24"
导板尺寸
Rollomatic bar length

55cm
最大切割长度
Maximum cutting length



发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:648PCS / 40GP:1350PCS / 40HQ:1500PCS			



H871 (372XP)
Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

70.7cc 发动机排量 Engine Displacement		3.9KW 发动机功率 Engine Power		16" 18" 22" 24" 28" 导板尺寸 Rollomatic bar length		55cm 最大切割长度 Maximum cutting length		
发动机类型	Engine Type	Two-stroke air-cooled gasoline engine				链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z				链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:648PCS / 40GP:1350PCS / 40HQ:1500PCS						

H871A (372XT)
Gasoline Chain saw
油锯



全套配件可供 Full set spare parts available

70.7cc 发动机排量 Engine Displacement		3.9KW 发动机功率 Engine Power		16" 18" 22" 24" 28" 导板尺寸 Rollomatic bar length		55cm 最大切割长度 Maximum cutting length		
发动机类型	Engine Type	Two-stroke air-cooled gasoline engine				链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z				链规	Chain Gauge	0.058
装柜数	Container loading quantity	20GP:648PCS / 40GP:1350PCS / 40HQ:1500PCS						



H872 (272)

Gasoline Chain saw
油锯



72cc

发动机排量
Engine Displacement

3.6KW

发动机功率
Engine Power

25" 28" 30"

导板尺寸
Rollomatic bar length

60cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063
装柜数	Container loading quantity				

全套配件可供 Full set spare parts available

H887 (288)

Gasoline Chain saw
油锯

Popular in Southeast Asia & South America



87cc

发动机排量
Engine Displacement

4.2KW

发动机功率
Engine Power

22" 25" 30" 36"

导板尺寸
Rollomatic bar length

60cm

最大切割长度
Maximum cutting length

发动机类型	Engine Type	Two-stroke air-cooled gasoline engine	链节距	Chain pitch	3/8
齿数	Number of teeth	7 Z	链规	Chain Gauge	0.063
装柜数	Container loading quantity				



Hanakawa

Overview of Chainsaw
链锯参数总览



型号	Model No.	H640 For all market （40）	H932 （180）
发动机类型：缸径*冲程：	Engine Type:	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine
发动机排量	Engine Displacement (CC)	40.2cc	31.8cc
发动机功率	Engine Power (kW)	1.6kw	1.5kw
缸径	Cylinder Diameter	φ40	φ38
最大发动机空转速度	Maximum Engine Idling speed(rpm)	2800rpm	2800rpm
导杆类型：链轮鼻	Guide bar type	Sprocket nose	Sprocket nose
导杆尺寸（英寸）	Rollomatic bar length (inch)	18"	14" 16" 18" optional
最大切割长度	Maximum cutting length (cm)	40cm	40cm
链节距	Chain pitch:	0.325	3/8
链规（英寸）	Chain Gauge(inch)	0.058	0.05
齿数	Number of teeth (Z)	7	6
油箱容量：	Fuel tank capacity:	400ml	280ml
双循环汽油/机油混合比	2-Cycle gasoline/Oil mixing ratio	40:1	40:1
减压阀	Decompression valve	N/A	N/A
点火系统：	Ignition system	CDI	CDI
化油器	Carburetor	pump-film type	pump-film type
供油系统	Oil feeding system:	Automatic pump with adjuster	Automatic pump with adjuster
包装方式	Packing way	"1PC/Color box + 2 Color boxes / Carton box"	"1PC/Color box + 2 Color boxes / Carton box"
包装尺寸 Packing size	1PC/Colir box	42*26.5*28	38.5*24*28
	2 Color box / Carton	55*45*31	49.5*41*30
集装箱装载量 Container loading quantity	20GP container	700PCS in 350CTN	826PCS in 413CTN
	40GP container	1526PCS in 763CTN	1680PCS in 840CTN
	40HQ container	1744PCS in 872CTN	1920PCS in 960CTN



Overview of Chainsaw
链锯参数总览

型号	Model No.	H992 Popular in Mexico & Vietnam （660）	H9105 Popular in Mexico & Vietnam (070)
发动机类型：缸径*冲程：	Engine Type:	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine
发动机排量	Engine Displacement (CC)	91.6cc	105.7cc
发动机功率	Engine Power (kW)	5.2kw	4.8kw
缸径	Cylinder Diameter	φ54	φ58
最大发动机空转速度	Maximum Engine Idling speed(rpm)	2800rpm	2700rpm
导杆类型：链轮鼻	Guide bar type	Sproket nose	Sproket nose
导杆尺寸（英寸）	Rollomatic bar length (inch)	20" 22" 25" 30" 36" optional	20" 22" 30" 36" 42" optional
最大切割长度	Maximum cutting length (cm)	60cm	85cm
链节距	Chain pitch:	3/8	0.404
链规（英寸）	Chain Gauge(inch)	0.063	0.063
齿数	Number of teeth (Z)	7	7
油箱容量：	Fuel tank capacity:	680ml	1200ml
双循环汽油/机油混合比	2-Cycle gasoline/Oil mixing ratio	40:1	40:1
减压阀	Decompression valve	A	A
点火系统：	Ignition system	CDI	CDI
化油器	Carburetor	pump-film type	pump-film type
供油系统	Oil feeding system:	Automatic pump with adjuster	Automatic pump with adjuster
包装方式	Packing way	"1PC/Color box + 2 Color boxes / Carton box"	"1PC/Color box + 1 Color boxes / Carton box"
包装尺寸 Packing size	1PC/Colir box	46.5*29.5*33	54*31*35
	2 Color box / Carton	48.5*31*69	57*32.5*36.5
集装箱装载量 Container loading quantity	20GP container	504PCS in 252CTN	462PCS in 462CTN
	40GP container	1032PCS in 516CTN	966PCS in 966CTN
	40HQ container	1224PCS in 612CTN	1127PCS in 1127CTN



H945 (250)		H959 Popular in Mexico & Vietnam (361)		H962 (360)		H971 Popular in Mexico & Vietnam (440)		H972 (381)		H972E (038)	
Two-stroke air-cooled gasoline engine		Two-stroke air-cooled gasoline engine		Two-stroke air-cooled gasoline engine		Two-stroke air-cooled gasoline engine		Two-stroke air-cooled gasoline engine		Two-stroke air-cooled gasoline engine	
45.5cc		59cc		61.5cc		70.7cc		72cc		72cc	
2.2kw		3.1kw		3.2kw		4.0kw		3.6kw		3.6kw	
φ42.5		φ47		φ48		φ50		φ52		φ52	
2800rpm		2800rpm		2800rpm		3000rpm		2800rpm		2800rpm	
Sproket nose		Sproket nose		Sproket nose		Sproket nose		Sproket nose		Sproket nose	
16" 18" 20" 25" optional		18" 20" 22" optional		18" 20" 22" optional		18" 20" 22" 25" optional		18" 20" 25" 30" optional		16" 20" 25" 30" optional	
45cm		55cm		55cm		45cm		60cm		60cm	
3/8		3/8		3/8		3/8		3/8		3/8	
0.05 / 0.325		0.063		0.063		0.063		0.063		0.063	
6/7		7		7		7		7		7	
470ml		680ml		680ml		575ml		680ml		680ml	
40:1		40:1		40:1		40:1		40:1		40:1	
N/A		A		A		A		A		N/A	
CDI		CDI		CDI		CDI		CDI		CDI	
pump-film type		pump-film type		pump-film type		pump-film type		pump-film type		pump-film type	
Automatic pump with adjuster		Automatic pump with adjuster		Automatic pump with adjuster		Automatic pump with adjuster		Automatic pump with adjuster		Automatic pump with adjuster	
"1PC/Color box + 2 Color boxes / Carton box"		"1PC/Color box + 2 Color boxes / Carton box"		"1PC/Color box + 2 Color boxes / Carton box"		"1PC/Color box + 2 Color boxes / Carton box"		"1PC/Color box + 2 Color boxes / Carton box"		"1PC/Color box + 2 Color boxes / Carton box"	
45*26.5*26.5		45*26*30		45*26*30		45*26*30		45*26*30		45*26*30	
49.5*29*55.5		55*46*32 horizontal		55*46*32 horizontal		55*46*32 horizontal		55*46*32 horizontal		55*46*32 horizontal	
736PCS in 368CTN		700PCS in 350 CTN		700PCS in 350 CTN		700PCS in 350 CTN		700PCS in 350 CTN		700PCS in 350 CTN	
1536PCS in 768CTN		1526PCS in 763 CTN		1526PCS in 763 CTN		1526PCS in 763 CTN		1526PCS in 763 CTN		1526PCS in 763 CTN	
1728PCS in 864CTN		1680PCS in 840CTN		1680PCS in 840CTN		1680PCS in 840CTN		1680PCS in 840CTN		1680PCS in 840CTN	



H745 For all market (4500)		H752 Hot sale for all market (5200)		H758 Hot sale for all market Easy Start (5800)		H760 For all market Easy Start (60)		H760A (60 optimized)		H768 For all market (688)	
Two-stroke air-cooled gasoline engine		Two-stroke air-cooled gasoline engine		Two-stroke air-cooled gasoline engine		Two-stroke air-cooled gasoline engine		Two-stroke air-cooled gasoline engine		Two-stroke air-cooled gasoline engine	
45cc		52cc		55cc		55.6cc		55.6cc		55cc	
1.8kw		2.1kw		2.3kw		2.5kw		2.5kw		2.3kw	
φ43		φ45		φ45.2		φ45		φ45		φ45.2	
2800rpm		2800rpm		2800rpm		2800rpm		2800rpm		2800rpm	
Sproket nose		Sproket nose		Sproket nose		Sproket nose		Sproket nose		Sproket nose	
18" 20" optional		18" 20" 25" optional		20" 22" optional		20" 22" optional		20" 22" optional		18" 20" 22" optional	
45cm		50cm		50cm		50cm		50cm		50cm	
0.325		0.325		0.325		0.325		0.325		0.325	
0.058		0.058		0.058		0.058		0.058		0.058	
7		7		7		7		7		7	
550ml		550ml		550ml		550ml		550ml		550ml	
40:1		40:1		40:1		40:1		40:1		40:1	
N/A		N/A		N/A		N/A		N/A		N/A	
CDI		CDI		CDI		CDI		CDI		CDI	
pump-film type		pump-film type		pump-film type		pump-film type		pump-film type		pump-film type	
Automatic pump with adjuster		Automatic pump with adjuster		Automatic pump with adjuster		Automatic pump with adjuster		Automatic pump with adjuster		Automatic pump with adjuster	
"1PC/Color box + 2 Color boxes / Carton box"		"1PC/Color box + 2 Color boxes / Carton box"		"1PC/Color box + 2 Color boxes / Carton box"		"1PC/Color box + 2 Color boxes / Carton box"		"1PC/Color box + 2 Color boxes / Carton box"		"1PC/Color box + 2 Color boxes / Carton box"	
40*28*27		45*26.5*29.5		48*28*61		52*31*30		54*32.5*62.5		43*26.5*28	
44.5*29.5*55		41.5*31*55.5		48*28*61		54*32.5*62.5		54*32.5*62.5		44*28*60	
728PCS in 364CTN		784PCS in 392CTN		648PCS in 324CTN		504PCS in 252CTN		504PCS in 252CTN		780PCS in 390CTN	
1512PCS in 756CTN		1624PCS in 812CTN		1350PCS in 675CTN		1056PCS in 528CTN		1056PCS in 528CTN		1620PCS in 810CTN	
1728PCS in 864CTN		1856PCS in 928CTN		1600PCS in 800CTN		1232PCS in 616CTN		1232PCS in 616CTN		1728PCS in 864CTN	

Overview of Chainsaw
链锯参数总览



型号	Model No.	NH60 For all market Easy Start	NH5800 For all market	H865 (H365)	H871 (H372XP)	H871A (H372XT)
发动机类型: 缸径*冲程:	Engine Type:	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine	Two-stroke air-cooled gasoline engine
发动机排量	Engine Displacement (CC)	55.6cc	55cc	65.1cc	70.7cc	70.7cc
发动机功率	Engine Power (kW)	2.7kw	2.3kw	3.4kw	3.9kw	3.9kw
缸径	Cylinder Diameter	φ45	φ45.2	φ48	φ50	φ50
最大发动机空转速度	Maximum Engine Idling speed(rpm)	2800rpm	2800rpm	2700rpm	2700rpm	2700rpm
导杆类型: 链轮鼻	Guide bar type	Sproket nose	Sproket nose	Sproket nose	Sproket nose	Sproket nose
导杆尺寸 (英寸)	Rollomatic bar length (inch)	20" 22" optional	20" 22" optional	16" 18" 22" 24" optional	16" 18" 22" 24" 28" optional	16" 18" 22" 24" 28" optional
最大切割长度	Maximum cutting length (cm)	50cm	50cm	55cm	55cm	55cm
链节距	Chain pitch:	0.325	0.325	3/8	3/8	3/8
链规 (英寸)	Chain Gauge(inch)	0.058	0.058	0.058	0.058	0.058
齿数	Number of teeth (Z)	7	7	7	7	7
油箱容量:	Fuel tank capacity:	550ml	550ml	770ml	770ml	770ml
双循环汽油/机油混合比	2-Cycle gasoline/Oil mixing ratio	40:1	40:1	40:1	40:1	40:1
减压阀	Decompression valve	N/A	N/A	A	A	A
点火系统:	Ignition system	CDI	CDI	CDI	CDI	CDI
化油器	Carburetor	pump-film type	pump-film type	pump-film type	pump-film type	pump-film type
供油系统	Oil feeding system:	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster	Automatic pump with adjuster
包装方式	Packing way	"1PC/Color box + 2 Color boxes / Carton box"	"1PC/Color box + 2 Color boxes / Carton box"	"1PC/Color box + 2 Color boxes / Carton box"	"1PC/Color box + 2 Color boxes / Carton box"	"1PC/Color box + 2 Color boxes / Carton box"
包装尺寸 Packing size	1PC/Colir box	52*31*30	45*26.5*29.5	46*25*32	47*25*32	47*25*32
	2 Color box / Carton	54*32.5*62.5	48*28*61	48*27.5*68	48*27.5*68	48*27.5*68
集装箱装载量 Container loading quantity	20GP container	504PCS in 252CTN	648PCS in 324CTN	648PCS in 324CTN	648PCS in 324CTN	648PCS in 324CTN
	40GP container	1056PCS in 528CTN	1350PCS in 675CTN	1350PCS in 675CTN	1350PCS in 675CTN	1350PCS in 675CTN
	40HQ container	1232PCS in 616CTN	1600PCS in 800CTN	1500PCS in 750CTN	1500PCS in 750CTN	1500PCS in 750CTN





H872 (H272)	H887 (H288)	
52X34	54X38	
72	87	
3.6	4.2	
φ52	φ54	
12500	12500	
Sproket nose	Sproket nose	
28" 30" optional	22" 25" 30" 36" optional	
60cm	60cm	
3/8	STIL/Oregon optional	
0.063	3/8	
7	0.063	
750ML	7	
40:1	900ML	
A	40:1	
CDI	A	
pump–film type	CDI	
Automatic pump with adjuster	pump–film type	
	Automatic pump with adjuster	
	"1PC/Color box +	
	2 Color boxes / Carton box"	





(FS120)
GE931-C
Brush cutter
割草机

全套配件可供 Full set spare parts available

30.8cc	1.3KW/1.8HP	420mm
发动机排量 Engine Displacement	发动机功率 Engine Power	切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		5.6kg



(FS200)
GE936-C
Brush cutter
割草机

全套配件可供 Full set spare parts available

36.3cc	1.6KW/2.2HP	420mm
发动机排量 Engine Displacement	发动机功率 Engine Power	切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		5.6kg

Brush cutter 割草机



(FS250)
GE940-C
Brush cutter
割草机

全套配件可供 Full set spare parts available

40.2cc 发动机排量 Engine Displacement	1.6KW/2.2HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		5.6kg



(FS38)
GE938-C
Brush cutter
割草机

全套配件可供 Full set spare parts available

27.2cc 发动机排量 Engine Displacement	0.75KW/8.5HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		4.4kg



GE945-C
(FS45)
Brush cutter
割草机

全套配件可供 Full set spare parts available

27.2cc 发动机排量 Engine Displacement	0.75KW/8.5HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		4.4kg



GE955-C
(FS55)
Brush cutter
割草机

全套配件可供 Full set spare parts available

27.2cc 发动机排量 Engine Displacement	0.75KW/8.5HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Metal blade	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		4.9kg

Double shoulder optional



(G45)
GE7415-C
Brush cutter
割草机

全套配件可供 Full set spare parts available

41.5cc 发动机排量 Engine Displacement	1.7KW/2.3HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder two-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		6.8kg

(GX35)
G139-3-B
Brush cutter
割草机



Side pack optional

全套配件可供 Full set spare parts available

31cc 发动机排量 Engine Displacement	0.8KW/1.1HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder four-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		6.4kg

Double shoulder optional

(40-5)
GE40-5-C
Brush cutter
割草机



全套配件可供 Full set spare parts available

42.7cc

发动机排量
Engine Displacement

1.5KW/1.8HP

发动机功率
Engine Power

420mm

切削宽度
Cut width

发动机类型	Engine Type	Single-cylinder two-stroke air-cooled gasoline engine
刀片种类	Blade type	Nylon cutter / Metal blade





(141)
GS141-A-C / GS141-A-B Brush cutter
割草机

全套配件可供 Full set spare parts available

39cc 发动机排量 Engine Displacement	1.2KW/1.6HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder four-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		6.4/7.1kg



(145)
G145-C / G145-B Brush cutter
割草机

全套配件可供 Full set spare parts available

39cc 发动机排量 Engine Displacement	1.0KW/1.4HP 发动机功率 Engine Power	420mm 切削宽度 Cut width
发动机类型 Engine Type	Single-cylinder four-stroke air-cooled gasoline engine	
刀片种类 Blade type	Nylon cutter / Metal blade	
重量：不含燃料，切削工具等 Weight without fuel, cutting tool/guard		6.5/7.2kg



Overview of Brush cutter

割草机参数总览



型号	Model No	GE931-C (120)	GE936-C(200)
发动机类型	Engine type	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine
额定功率	Rated pow	1.3kw/1.8hp	1.6kw/2.2hp
排量 CC	Displacement (CC)	30.8CC	36.3CC
缸径 (毫米)	Cylinder bore (mm)	1.38 in (35mm)	1.5 in (38mm)
行程 (毫米)	Stroke (mm)	1.26 in (32mm)	1.26 in (32mm)
引擎重量(千克)	Engine Weight (kg)	3.4kg	3.4kg
背带 (单肩/双肩)	Harness	single shoulder	single shoulder
重量:不含燃料, 切割工具等 (千克)	Weight without fuel, cutting tool/guard(kg)	5.6 kg	5.6 kg
切割宽度 (毫米)	Cut width (mm)	420	420
最大推荐引擎转速 (转/分)	Maximum recommended engine speed (rpm)	12300±200	12300±200
怠速转速 (转/分)	Idel Speed (rpm)	3000±200	3000±200
最大工作转速 (转/分)	Max. Working Speed (rpm)	9700	9700
不含切割工具总长 (毫米)	Overall length without cutting tool (mm)	70 in (1765mm)	70 in (1765mm)
油箱容量 (L)	Fuel tank capacity (L)	0.64 L	0.64 L
是否免工具可调节把手	Handle adjustment without tools	是/YES	是/YES
点火方式	Ignition system	CDI	CDI
刀片种类	Blade type	Nylon cutter / Metal blade	Nylon cutter / Metal blade
化油器类型	Carburetor type	Pump film with oil bulb 、Diaphragm	Pump film with oil bulb 、Diaphragm
传动轴 (直径: 毫米)	Drive Shaft(Dia mm)	8	8
耐久性测试 (小时)	Durability Test (H)	120	120
气/油混合比	Gas/oil mix ratio	40:1	40:1
机油类型	Type of oil	2T	2T
包装方式	Packing way	2PC machine/ Color box, 1 Pole/carton 4 poles bind together	2PC machine/ Color box, 1 Pole/carton 4 poles bind together
包装尺寸 Packing size	Machine Color box (CM)	2PC in 60*33*28	2PC in 60*33*28
	Machine Carton box (CM)	2PC in 62.5*34.5*30	2PC in 62.5*34.5*30
	Pole carton box	1PC in 166.5*10*11	1PC in 166.5*10*11
	Pole master carton	4 poles carton box bind together	4 poles carton box bind together

Overview of Brush cutter
割草机参数总览



型号	Model No	GE940-C (250)	GE938-C (FS38)	GE945-C (FS45)	GE955-C (FS55)	GE7415-B (G45)	GE7415-C (G45)	GS139-3-B(GX35)	
发动机类型	Engine type	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder two-stroke air-cooled gasoline engine	Single-cylinder four-stroke air-cooled gasoline engine	
额定功率	Rated pow	1.6kw/2.2hp	0.75KW/8500rpm	0.75KW/8500rpm	0.75KW/8500rpm	1.7kW/2.3hp	1.7kW/2.3hp	0.8kW/1.1hp	
排量 CC	Displacement (CC)	40.2CC	27.2	27.2	27.2	41.5CC	41.5CC	31CC	
缸径 (毫米)	Cylinder bore (mm)	1.57 in (40mm)	34	34	34	1.57 in (40mm)	1.57 in (40mm)	1.54 in (39mm)	
行程 (毫米)	Stroke (mm)	1.26 in (32mm)	30	30	30	1.30in (33mm)	1.30in (33mm)	1.02 in (26mm)	
引擎重量(千克)	Engine Weight (kg)	3.4 kg	3.2	3.2	3.2	4.6 kg	4.6 kg	4.2 kg	
背带 (单肩/双肩)	Harness	single shoulder	single shoulder	single shoulder	single shoulder	double shoulder	single shoulder	double shoulder	single shoulder
重量:不含燃料, 切割工具等 (千克)	Weight without fuel, cutting tool/guard(kg)	5.6 kg	4.4	4.4	4.9	7.5 kg	6.8kg	7.1 kg	6.4 kg
切割宽度 (毫米)	Cut width (mm)	420	420	420	230	420	420	420	
最大推荐引擎转速 (转/分)	Maximum recommended engine speed (rpm)	12300±200	10000	10000	10000	9500±200	9500±200	9500±200	
怠速转速 (转/分)	Idel Speed (rpm)	3000±200	2800-3200	2800-3200	2800-3200	3000±200	3000±200	3200±200	
最大工作转速 (转/分)	Max. Working Speed (rpm)	9700	8500	8500	8500	7500	7500	7500	
不含切割工具总长 (毫米)	Overall length without cutting tool (mm)	70 in (1765mm)	1703.5	1703.5	1703.5	70 in (1765mm)	70 in (1765mm)	70 in (1765mm)	
油箱容量 (L)	Fuel tank capacity (L)	0.64L	0.33L	0.33L	0.33L	0.8L	0.8L	0.6L	
是否免工具可调节把手	Handle adjustment without tools	是 /YES	N/A	N/A	N/A	可选/Optional	可选/Optional	可选/Optional	
点火方式	Ignition system	CDI	CDI	CDI	CDI	CDI	CDI	CDI	
刀片种类	Blade type	Nylon cutter / Metal blade	Nylon cutter	Nylon cutter	Metal blade	Nylon cutter / Metal blade	Nylon cutter / Metal blade	Nylon cutter / Metal blade	
化油器类型	Carburetor type	Pump film with oil bulb 、 Diaphragm	Pump film with oil bulb 、 Diaphragm	Pump film with oil bulb 、 Diaphragm	Pump film with oil bulb 、 Diaphragm	Pump film with oil bulb 、 Diaphragm	Pump film with oil bulb 、 Diaphragm	Pump film with oil bulb 、 Diaphragm	
传动轴 (直径: 毫米)	Drive Shaft(Dia mm)	8	6.3	6.3	6.3	8	8	8	
耐久性测试 (小时)	Durability Test (H)	120	120	120	120	120	120	120	
气/油混配比	Gas/oil mix ratio	40:1	40:1	40:1	40:1	40:1	40:1	-	
机油类型	Type of oil	2T	2T	2T	2T	2T	2T	4T	
包装方式	Packing way	2PC machine/ Color box, 1 Pole/carton 4 poles bind together				1PC machine/ Color box, 2 color boxes/ Carton box. 4 Poles/ color box,4 color boxes in a carton packing extra	1PC machine/ Color box, 2 color boxes/ Carton box. 4 Poles/ color box,4 color boxes in a carton packing extra	1PC machine/ Color box, 2 color boxes/ Carton box. 4 Poles/ color box,4 color boxes in a carton packing extra	
包装尺寸 Packing size	Machine Color box (CM)	2PC in 60*33*28				1PC in 36*32*42	1PC in 36*32*42	1PC in 36*32*42	
	Machine Carton box (CM)	2PC in 62.5*34.5*30				2PC in 65*38.5*44	2PC in 65*38.5*44	2PC in 65*38.5*44	
	Pole carton box	1PC in 166.5*10*11	1520x300x306	1520x300x306	1750x300x300	1PC in 149*9*10	1PC in 166.5*10*11	1PC in 149*9*10	
	Pole master carton	4 poles carton box bind together				4carton in 150.5*21*24	4carton in 168*22.5*26.5	4PC in 150.5*21*24	

Overview of Brush cutter
割草机参数总览



型号	Model No	GE40-5-B (40-5)		GE40-5-C	GSI41-A-B (141)		GSI41-A-C	GSI45-B (145)		GSI45-C
发动机类型	Engine type	Single-cylinder two-stroke air-cooled gasoline engine			Single-cylinder four-stroke air-cooled gasoline engine			Single-cylinder four-stroke air-cooled gasoline engine		
额定功率	Rated pow	1.3kW/1.8hp			1.2kW/1.6hp			1kW/1.4hp		
排量 CC	Displacement (CC)	42.7 CC			39CC			39CC		
缸径 (毫米)	Cylinder bore (mm)	1.57 in (40mm)			1.57 in (40mm)			1.57 in (40mm)		
行程 (毫米)	Stroke (mm)	1.34 in (34mm)			1.22 in (31mm)			1.22 in (31mm)		
引擎重量(千克)	Engine Weight (kg)	-			4.2 kg			4.3 kg		
背带 (单肩/双肩)	Harness	double shoulder		single shoulder	double shoulder		single shoulder	double shoulder		single shoulder
重量:不含燃料, 切削工具等 (千克)	Weight without fuel, cutting tool/guard(kg)	-		-	7.1 kg		6.4 kg	7.2 kg		6.5 kg
切削宽度 (毫米)	Cut width (mm)	420			420			420		
最大推荐引擎转速 (转/分)	Maximum recommended engine speed (rpm)	9500±200			9500±200			9500±200		
怠速转速 (转/分)	Idle Speed (rpm)	3000±200			3200±200			3200±200		
最大工作转速 (转/分)	Max. Working Speed (rpm)	7500			7500			7500		
不含切削工具总长 (毫米)	Overall length without cutting tool (mm)	70 in (1765mm)			70 in (1765mm)			70 in (1765mm)		
油箱容量 (L)	Fuel tank capacity (L)	1.1L			1L			0.9L		
是否免工具可调节把手	Handle adjustment without tools	可选/Optional			可选/Optional			可选/Optional		
点火方式	Ignition system	CDI			CDI			CDI		
刀片种类	Blade type	Nylon cutter / Metal blade			nylon cutter / Metal blade			nylon cutter / Metal blade		
化油器类型	Carburetor type	Pump film with oil bulb 、Diaphragm			Pump film with oil bulb 、Diaphragm			Pump film with oil bulb 、Diaphragm		
传动轴 (直径: 毫米)	Drive Shaft(Dia mm)	8			8			8		
耐久性测试 (小时)	Durability Test (H)	120			120			120		
气/油混合比	Gas/oil mix ratio	40:1			-			-		
机油类型	Type of oil	2T			4T			4T		
包装方式	Packing way	1PC machine/ Color box, 2 color boxes/ Carton box. 1 Pole/carton packing extra								
包装尺寸 Packing size	Machine Color box (CM)	1PC in 30*30*35			-			-		
	Machine Carton box (CM)	2PC in 61.5*31.5*37			-			-		
	Pole carton box	1PC in 16.5*11*11			-			-		
	Pole master carton	-			-			-		