



Company Introduction
公司简介

RST VALVE GROUP

瑞思拓阀门集团有限公司

瑞思拓阀门集团有限公司

www.stainlesssteel-valves.com



About Us

RST Valve Group CO., Ltd was founded in Wenzhou City with more than 20 years of experience in producing different kinds of valves, including [Ball Valve](#), [Gate Valve](#), [Check Valve](#), [Globe Valve](#), [Y Strainer](#), [Knife Gate Valve](#), etc.

It is a high-tech comprehensive valve enterprise with design, research and development, casting ,manufacturing, sales and service.




RST Headquarters (2 Buildings)



RST Casting Factory



About Us - Head Office





About Us


RST VALVE owns more than 100 employees. In our production line, we have CNC machining equipment, grinding machines, assembly machines, welding torches, hydraulic / air testing equipment at our workshop. The annual production capability of the factory can reach 6000 tons. RST Valve is an ISO, CE and TS certified manufacturer with much experience of exporting.





About Us

RST Valve keeps continuous innovation and owns a strong technical force, excellent equipment, complete testing system, and strict management system. Inspection includes raw material inspection, dimensional inspection, processing inspection, chemical testing, physical testing, pressure testing, etc, which guarantee the quality of finished products.





Main Products

RST VALVE can offer different kinds of industrial valves, including Ball Valve, Gate Valve, Check Valve, Globe Valve, Y Strainer, Knife Gate Valve, etc.

Our products are performed in accordance with national standards of API , ANSI, DIN, JIS, BS and GB and so on.

Our various products are widely used in petrochemical industry, petroleum refining, nuclear power, chemical industry, metallurgy as well as mining, medical industry, food industry, national defense, military and urban construction and many other fields.

Moreover, RST Valve accepts Valve OEM, ODM inquiry from customers.



GATE VALVE

BALL VALVE

CHECK VALVE

GLOBE VALVE

Y-STRAINER



Gate Valve Flange End



美标法兰闸阀

Gate Valve Flange Ends ASME Standard

Nominal Diameter: DN15-DN300 (1/2"-12")

Pressure Range: Class150/Class300

Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M

Design&Manufacture Standard: ASME B16. 34

API600,API603

Operation: Handwheel, Gear, Actuator



日标法兰闸阀

Gate Valve Flange Ends JIS Standard

Nominal Diameter: DN15-DN300 (1/2"-12")

Pressure Range: JIS 10K/20K

Material: ASCS13, SCS14, SCS13A, SCS14A, WCB

Design&Manufacture Standard: JIS B2071

Operation: Handwheel, Gear, Actuator



国标法兰闸阀

Gate Valve Flange Ends GB/T Standard

Nominal Diameter: DN15-DN300 (1/2"-12")

Pressure Range: PN16~PN64

Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M

Design&Manufacture Standard: GB/T 12234,

GB/T12234,GB/T12224

Operation: Handwheel, Gear Actuator



Ball Valve Flange End



二片式高平台法兰球阀
2-PC Ball Valve Flange End With Direct Mounting Pad

Nominal Diameter: DN15-DN300 (1/2"-12")
Pressure Range: PN6~PN40/Class150~Class300
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard:
API608/6D, JIS B2071, EN1983,
GB/T 12237, DIN 3357
Operation: Manual, Worm, Actuator



二片式低平台法兰球阀
2-PC Ball Valve Flange End With Normal Mounting Pad

Nominal Diameter: DN15-DN300 (1/2"-12")
Pressure Range: PN6~PN40/Class150~Class300
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard:
API608/6D, JIS B2071, EN1983,
GB/T 12237, DIN 3357
Operation: Manual, Worm, Actuator



三通高平台法兰球阀(L/T Port)
3 Way Ball Valve Flange End With Direct Mounting Pad

Nominal Diameter: DN15-DN300 (1/2"-12")
Pressure Range: PN6~PN40/Class150~Class300
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard:
API608/6D, JIS B2071, EN1983,
GB/T 12237, DIN 3357
Operation: Manual, Worm, Actuator



螺纹/法兰球阀带弹簧复位手柄
Thread/Flanged Ball Valve with Spring Return Handle

Nominal Diameter: DN15-DN200 (1/2"-8")
Pressure Range: 1000WOG/PN16~40/Class150~300
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard:
API608/6D, GB/T 12237, GB/T12224, DIN3357
Operation: Manual, Worm, Actuator



三片式锻钢固定法兰球阀
3-PC Forged Steel Trunnion Mounted Ball Valve Flange Ends

Nominal Diameter: DN40-DN600 (1-1/2"-24")
Pressure Range: Class150~1500
Material: A105, A182F304, A182F316, A182F44, A182F51
Design&Manufacture Standard:
API608/6D, EN1983, GB/T 12237, GB/T12224
Operation: Manual, Worm, Actuator



三片式法兰球阀
3-PC Ball Valve Flange End(Direct Mounting Pad)

Nominal Diameter: DN15-DN150 (1/2"-6")
Pressure Range: PN6~PN40/Class150
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard:
API608/6D, EN1983,
GB/T 12237, DIN 3357
Operation: Manual, Worm, Actuator



对夹法兰球阀
Water Type Ball Valve (Direct Mounting Pad)

Nominal Diameter: DN15-DN200 (1/2"-8")
Pressure Range: PN6~PN40/Class150
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard:
API608/6D, EN1983,
GB/T 12237, DIN 3357
Operation: Manual, Worm, Actuator



锻造法兰球阀
Forged Steel Flange Ends Ball Valve

Nominal Diameter: DN15-DN200 (1/2"-8")
Pressure Range: PN6~PN64/Class150~2500
Material: AISI A105, A182 F304/F316/F304L/F316L
Design&Manufacture Standard:
API608/6D, GB/T 12237
Operation: Manual, Worm, Actuator



天然气法兰球阀
Natural Gas Ball Valve Flange Ends

Nominal Diameter: DN15-DN250 (1/2"-10")
Pressure Range: PN6~PN100/Class150~600
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard:
API608/6D, GB/T 12237, GB/T12224
Operation: Manual, Worm, Actuator



两片式固定法兰球阀
2PC Trunnion Ball Valve

Nominal Diameter: DN40-DN600(1-1/2" - 24")
Pressure Range: Class 150~1500
Material: A351 CF8/CF8M/CF3/CF3M/A216 WCB
Design&Manufacture Standard:
API608/6D, GB/T 12237
Operation: Manual, Worm, Actuator



Globe Valve Flange End



美标法兰截止阀

Globe Valve Flange Ends ASME Standard

Nominal Diameter: DN15-DN300 (1/2"-12")

Pressure Range: Class150/Class300

Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M

Design&Manufacture Standard: ASME B16. 34, API6232,BS1873

Operation: Handwheel, Gear, Actuator



日标法兰截止阀

Globe Valve Flange Ends JIS Standard

Nominal Diameter: DN15-DN300 (1/2"-12")

Pressure Range: JIS 10K/20K

Material: SCS13, SCS14, SCS13A, SCS14A, WCB

Design&Manufacture Standard: JIS B2071

Operation: Handwheel, Gear, Actuator



国标法兰截止阀

Globe Valve Flange Ends GB/T Standard

Nominal Diameter: DN15-DN300 (1/2"-12")

Pressure Range: PN16~PN6

Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M

Design&Manufacture Standard: GB/T 12235, GB/T12235,GB/T12224

Operation: Handwheel, Gear, Actuator



Ball Valve Thread/SW/BW/Quick Coupling End



一片式内螺纹球阀
1-PC Ball Valve Thread Ends

Nominal Diameter: DN6-DN100 (1/4"-4")
Pressure Range: 1000WOG (PN64)
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard: ASME B16. 34
Operation: Manual, Actuator



二片式内螺纹球阀
2-PC Ball Valve Thread Ends

Nominal Diameter: DN6-DN100 (1/4"-4")
Pressure Range: 1000WOG (PN64)
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard: ASME B16. 34
Operation: Manual, Actuator



三片式内螺纹球阀
3-PC Ball Valve Thread Ends

Nominal Diameter: DN6-DN100 (1/4"-4")
Pressure Range: 1000WOG (PN64)
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard: ASME B16. 34
Operation: Manual, Actuator



三通内螺纹球阀 (T型/L型)
3 Way Ball Valve Thread Ends (T/L Port)

Nominal Diameter: DN6-DN100 (1/4"-4")
Pressure Range: 1000WOG (PN64)
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard: ASME B16. 34
Operation: Manual, Actuator



二片式/三片式内螺纹球阀2000PSI
2-PC/3-PC Ball Valve Thread Ends 2000PSI

Nominal Diameter: DN15-DN50 (1/2"-2")
Pressure Range: 2000PSI
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard: ASME B16. 34
Operation: Manual, Actuator



三片式对焊球阀
3-PC Ball Valve Butt Welded Ends

Nominal Diameter: DN6-DN100 (1/4"-4")
Pressure Range: 1000WOG (PN64)
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard: ASME B16. 34
Operation: Manual, Actuator



三片式卡套球阀
3-PC Ball Valve Clamp Ends

Nominal Diameter: DN6-DN100 (1/4"-4")
Pressure Range: 1000WOG (PN64)
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard: ASME B16. 34
Operation: Manual, Actuator



二片式内外螺纹球阀
2-PC Ball Valve Male/Female Thread Ends

Nominal Diameter: DN6-DN50 (1/4"-2")
Pressure Range: 000WOG (PN64)
Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M
Design&Manufacture Standard: ASME B16. 34
Operation: Manual



Check Valve Flange End



美标/日标法兰旋启式止回阀

Swing Check Valve Flange Ends ASME/JIS Standard

Nominal Diameter: DN15-DN300 (1/2"-12")

Pressure Range: Class150~300/JIS10~20K

Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M

Design&Manufacture Standard:

ASME B16. 34,API594,API6D,BS1868,JIS B2071



国标法兰旋启式止回阀

Swing Check Valve Flange Ends GB/T Standard

Nominal Diameter: DN15-DN300 (1/2"-12")

Pressure Range: PN16~PN64

Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M

Design&Manufacture Standard: GB/T 12236,

GB/T12236,GB/T12224



法兰Y型过滤器

Y Type Strainer Flange Ends

Nominal Diameter: DN15-DN300 (1/2"-12")

Pressure Range: PN16/Class150/JIS 10K

Material: A216 WCB, A351 CF8/CF8M/CF3/CF3M

Design&Manufacture Standard:

ASME 16. 34, EN12516-1, GB/T 12224



Gate/Globe/Check Valve Thread End



内螺纹闸阀

Gate Valve Thread Ends

Nominal Diameter: DN15-DN100 (1/2"-4")

Pressure Range: 200PSI

Material: A 216WCB, A351 CF8/CF8M/CF3/CF3M

Design&Manufacture Standard: ASME B16. 34

Operation: Handwheel



内螺纹截止阀

Globe Valve Thread Ends

Nominal Diameter: DN15-DN100 (1/2"-4")

Pressure Range: 200PSI

Material: A 216WCB, A351 CF8/CF8M/CF3/CF3M

Design&Manufacture Standard: ASME B16. 34

Operation: Handwheel



内螺纹旋启式止回阀

Swing Check Valve Thread Ends

Nominal Diameter: DN15-DN100 (1/2"-4")

Pressure Range: 200PSI

Material: A 216WCB, A351 CF8/CF8M/CF3/CF3M

Design&Manufacture Standard: ASME B16. 34

Process Flow

工艺流程

PROCESS FLOW



Process Flow





RST Work Area Introduction



Area For Castings



RST Work Area Introduction



Area For Processing



RST Work Area Introduction



Area For Assembly



RST Work Area Introduction



Area For Cleaning



RST Work Area Introduction



Area For Testing



RST Work Area Introduction



Area For Fire Test



RST Work Area Introduction



Area For Painting



RST Work Area Introduction



Area For Painting



RST Work Area Introduction



Area For Packing & Shipment



RST Work Area Introduction



Area For Finished Products



RST Work Area Introduction



RST Products



RST Work Area Introduction



RST Products



RST Work Area Introduction



RST Products



China Senopec Supplier



RST Certificates



CE

API 607

ISO 9001

ISO 4001

SIL



T h a n k y o u !

瑞思拓阀门集团有限公司
www.stainlesssteel-valves.com