Electrical senior manufacturer
El fabricante de aparatos electricos

QUALITY EMBODIES LIFE
CHOOSE OUR PLATINO

JUICE EXTRACTOR/SLOW JUICER/BLENDER/COFFEE GRINDER
MULTI CHOPPER/COFFEE MAKER/HAND MIXER/AIR FRYER

PLATINO
普 莱 德

HIGH-END
DEGAMA-ALTA

ZHONGSHAN PLATINO ELECTRIC APPLIANCES TECHNOLOGY CO.,LTD
ADDR:NO. 16, JIANMIN ROAD, HUANGPU TOWN, ZHONGSHAN CITY,
GUANGDONG, CHINA
WEB:WWW.PLATINO-CHINA.COM
TEL:+86 760 22621469
FAX:+86 760 22626229
E-MAIL:TONY@PLATINO-CHINA.COM
TONYCHEN998@YAHOO.COM









Model: PLJR-301

- 2 speeds operation
- Stainless steel micro mesh filter
- Stainless steel cutter
- S/S base covered with anti-fingerprint oil
- Strong safety lock arm
- Food pusher with S/S decoration
- Feed tube diameter 65MM
- Juice jar capacity 0. 6L
- Pomace collector capacity 1. 3L
- Anti slip rubber feet
- Power cord exerted 1. 2M
- Full copper 7028 motor with thermostat
- Power: 220-240V~50-60Hz,500W
- Loading quantity: 1172pcs/20GP, 2400pcs/40GP, 2700pcs/40HQ

CE EMC RoHS ERP REACH LFGB



Model: PLJR-301A

- 2 speeds operation
- Stainless steel micro mesh filter
- Stainless steel cutter
- S/S base covered with anti-fingerprint oil
- Strong safety lock arm
- Food pusher with S/S decoration
- Feed tube diameter 65MM
- Juice jar capacity 0. 6L
- Pomace collector capacity 1. 3L
- Anti slip rubber feet
- Power cord exerted 1. 2M
- Full copper 7025 motor with thermostat
- Power: 220-240V~50-60Hz,400W
- Loading quantity: 1172pcs/20GP, 2400pcs/40GP, 2700pcs/40HQ

CE EMC RoHS PAHS REACH LFGB



Model: PLJR-305

- Multi-function Juicer with Blender, grinder and chopper
- 4 in 1 Multi-function Power Juicer
- 600W Power,low noise level
- ϕ68mm Large feeding tube
- Powerful 7625 motor with fan & overheat protection
- Speed setting:Pulse-Off-1-2
- Stainless steel micro mesh filter
- Stainless steel cutter
- Stainless steel housing
- ABS strong safety lock arm
- 600ml dust-proof juice cup with foam separator
- 1200ml pulp collector
- Glass mixing cup:1500ml, Glass mince cup:450ml, Glass ground bean cup:150ml
- Built-in safety protection system
- Non-slip rubber feet
- Dishwasher safety(except motor parts)
- Voltage:AC220-240V~50/60Hz 500W
- Loading quantity: 844pcs/20GP, 1748pcs/40GP, 2052pcs/40HQ

Model: PLJR-306

- Multi-function Juicer with Blender, grinder and chopper
- 4 in 1 Multi-function Power Juicer
- 600W Power,low noise level
- ϕ68mm Large feeding tube
- Powerful 7625 motor with fan & overheat protection
- Speed setting:Pulse-Off-1-2
- Stainless steel micro mesh filter
- Stainless steel cutter
- ABS strong safety lock arm
- 600ml dust-proof juice cup with foam separator
- 1200ml pulp collector
- Glass mixing cup:1500ml, Glass mince cup:450ml, Glass ground bean cup:150ml
- Built-in safety protection system
- Non-slip rubber feet
- Dishwasher safety(except motor parts)
- Voltage:AC220-240V~50/60Hz 500W
- Loading quantity: 844pcs/20GP, 1748pcs/40GP, 2052pcs/40HQ







Model: PLJR-311

- Juice jar capacity 0. 8L
- Pomace collector 0. 6L
- Powerful DC 4420 motor
- Food tube size:44X29mm
- Super low speed around 60RPM
- Max noise level <68dB
- With food pusher
- With reverse function
- Stainless steel filter screen and axis
- Anti slip rubber feet
- Continuous working time: <10min
- Power: 220-240V~50-60Hz, 150W
- Loading quantity: 1232pcs/20GP, 2464pcs/40GP, 2984pcs/40HQ





Model: PLJR-316

- Juice jar capacity 0. 8L
- Fruit pomace collector 0. 6L
- Food tube diameter 12CM
- Powerful DC 4435 motor
- Super low speed around 60RPM
- Max noise level <68dB
- With food pusher
- Knob switch with reverse function
- PC filter and SUS304 axis
- Patented no filter net structure for convenient cleaning
- Segmented shredding and juicing structure with our own patent
- Anti slip rubber feet
- Continuous working time: <10min
- Power: 220-240V~50-60Hz, 200W
- Loading quantity: 972pcs/20GP, 1980pcs/40GP, 2400pcs/40HQ



Model: PLJR-316A

- Juice jar capacity 0.8L
- Fruit pomace collector 0.6L
- Food tube diameter 12CM
- Powerful DC 4435 motor
- Super low speed around 60RPM
- Max noise level <68dB
- With food pusher
- With Stainless steel ring decoration
- Knob switch with reverse function
- SUS420 cutter
- SUS304 axis
- Patented no-net filter structure for convenient cleaning
- Segmented shredding and juicing structure with our own patent
- Anti slip rubber feet
- Continuous working time: <10min
- Power: 220-240V~50/60Hz, 200W
- Loading quantity: 972pcs/20'GP, 1980pcs/40'GP, 2400pcs/40HQ

Model: PLJR-320

- Juice jar capacity 0.8L
- Fruit pomace collector 0.6L
- Food tube diameter 12CM
- Powerful DC 4435 motor
- Super low speed around 60RPM
- Max noise level <68dB
- With food pusher
- With decoration belt
- SUS420 cutter
- Knob switch with reverse function
- SUS304 axis
- Patented no-net filter structure for convenient cleaning
- Segmented shredding and juicing structure with our own patent
- Anti slip rubber feet
- Continuous working time: <10min
- Power: 220-240V~50/60Hz, 200W
- Loading quantity: 972pcs/20'GP, 1980pcs/40'GP, 2400pcs/40HQ



Model: PLJR-318

- Juice jar capacity 0.8L
- Fruit pomace collector 0.6L
- Feeder mouth size: 44x26mm
- Powerful DC3430 motor
- Super low speed around 60 RPM
- Max noise level <68dB
- Food pusher
- SUS304 axis
- SUS304 filter screen or PC filter without net for option
- Anti slip rubber feet
- Press button switch with reverse function
- Power cord exerted 1.1M
- Continuous working time: <10min
- Power: AC220-240V~50-60Hz, 130W
- Loading quantity: 2556pcs/20GP,5208pcs/40GP,6306pcs/40H



Model: PLJR-318B



- Juice jar capacity 0.8L
- Fruits pomance collector 0.6L
- Feeder mouth size: Φ70mm
- Powerful DC3430 motor
- Super low speed around 60 RPM
- Max noise level <70dB
- Food pusher
- Rocker switch
- PC filter & SUS304 axis or SUS304 filter & SUS304 axis for option
- Anti slip rubber feet
- Power cord exerted 1.1M
- Continuous working time: <15min
- Power: AC 220-240V 50/60Hz, 130W
- Loading quantity: 2556pcs/20GP, 5208pcs/40GP, 6306pcs/40HQ

Model: PLJR-319

- Juice jar capacity 0.8L
- Fruit pomace collector 0.6L
- Feeder mouth size: 44x26mm
- Powerful DC3430 motor
- Super low speed around 60 RPM
- Max noise level <68dB
- Food pusher
- SUS304 axis
- SUS304 filter screen or PC filter without net for option
- Anti slip rubber feet
- Knob switch with reverse function
- Power cord exerted 1.1M
- Continuous working time: <10min
- Power: AC220-240V~50-60Hz, 130W
- Loading quantity: 2556pcs/20GP,5208pcs/40GP,6306pcs/40HQ



Model: PLJR-319B



- Juice jar capacity 0.8L
- Fruits pomance collector 0.6L
- Feeder mouth size: Φ70mm
- Powerful DC3430 motor
- Super low speed around 60 RPM
- Max noise level <70dB
- Food pusher
- Knob switch
- PC filter & SUS304 axis or SUS304 filter & SUS304 axis for option
- Anti slip rubber feet
- Power cord exerted 1.1M
- Continuous working time: <15min
- Power: AC 220-240V 50/60Hz, 130W
- Loading quantity: 2556pcs/20GP, 5208pcs/40GP, 6306pcs/40HQ



Model: PLBL-502

- 2 in 1 Multi-function Blender
- Glass mixing jug:1500ml，Glass ground bean jug:150ml
- Powerful AC 7625 motor with fan & overheat protection
- Stainless Steel decoration body
- Speed setting:Pulse-Off-1-2
- 6 Stainless Steel blades
- Lid with refilling opening
- Rotary switch,easy to control
- Detachable blade,easy to clean
- Built-in safety protection system
- Anti-slip feet,more steady operation
- Power:AC220-240V～50/60Hz 600W
- Loading QTY:1288PCS/20GP, 2680PCS/40GP, 3144PCS/40HQ

Model: PLBL-503

- 2 in 1 Multi-function Blender
- Glass mixing jug:1500ml，Glass ground bean jug:150ml
- Powerful AC 7625 motor with fan & overheat protection
- Stainless Steel body
- Speed setting:Pulse-Off-1-2
- 6 Stainless Steel blades
- Lid with refilling opening
- Rotary switch,easy to control
- Detachable blade,easy to clean
- Built-in safety protection system
- Anti-slip feet,more steady operation
- Power:AC220-240V～50/60Hz 600W
- Loading QTY:1288PCS/20GP, 2680PCS/40GP, 3144PCS/40HQ





Model: PLBL-504

- 2 in 1 Multi-function Blender
- Glass mixing jug:1500ml，Glass ground bean jug:150ml
- Powerful AC 7625 motor with fan & overheat protection
- Stainless Steel body
- Speed setting:Pulse-Off-1-2
- 6 Stainless Steel blades
- Lid with refilling opening
- Rotary switch,easy to control
- Detachable blade,easy to clean
- Built-in safety protection system
- Anti-slip feet,more steady operation
- Power:AC220-240V～50/60Hz 600W
- Loading QTY:1288PCS/20GP, 2680PCS/40GP, 3144PCS/40HQ





Model: PLBL-507

- Capacity: 0.6L
- Low noise during working
- Transparent AS jar with level marks
- SUS410 blade
- 2 speeds with pulse rotation
- With micro switch
- Rubber feet preventing the movement
- Power cord exerted 1.2M
- Full copper 5425 motor
- Power: 220-240V~50-60Hz, 300W
- Loading quantity: 3300pcs/20GP, 6600pcs/40GP, 7992pcs/40HQ

Model: PLBL-507AF

- Blending jar capacity: 0. 6L
- Portable jar capacity: 0. 6L
- Low noise during working
- Transparent glass blending jar with level marks
- Transparent glass portable jar with level marks
- SUS410 blade
- 2 speeds with pulse rotation
- With micro switch
- Large cupula preventing the movement
- Power cord exerted 1. 2M
- Full copper 5425 motor
- Power: 220-240V~50-60Hz, 300W
- Loading quantity: 1360pcs/20GP，2768pcs/40GP，3352pcs/40HQ



Model: PLBL-507A

- Capacity: 0.6L
- Low noise during working
- Transparent glass jar with level marks
- SUS410 blade
- 2 speeds with pulse rotation
- With micro switch
- Rubber feet preventing the movement
- Power cord exerted 1.2M
- Full copper 5425 motor
- Power: 220-240V ~50-60Hz,300W
- Loading quantity: 3300pcs/20GP, 6600pcs/40GP, 7992pcs/40HQ



Model: PLBL-551

- Capacity: 0.4L
- Low noise when working
- Transparent glass jar
- S/S 304 6-leaf blade
- DC 540 motor (20000rpm)
- With micro switch
- ABS main body
- Double click to start and once again to stop
- Rubber feet preventing the movement when working
- USB type C cord
- 10C power battery
- Battery capacity:2400mA(18500,1200mAhx2)
- Power: DC 7.4V 50W
- Loading quantity: 7950PCS/20'GP, 16200PCS/40'GP, 19600PCS/40HQ

Model: PLBL-552

- Capacity: 0.4L
- Low noise when working
- Transparent glass jar
- S/S 304 6-leaf blade
- DC 540 motor (20000rpm)
- With micro switch
- ABS main body
- Double click to start and once again to stop
- Rubber feet preventing the movement when working
- USB type C cord
- 10C power battery
- Battery capacity:2400mA(18500,1200mAhx2)
- Power: DC 7.4V 50W
- Loading quantity: 7950PCS/20'GP, 16200PCS/40'GP, 19600PCS/40HQ





Model: PLBL-553

- Capacity: 0.4L
- Low noise when working
- Transparent PC jar
- S/S 304 4-leaf blade
- With micro switch
- DC 380 motor (18000rpm)
- ABS main body
- Double click to start and once again to stop
- USB type C cord
- 10C power battery
- Battery capacity:2400mA
- Power: DC 7.4V 50W
- Loading quantity: 10100PCS/20'GP, 20550PCS/40'GP, 24900PCS/40HQ

Model: PLFB-01

- Capacity: 2000mL
- Heating the food or boiling the rice
- Heating working time 25min to 35min each cycle
- Water capacity: 80mL to 160mL
- With SUS304 steam egg sheet for 4pcs eggs
- Three SUS304 bowls with different capacity
- Soup bowl with PP cover and seal ring
- PTC heating element
- Fuse protection
- Thermostat for boil dry protection
- Knob to control on-off function
- Working light indicator
- PU handle to bring away
- Product size: 170X220MM
- Power: AC220-240V~50-60Hz, 270W
- Loading quantity: 2292pcs/20GP, 4656pcs/40GP, 5640pcs/40HQ



Model: PLMC-701

- Capacity: 0. 5L
- Low noise during working
- Transparent AS plastic jug
- SUS410 stainless steel cutter
- Press down operation
- With turbo function
- Rubber bottom cushion
- Power cord exerted 1. 2M
- Power: 220~240V~50/60Hz, 260W
- Loading quantity: 5244pcs/20GP, 10872pcs/40GP, 12936pcs/40HQ





Model: PLMC-702

- Capacity: 0. 5L
- Low noise during working
- Transparent AS plastic jug
- SUS410 stainless steel cutter
- Press down operation
- With turbo function
- Rubber bottom cushion
- Power cord exerted 1. 2M
- Power: 220~240V~50/60Hz, 260W
- Loading quantity: 5244pcs/20GP,10872pcs/40GP,12936pcs/40HQ



Model: PLMC-703

- Capacity: 1.8L
- Low noise during working
- Transparent glass jug
- With micro switch protection
- Double-layer S/S 410 tough cutter
- SUS201 main body shell
- Metal gear
- Two speeds operation
- Rubber bottom cushion
- Full copper 5425 motor with thermostat protection
- Power cord exerted 1.2M
- Power: 220-240V~50-60Hz,350W
- Loading quantity: 3024PCS/20GP, 6160PCS/40GP, 7480PCS/40HQ



chili



Garlic



beef

Model: PLMC-703S

- Capacity: 1.8L
- Low noise during working
- SUS304 stainless steel jug
- With micro switch protection
- Double-layer S/S 410 tough cutter
- SUS201 main body shell
- Metal gear
- Two speeds operation
- Rubber bottom cushion
- Full copper 5425 motor with thermostat protection
- Power cord exerted 1.2M
- Power: 220-240V~50-60Hz,350W
- Loading quantity: 3024PCS/20GP, 6160PCS/40GP, 7480PCS/40HQ





Model: PLMC-704

- Capacity: 1.8L
- Low noise during working
- Transparent glass jug
- With micro switch protection
- Double-layer S/S 410 tough cutter
- SUS201 main body shell
- Metal gear
- Two speeds operation
- Rubber bottom cushion
- Full copper 5425 motor with thermostat protection
- Power cord exerted 1.2M
- Power: 220-240V~50-60Hz, 350W
- Loading quantity: 3024PCS/20GP, 6160PCS/40GP, 7480PCS/40HQ



chili



Garlic



beef

Model: PLMC-704S

- Capacity: 1.8L
- Low noise during working
- SUS304 stainless steel jug
- With micro switch protection
- Double-layer S/S 410 tough cutter
- SUS201 main body shell
- Metal gear
- Two speeds operation
- Rubber bottom cushion
- Full copper 5425 motor with thermostat protection
- Power cord exerted 1.2M
- Power: 220-240V~50-60Hz, 350W
- Loading quantity: 3024PCS/20GP, 6160PCS/40GP, 7480PCS/40HQ



Model: PLMC-708

- Capacity: 2.8L
- Low noise during working
- Transparent glass jug
- Main body with handle
- Double layer Stainless Steel cutter
- Metal gear
- Three speeds operation
- Rubber bottom cushion
- Full copper 5430 motor with thermostat
- Power cord 1.2M exerted
- Power: 220-240V~50-60Hz, 500W
- Loading quantity: 2232pcs/20GP,4536pcs/40GP,5488pcs/40HQ





Model: PLMC-708S

- Capacity: 2.8L
- Low noise during working
- SUS304 stainless steel jug
- Main body with handle
- Double layer Stainless Steel cutter
- Metal gear
- Three speeds operation
- Rubber bottom cushion
- Full copper 5430 motor with thermostat
- Power cord 1.2M exerted
- Power: 220-240V~50-60Hz, 500W
- Loading quantity: 2232pcs/20GP,4536pcs/40GP,5488pcs/40HQ




Model: PLMC-711

- Capacity: 1.2L
- Low noise during working
- Transparent glass jug
- With micro switch protection
- Double-layer S/S 410 tough cutter
- SUS201 stainless steel main body shell
- Metal gear
- Two speed operation
- Rubber bottom cushion
- Full copper 5420 motor with thermostat protection
- Power cord exerted 1.2M
- Power: 220-240V~ 50-60Hz, 250W
- Loading quantity: 2912pcs/20GP,5920pcs/40GP,7168pcs/40HQ



chili



Garlic



beef

Model: PLMC-711S

- Capacity: 1.2L
- Low noise during working
- SUS304 stainless steel jug
- With micro switch protection
- Double-layer S/S 410 tough cutter
- SUS201 stainless steel main body shell
- Metal gear
- Two speed operation
- Rubber bottom cushion
- Full copper 5420 motor with thermostat protection
- Power cord exerted 1.2M
- Power: 220-240V~50-60Hz, 250W
- Loading quantity: 2912pcs/20GP,5920pcs/40GP,7168pcs/40HQ





Model: PLMC-712

- Capacity: 1.2L
- Low noise during working
- Transparent glass jug
- Main body with handle
- With micro switch protection
- Double-layer S/S 410 tough cutter
- SUS201 stainless steel main body shell
- Metal gear
- Two speed operation
- Rubber bottom cushion
- Full copper 5420 motor with thermostat protection
- Power cord exerted 1.2M
- Power: 220-240V~50-60Hz, 250W
- Loading quantity: 2912pcs/20GP,5920pcs/40GP,7168pcs/40HQ

Model: PLMC-712S

- Capacity: 1.2L
- Low noise during working
- SUS304 stainless steel jug
- Main body with handle
- With micro switch protection
- Double-layer S/S 410 tough cutter
- SUS201 stainless steel main body shell
- Metal gear
- Two speed operation
- Rubber bottom cushion
- Full copper 5420 motor with thermostat protection
- Power cord exerted 1.2M
- Power: 220-240V~50-60Hz, 250W
- Loading quantity: 2912pcs/20GP,5920pcs/40GP,7168pcs/40HQ





Model: PLMC-720

- All purpose swallow food maker
- Cook Pounded yam, Eba, Amala, Banku, Semolina,Konkonte, Ugali, fufu and so on
- Jug capacity 5.0L
- Serve up to 5 persons
- Easy cleaning
- Save time
- Cook food quickly and conveniently
- With timer function
- Knob switch for function option
- Automatically heat and stir after the function chosen
- DC motor
- SUS420 blade
- Power cord exerted 0.75M
- Power: AC 220-240V 50-60Hz, 850W for heating
  AC 220-240V 50-60Hz, 80W for stirring
- Loading quantity: 1050pcs/20GP, 2136pcs/40GP, 2586pcs/40HQ



Model: PLHM-902

- 5 available speeds
- Turbo function with safety device
- Eject button with safety device
- ABS inner housing decorated with SUS201 outer housing
- Low noise operation
- Stainless steel dough hooks & beaters included
- Power: AC 220V-240V~50/60Hz 300W
- Loading quantity: 7000pcs/20GP, 14220pcs/40GP, 17220pcs/40HQ



Model: PLHM-901

- 7 available speeds
- PP housing
- Low noise operation
- Chrome or stainless steel dough hooks & beaters included
- Power: AC 220V-240V~50/60Hz 150W
- Loading quantity: 13320pcs/20GP, 27096pcs/40GP, 32808pcs/40HQ

Model: PLCG-531

- Capacity:120mL
- S/S 304 grinder bowl
- S/S 410 blade
- Transparent cover
- SUS201 housing
- Safety lock protection
- Button switch operation
- Full copper 5415 motor
- Power: 220-240V~50/60Hz,200W
- Loading quantity: 10575pcs/20GP, 21525pcs/40GP, 26055pcs/40HQ





Model: PLCG-536

- Capacity:120mL
- S/S 304 grinder bowl
- S/S 410 blade
- Transparent cover
- Safety lock protection
- Button switch operation
- Full copper 5415 motor
- Power: 220-240V~50/60Hz,200W
- Loading quantity: 10575pcs/20GP, 21525pcs/40GP, 26055pcs/40HQ



Model: PLCM-10

- Capacity: 0.75L
- Water tank with level marks
- On/off button with light indicator
- Permanent filter with handle
- Take out filter bracket
- Power cord exerted 0.8M
- Power: 220-240V～50-60Hz 650W
- Loading quantity: 2800pcs/20GP, 5696pcs/40GP,6792pcs/40HQ





Model: PLCM-01

- Capacity: 0. 65L for 4-6 cups
- Anti-drip feature
- Translucent water tank with level marks
- On/off button with light indicator
- Permanent filter with handle
- Swing-out filter basket
- Stain resistant warming plate
- Thermostat protection for safety
- Dry boil protection
- Power: 220-240V～50-60Hz 650W
- Loading quantity: 2460pcs/20GP, 5010pcs/40GP, 6060pcs/40HQ

Model: PLCM-02

- Capacity: 1.2L for 10 cups
- Anti-drip feature
- Translucent water level marks
- On/off button with light indicator
- Permanent filter with handle
- Swing-out filter basket
- Stain resistant warming plate
- Thermostat protection for safety
- Dry boil protection
- Power: 220-240V～50-60Hz 900W
- Loading quantity : 2190pcs/20GP,4452pcs/40GP,5388pcs/40HQ





Model: PLCM-03

- Capacity: 1.2L for 10 cups
- Anti-drip feature
- Translucent water level marks
- On/off button with light indicator
- Permanent filter with handle
- Swing-out filter basket
- Stain resistant warming plate
- Thermostat protection for safety
- Dry boil protection
- Power: 220-240V～50-60Hz 900W
- Loading quantity : 2190pcs/20GP,4452pcs/40GP,5388pcs/40HQ

Model: PLCM-06

- Capacity: 0.4L for 2 cups
- With two ceramic cups
- PP water tank
- On/off button with light indicator
- Permanent filter with handle
- Pull-out filter basket
- Thermostat protection for safety
- Dry boil protection
- Power: 220-240V～50-60Hz 450W
- Loading quantity: 4070pcs/20GP, 8290pcs/40GP, 10030pcs/40HQ



Model: PLCM-07

- Capacity: 1. 2L
- Plastic housing with stainless steel decoration
- Glass coffee pot
- On/off switch with light indicator
- Washable permanent filter
- Lift-up filter basket
- Translucent water level gauge
- Thermal protection
- Dry Boil Protection
- Automatically shut off when working finish
- Hotplate keep warm function
- Anti-drip feature
- Power: AC220-240V～50-60Hz 900W
- Loading: 2196pcs/20GP, 4392pcs/40GP, 4968pcs/40HQ


Model: PLCM-08

- Capacity: 0.65L for 4-6 cups
- Anti-drip feature
- Translucent water tank with level marks
- On/off button with light indicator
- Permanent filter with handle
- Swing-out filter basket
- Stain resistant warming plate
- Thermostat protection for safety
- Dry boil protection
- Power: 220-240V～50-60Hz 650W
- Loading quantity: 2460pcs/20GP,5010pcs/40GP,6060pcs/40HQ

Model: PLCM-09S

- Water capacity 0. 65L for 4-6cups
- Anti-drip feature
- Translucent water tank with water level marks
- Stainless steel decoration
- Permanent filter with handle
- On/off switch with light indicator
- Stain resistant warming plate
- Thermostat protection for safety
- Dry boil protection
- Power: AC220-240V～50-60Hz, 650W
- Loading quantity: 3396pcs/20GP; 6786pcs/40GP;





Model: PLCM-09

- Capacity: 0.65L for 4-6 cups
- Anti-drip feature
- Translucent water level marks
- On/off button with light indicator
- Permanent filter with handle
- Lift-up filter basket
- Stain resistant warming plate
- Thermostat protection for safety
- Dry boil protection
- Power: 220-240V～50-60Hz 650W
- Loading quantity: 2472pcs/20GP,5028pcs/40GP,6090pcs/40HQ



Model: PLCM-12

- Capacity 400mL
- PP plastic +S/S housing
- Double wall S/S travel cup
- On/off switch with light indicator
- Washable permanent filter
- Lift-up filter basket
- Water level gauge
- Thermal protection
- Dry Boil Protection
- Auto shut off
- Power: AC 220-240V~50/60Hz 600W
- Loading quantity: 4158PCS/20'GP, 8316PCS/40'GP, 9504PCS/40HQ

Model: PLCM-14

- Capacity 750mL
- PP plastic +S/S decoration housing
- On/off switch with light indicator
- Washable permanent filter
- Lift-up filter basket
- Water level gauge
- Thermal protection
- Dry Boil Protection
- Auto shut off
- Power: AC 220-240V~50/60Hz 650W
- Loading quantity: 3264PCS/20'GP, 6528PCS/40'GP, 8160PCS/40HQ





Model: PLCM-601

- Capacity: 1.5L for 12 cups
- Anti-drip feature
- Translucent water level marks
- On/off button with light indicator
- Permanent filter with handle
- Lift-up lid filter
- Stain resistant warming plate
- Thermostat protection for safety
- Dry boil protection
- Power: 220-240V~50-60Hz 900W
- Loading quantity: 1842pcs/20GP,3756pcs/40GP,4548pcs/40HQ

Model: PLCM-109

- 4 cup espresso (240ml)
- 5 bar working pressure for rich taste coffee
- With frothing function for making cappuccino
- With 4 cups stainless steel filter, aluminum alloy filter holder
- Removable & washable drip tray for easy cleaning
- Carafe with water leve gauge
- Single knob for function transform and on/off, easy control with indicator light
- Power: 220-240V~50-60Hz, 800W
- Loading quantity: 2268pcs/20GP, 4536pcs/40GP, 5184pcs/40HQ





Model: PLCM-121

- Coffee maker with blade type grinder
- Body : Plastic with stainless steel decoration
- Water tank capacity 0.75L
- DC motor
- Grinder capacity: 60g
- Power: 220-240V~50/60Hz 650W
- Loading quantity: 1600pcs/20'GP, 3200pcs/40'GP, 3920pcs/40HQ



Model: PLAF-811

- Capacity 3.0L
- Transparent and visible heat resistant glass tank
- Suitable for 2-6 persons
- Precise touch screen control panel
- Characteristic air duct design and effectively control temperature rise
- Bake with circulating hot air & evenly heated
- Inclination under 45 degree, glass tank no fall
- With micro switch control, power off once the tank been drawn out
- Power off memory function
- Power cord exerted 0.75M
- Continuous working time: 6~45min
- With timer function
- Operating temperature range: 30°C~180°C
- Program control, light wave tube heating
- With reservation function
- Power: AC 220-240V~50/60Hz, 1200W
- Loading quantity: 1000pcs/20'GP, 2040pcs/40'GP, 2468pcs/40''HQ



Model: PLAF-812

- Capacity 3.0L
- Transparent and visible heat resistant glass tank
- Suitable for 2-6 persons
- Precise touch screen control panel
- Characteristic air duct design and effectively control temperature rise
- Bake with circulating hot air & evenly heated
- Inclination under 45 degree, glass tank no fall
- With micro switch control, power off once the tank been drawn out
- Power off memory function
- Power cord exerted 0.75M
- Continuous working time: 6~45min
- With timer function
- With liquid crystal display
- Operating temperature range: 30°C~180°C
- Program control, light wave tube heating
- With reservation function
- Power: AC 220-240V~50/60Hz, 1200W
- Loading quantity: 1000pcs/20'GP, 2040pcs/40'GP, 2468pcs/40''HQ



Model: PLAF-813

- Capacity 3.0L
- Transparent and visible heat resistant glass tank
- Suitable for 2-6 persons
- Precise touch screen control panel
- Characteristic air duct design and effectively control temperature rise
- Bake with circulating hot air & evenly heated
- Inclination under 45 degree, glass tank no fall
- With micro switch control, power off once the tank been drawn out
- Power off memory function
- Power cord exerted 0.75M
- Continuous working time: 6~45min
- With timer function
- With liquid crystal display
- Operating temperature range: 30°C~180°C
- Program control, light wave tube heating
- With reservation function
- Power: AC 220-240V~50/60Hz, 1200W
- Loading quantity: 1000pcs/20'GP, 2040pcs/40'GP, 2468pcs/40''HQ

Model: PLAF-814

- Capacity 3.0L
- Transparent and visible heat resistant glass tank
- Suitable for 2-6 persons
- Precise touch screen control panel
- Characteristic air duct design and effectively control temperature rise
- Bake with circulating hot air & evenly heated
- Inclination under 45 degree, glass tank no fall
- With micro switch control, power off once the tank been drawn out
- Power off memory function
- Power cord exerted 0.75M
- Continuous working time: 6~45min
- With timer function
- Operating temperature range: 30°C~180°C
- Program control, light wave tube heating
- With reservation function
- Power: AC 220-240V~50/60Hz, 1200W
- Loading quantity: 1000pcs/20'GP, 2040pcs/40'GP, 2468pcs/40''HQ





Model: PLAF-819

- High speed air circulation technology frying
- Frying delicious food, not greasy
- Tastiest food and snacks without oil
- Adjust the time and temperature control
- Effect of high power performance for fast cooking
- Non-stick detachable drawer
- Chrome handle cover
- Capacity: 1.5L
- Temperature range:0-200°C
- Timer: 30min
- Power:900W
- Loading quantity: 1440pcs/20'GP, 2880pcs/40'GP, 3500pcs/40''HQ