JIAYUAN
嘉垣 HARDWARE





Tangshan Jiayuan Metalwork Co.,Ltd

Tangshan Jiayuan Metalwork Co.,Ltd

Company profile

Tangshan Jiayuan Metalwork Co.,Ltd is a comprehensive enterprise of manufacturing the steel products, location in Tangshan city, Hebei province, which is about 200km from Tianjin port.

We have more than 20 professional technicians in steel production fields. Have advanced production equipment and efficient production capacity fit for demands for difference customers.

My main products are Common nail, Roofing nail, Concrete nail,U shape nail, Clout nail, Boat nail; Drywall screw, Chipboards screws, Wood screws, Bolts and Nuts;Galvanized wire, Black annealed wire, Hard wire for nail making , Wire rod and all kind of wire mesh.

With the reliable quality and reasonable prices, we have gain high reputation and good praise in the international market.

Welcome to visit my company and looking forward to our cooperation.









Common Round Wire Nail



Jolthead Nail

SIZE					2D	3D	4D	5D	6D	8D	10D	16D	20D	30D	40D	60D
	3/8"	1/2"	5/8"	3/4"	1"	1-1/4"	1-1/2"	1-3/4"	2"	2-1/2"	3"	3-1/2"	4"	4-1/2"	5"	6"
BWG	20	19	18	17	16	15	14	12	11	10	9	8	7	6	5	4
FINISH	Smooth Shank,Flat Head or Countersunk;Polished/Electro Galvanized/Hot Dipped Galvanized															



Duplex Head Nail

SIZE	6D	8D	10D	12D	16D	20D	30D
	3/8"	1/2"	5/8"	3/4"	1"	1-1/4"	1-1/2"
BWG	20	19	18	17	16	15	14
FINISH	Polished/Electro Galvanized						



Square Boat Nail

SIZE	1 ”	1-1/2”	2 ”	2-1/2”	3 ”	3-1/2”	4 ”
BWG	12	11	10	9	8	7	6



U Fence Staples

SIZE	3/4”	7/8”	1 ”	1-1/4″	1-1/2”	2 ”
FINISH	Bright, Galvanized					








Concrete Nail

LENGTH	13mm	16mm	20mm	25mm	30mm	35mm	40mm	50mm	60mm	70mm	80mm	90mm	100mm
DIA	1.6mm	1.8mm	2.0mm	2.2mm	2.5mm	2.8mm	2.8mm	3.4mm	3.7mm	4.1mm	4.5mm	4.8mm	5.0mm
BWG	16	15	14	13	12	11	11	10	9	8	7	6	5
FINISH	Black or Elertro Galvanized												






Roofing nail with washer/Assembled roofing nail/roofing screw

Length:63mm,75mm,90mm,120mm

Packing:100sets per bag,10bags per carton







SIZE	BWG9		BWG10
	2-1/2”	3”	2 ”

Umbrella head roofing nail

Shank:Plain shank or twisted shank

Finish:Electro galvanized/hot dipped galvanized



Clout Nail

SIZE	3/4”	7/8”	1”	1-1/4”	1-1/2″	1-3/4”
DIA	BWG9, BWG10, BWG11					



Cut Masonry Nail

SIZE	3D	4D	5D	6D	8D	10D	12D	16D	20D
	1-1/4”	1-1/2”	2 ”	2-1/4”	2-1/2″	3 ”	3-1/4”	3-1/2”	4 ”
FINISH	Black or Electro Galvanized								



Pallet Nail

SIZE	65mm	75mm	90mm	120mm
FINISH	Bright, Galvanized			



Drywall Screw

WireDia	3.0mm, 3.5mm, 4.0mm, 5.0mm, 6.0mm
Length	12mm--200mmm
Features	Zinc plated coating, sharp point



CSK Double Head Chipboard Screw

WireDia	3.5mm, 3.9mm, 4.2mm, 4.8mm
Length	19mm--110mmm
Finish	Black/Grey Phosphate or Zinc Plated, Nick Plated





Self Drilling Screw/Self Tapping Screw

WireDia	3.5mm, 3.9mm, 4.2mm, 4.8mm
Length	13mm--100mmm
Finish	Electric Zinc, Mechanical Zinc, Ruspert Dacromet
Countersunk head, Bugle phillips head are available	







Self Drilling Screw With Countersunk Wings

WireDia	3.5mm, 3.9mm, 4.2mm, 4.8mm
Length	13mm--38mmm
Finish	Electric Zinc, Mechanical Zinc, Ruspert Dacromet
Countersunk head, Bugle phillips head are available	





Pan Framing Head Self Drilling Screw

Pan Framing Head Self Tapping Screw

Inch	#6x3/8"	#6x7/16"	#6x1/2"	#7x3/8"	#7x7/16"	#7x1/2"	#7x5/8"
mm	3.5x9.5	3.5x11	3.5x13	3.9x9.5	3.9x11	3.9x13	3.9x16





Thruss Head Self Drilling Screw

Thruss Head Self Tapping Screw

inch	#8-18x1/2"	#8-18x5/8"	#8-18x3/4"	#8-18x1"	#8-18x1-1/4"	#8-18x1-5/8"
mm	4.2x13	4.2x16	4.2x19	4.2x25	4.2x32	4.2x41
Finish	yellow/white/blue zinc plated,phosplated plated					

Hex Head Self Drilling Screw



WireDia	4.2mm, 4.8mm, 5.5mm, 6.3mm
Length	13mm--150mmm
Finish	Electric Zinc, Mechanical Zinc, Ruspert Dacromet
Colored head , sharp point are available	

Wires


Black Annealled wire

DIA	BWG8-BWG22
T/S	300-400N/mm²
COIL	5-100KGS



Twisted Wire

DIA	BWG8-BWG22
T/S	300-400N/mm²
COIL	1-25kg or required



Coil Wire

DIA	BWG8-BWG22
T/S	300-400N/mm²
COL	1-25kg or required



Electric Galvanized Wire

DIA	BWG6-BWG25
ZINC COATING	6-15G/m²
T/S	300-500N/mm²
COL	0.5-100KGS





Hot Dipped Galvanized



DIA	BWG6-BWG25
ZINC COATING	60-230G/m²
T/S	400-750N/mm²
COL	50-800KGS

Wire Mesh

Hexagonal Wire Netting

Welded Wire Mesh


Chain Link Fencing


PVC-Coated Wire Mesh

Woven Wire Mesh

Barbed Wire/Razor Barbed Wire

Window Screen









MESH	14X14	16X16	18X18	24X24
DIA	BWG31 BWG32			
MATERIAL	Plastic/Stainless Steel Wire			
COLOR	Black, White, Grey			





















Fence post

Y Post For Australian Market






Y Post for Middle East Market


Specification	BTO-10	BTO-12	BTO-18	BTO-22	BTO-28	BTO-30	CBT-60	CTB-65
Blade style								
Specification	Thickness		Diameter		Barb Length		Barb Width	Barb Spacing
BTO-10	0.5mm+/-0.05mm		2.5mm+/-0.1mm		10mm+/-1mm		13mm+/-1mm	26mm+/-1mm
BTO12	0.5mm+/-0.05mm		2.5mm+/-0.1mm		12mm+/-1mm		15mm+/-1mm	26mm+/-1mm
BTO-18	0.5mm+/-0.05mm		2.5mm+/-0.1mm		18mm+/-1mm		15mm+/-1mm	33mm+/-1mm
BTO-22	0.5mm+/-0.05mm		2.5mm+/-0.1mm		22mm+/-1mm		15mm+/-1mm	34mm+/-1mm
BTO-28	0.5mm+/-0.05mm		2.5mm+/-0.1mm		28mm+/-1mm		15mm+/-1mm	45mm+/-1mm
BTO-30	0.5mm+/-0.05mm		2.5mm+/-0.1mm		30mm+/-1mm		18mm+/-1mm	45mm+/-1mm
CBT-60	0.5mm+/-0.05mm		2.5mm+/-0.1mm		60mm+/-2mm		32mm+/-1mm	100mm+/-2mm
CBT-65	0.5mm+/-0.05mm		2.5mm+/-0.1mm		65mm+/-2mm		21mm+/-1mm	100mm+/-2mm



Tangshan Jiayuan Metalwork Co.,Ltd
Address: No. 60, Qingbei Road, High-Tech Industrial Cluster, Tangshan city, China
Tel &wechat&WhatsApp: 008615832531726
Email:postmaster@jyhardware.net
Website: www.jiayuansteels.com