HENGJIU
Transmit Safety&Reliability

KETOZ® chain

江西恒久链条传动有限公司
Jiangxi Hengjiu Chain Transmission Co., Ltd

地址: 江西省上饶经济开发区三清山西大道171号
No.171 Sanqingshan West Road, Shangrao, Jiangxi

Tel 电话: 0086-793-6192989　Fax 传真: 0086 793 6192518　Web 网站: motochain.hengjiu-pt.com

HENGJIU
Transmit Safety&Reliability

KETOZ® chain

值得信赖的高品质、高性价比的
机动车传动件供应商

A Reliable Supplier Of High-quality And Cost-effective
Motorcycle Transmission Parts



摩托车链条
MOTORCYCLE CHAIN

优等品质
EXCELLENT QUALITY

稳定可靠
STABLE RELIABILITY

有性价比
COST-EFFECTIVE

江西恒久链传动有限公司
Jiangxi Hengjiu Chain Transmission Co., Ltd

HENGJIU
Transmit Safety&Reliability

KETOZ® chain

江西恒久链传动有限公司（独立法人）隶属于浙江恒久机械集团有限公司，2004年应江西商务局招商引资落户于江西省上饶市国家级经济开发区，占地 200 亩，注册资金 3000 万，固定资产投入 1 亿多，主营摩托车链条，年产能1000w 条，产品主销海外市场头部品牌和配套国内市场。

Jiangxi Hengjiu Chain Transmission Co., Ltd. (an independent legal entity) is affiliated with Zhejiang Hengjiu Machinery Group Co., Ltd. In 2004, it was established in the national-level economic development zone of Shangrao City, Jiangxi Province through the investment promotion efforts of the Jiangxi Provincial Commerce Bureau. the company covers an area of 200 mu, with a registered capital of 30 million RMB and fixed asset investment of over 100 million RMB. Our main business is motorcycle chains. The annual production capacity is 10 million pieces. Our products are mainly sold to leading brands in overseas markets and are also supplied to the domestic market.

占地 **200** 亩

注册资金 **3000** 万

固定资产投入 **1亿+**

年产链条 **1000w** 条

公司秉承“创新、担当、不掉链子”的经营理念和“传递安全与可靠”的产品定位，公司专注摩托车细分领域，通过不断改造升级、技术创新和管理提升，计划年产 1200w 条，以“品质优，品质稳、坪效高、人均产值高”为经营目标，稳健发展，力争实现更高质量发展。

The company upholds the corporate philosophy of “Innovation, Responsibility, and Reliability” and the product positioning of “Delivering Safety and Reliability”. Focusing on the motorcycle chain segment, we strive to achieve an annual output of 12 million pieces through continuous equipment upgrading, technological innovation and management optimization. With the operational goals of “Superior Quality, Stable Quality, High Land Efficiency and High Per Capita Output Value”, the company pursues steady development and strives to achieve higher-quality growth.

总部**浙江恒久机械集团有限公司**是一家以链传动产品为主导的研制企业，始创于 1953 年，恒久集团总部位于浙江省诸暨市，在浙江、安徽、江西、江苏共有9个研发生产基地，全球拥有员工 1520 名，其中包括匈牙利和德国的两家全资子公司。主营业务收入 15 亿，产能规模居全球同行业前10强！

Zhejiang Hengjiu Machinery Group Co., Ltd. is a research and development enterprise specializing in chain drive products. It was founded in 1953. The headquarters of the Hengjiu Group is located in Zhuji City, Zhejiang Province. It has 9 R&D production bases in Zhejiang, Anhui, Jiangxi and Jiangsu provinces, and has a total of 1,520 employees worldwide, including two wholly-owned subsidiaries in Hungary and Germany. The main business income is 1.5 billion, and its production capacity ranks among the top 10 in the global same industry!

SINCE **1953**

- **9** 个研发生产基地
- **1520** 名员工
- **前10强** 产能规模居同行业
- **15亿** 主营业务收入



先进设备和强大制造能力

ADVANCED EQUIPMENT AND STRONG MANUFACTURING CAPABILITIES

优质材料、精密模具、高品质零部件、高水平热处理与精准装配，是保障链条高精度的核心基础；而各环节的专业加工设备与检测设备，则是制造高品质链条的关键支撑。

恒久集团持续在装备与研发领域投入巨资，同时恒久集团旗下的链条设备公司研发众多拥有自主知识产权的链条专用设备与专业工具，我们以此确保为客户提供一流的解决方案、优质产品与专业服务。

High-quality materials, precision molds, premium components, high-level heat treatment and precise assembly form the core foundation for ensuring high precision of chains. Professional processing and testing equipment for each stage serve as the key support for manufacturing high-quality chains.

Hengjiu Group continuously invests heavily in equipment and R&D. Meanwhile, its subsidiary chain equipment company has developed a wide range of chain-specific equipment and professional tools with independent intellectual property rights, ensuring that we provide customers with first-class solutions, high-quality products and professional services.



CNC加工中心
CNC Machining



自动焊接机械臂
Welding Robot



模具加工中心
Mold Processing Center

研发和创新
RESEARCH AND DEVELOPMENT

科技创新是恒久发展的不竭动力，集团与吉林大学、上海交大、浙江工业大学、合肥工业大学等高校合作，研制多种不同链条高品质新产品。实现了进口替代。

公司拥有120项专利，其中发明专利30多项；主持和参与制定国家、行业和团体标准24项；拥有2家“国家级高新技术企业”、1个“省级企业研究院”、2个“省级企业技术中心”、2个“省级博士后工作站”、2个“CNAS”检测实验室。企业通过了浙江省品字标产品认证；“恒久牌”获中国驰名商标，恒久牌商标是“浙江省出口名牌”。

Scientific and technological innovation is an inexhaustible driving force for hengjiu development.The group has collaborated with universities such as Jilin University, Shanghai Jiao Tong University, Zhejiang University of Technology, and Hefei University of Technology to develop a variety of high-quality new products with different production chains. Import substitution was achieved.

The company holds 120 patents, including over 30 invention patents.Has participated in the formulation of 24 national, industry and group standards; possesses 2 "National High-Tech Enterprises," 1 "Provincial Enterprise Research Institute," 2 "Provincial Enterprise Technology Centers," 2 "Provincial Postdoctoral Workstations," and 2 "CNAS"-accredited testing laboratories. The enterprise has obtained the Zhejiang Province Quality Mark Product Certification; the "Hengjiu" brand has been recognized as a Chinese Famous Trademark, and the "Hengjiu" trademark is also an "Export Famous Brand of Zhejiang Province".

2家 国家级高新技术企业

1个 省级企业研究院

2个 省级企业技术中心


RESEARCH AND DEVELOPMENT STRENGTH

2个 省级博士后工作站

2个 “CNAS”检测实验室


3000KN卧式拉力试验机
3000KN Horizontal Tensile Testing Machine


冲击试验机
Impact Elasticity Tester


300KN疲劳试验机
300KN Fatigue testing Machine



盐雾试验机
Salt Spray Tester



链条测长仪
Chain Length Tester


显微维氏硬度计
Micro Vickers Hardness Tester



影像测量仪
Image Measuring Instrument


直读光谱仪
Direct-reading Spectrometer


金相显微镜
Metallurgical Microscope



产品
PRODUCT


公司主营摩托车普通滚子链、O型/X型油封链条、配套链轮及链传动套件，覆盖415、420、428、520、525、530等全系列规格，可全面适配中小排量通勤车型、中大排量街车、仿赛、越野摩托车及售后改装市场，累积销售超亿条。

The company mainly deals in ordinary roller chains for motorcycles, O/X ring chains, matching sprockets and sprocket kits, covering the full range of specifications such as 415,420, 428, 520, 525, and 530. They can fully adapt to small and medium displacement commuter models, medium and large displacement street bikes, sport bikes, off-road motorcycles, and the aftermarket modification market. The cumulative sales have exceeded 100 million pieces.

产品特点
PRODUCT FEATURES

- 抗耐磨性能强 Strong Wear Resistance
- 初期延长速率低 Low Initial Elongation Rate
- 品质输出稳定 Stable Quality Output
- 产品品质优 Excellent Product Quality
- 运行平顺声噪小 Smooth Operation With Low Noise










产品的核心四大关键品质指标——**抗初期延长、抗疲劳强度、抗破断载荷、长度精度**均达到行业一流水准，性能稳定可靠，充分满足高端市场严苛使用要求。

The product's four core key quality indicators—initial elongation resistance, fatigue strength, breaking load resistance and dimensional accuracy—have reached first-class industry standards. With stable and reliable performance, it fully meets the stringent application requirements of high-end markets.



设备
EQUIPMENT


我们拥有完善的制造和检测设备，具有国际先进标准。能够满足国内外市场的需求。


We have perfect manufacturing and monitoring equipment with international advanced standard. Which could satisfy requirments of both domestic and overseas market. Such as:


- 从160T-200T到各种吨位的连续高速精密冲床，零件尺寸精度达到0.03mm。
- 具有温度精确控制和稳定气体的自动网带式传送炉。
- 销钉切割机具有钨钢切割速度达到500次切割/分钟，销钉长度公差在0.1mm范围内。
- 最新的自动装配线达到每小时18000节。
- 采用先进的碳硫分析仪、冶金显微镜和离频疲劳试验设备，通过PDCA和AQL6方法控制和提高质量。
- 拥有最新的全影像检测仪，可对链条进行全自动、高精度、非接触式全尺寸与外观缺陷检测，实现100%全检，确保产品精度、稳定性与出厂品质。
- 具有液压系统位置和精确控制铆接力的高精度四面铆接机，全速达到12000links/小时。
- 硬度、高频淬火和渗碳表面分布的高精度测试设备。
- 包装、预拉、润滑和切割中缺失零件的自动检测系统。


- Continuously high speed precision punching machines in various tonnage from 160T-200T, the part size precision degree reaches 0.03mm.
- Automatic mesh belt conveyor furnace with temperature accurancy controlling and stable gas permeability.
- Pin cutting machine has tungsten steel cutting, the speed reaches 500 cuts/min and pin length tolerance within 0.1mm.
- Latest automaticly assemble line reaches 18000 links/hour with regular plate delivery and holes position feeding there is no twisted chains.
- Advanced carbon sulfur analyzer, meteallurgical microscope and high frequency fatigue test facilitie are adopted to control & improve the quality by method PDCA & AQL.
- Equipped with the latest full-image inspection instrument, it can conduct fully automatic, high-precision, non-contact full-size and appearance defect inspection on chains, achieving 100% full inspection to ensure product accuracy, stability and factory quality.
- High precision 4 sides riveting machines with hydraulic pressure system position and precise control of riveting force. Full speed reaches 12000links/hour.
- Facility for high accurancy test of hardness, high-frequency hardening and carburizing surface distribution.
- Automatic detection system of missing parts in packet,pre-loading, lubrication and cutting.
























质量
QUALITY

我们有冶金师专门从事材料选择，以确保杂质的最小化，有助于我们在整个制造过程中保持严格的公差，从而确保更长的寿命；采用专业的热处理设备和技术，对高碳表面和低碳芯采用甲醛碳渗透，有助于提高强度、耐用性和耐磨性；链条组装是链条制造中最关键的步骤之一。我们的质量控制团队会对正在生产的链条进行 100% 检验；静态预拉和动态预拉相结合，消除可能发生的任何初始伸长，确保销轴和套筒完全就位；使用优质润滑脂进一步改善链条质量，降低噪音，延长使用寿命。

We have metallurgists working exclusively on material selection to ensure minimisation of impurities which helped us maintain strict tolerances throughout the manufacturing process which ensure longer life for our products; The professional heat treatment equipment and technology are adopted for maximun carbon penetration for a high carbon surface and low carbon core,which helps increasing strength, durability and wear resistance. Assembly of chains forms one of the most critical steps in chain making. We have a quality control team who do the screening here for 100% of the chains being produced. Pre-loading forms the proof of our high standard manufacturing process where in there commended maximum working load is estimated. It is taken to eliminate any intial elongation that might have taken place and ensure that the pins and bushes are seated perfectly; Chain quality further improved with high quality grease lubricated to reduce noise and increase service life.



AUTHENTICATION CERTIFICATE
认证
AUTHENTICATION CERTIFICATE

公司产品已通过多项权威认证
从原材料采购、生产制造、工艺管控到成品检测、出厂交付，全链条执行严苛标准
确保性能稳定、质量可靠、安全合规
满足国内外市场准入要求及客户高端应用场景

Our company's products have passed multiple authoritative certifications. From raw material procurement, production manufacturing, process control to finished product inspection and delivery, we strictly adhere to rigorous standards throughout the entire chain to ensure stable performance, reliable quality, safety compliance, and meet the market access requirements both at home and abroad as well as the high-end application scenarios of our customers.



ISO 45001体系认证
ISO 45001 system certificate



ISO9001质量体系认证
ISO9001 Quality System Management Certificate




ISO14001环境体系认证
ISO14001 Environmental System Certification




SGS认证
SGS Certificate



CNAS 认证
CNAS Certificate





O型密封圈 / X型密封圈
O-RING / X-RING

标准型 STANDARD

标准规格，经久耐用，运行稳定可靠。
Standard specifications, durable and reliable in operation.

套筒类型Bush: 有缝 Curled

颜 色 COLOR: 本色 镀金 镀铜 发黄 发蓝 发黑 镀镍 / 烤漆绿色 烤漆橙色 烤漆红色 烤漆黄色 烤漆黑色 烤漆蓝色 烤漆紫色

链条型号 DIN/ISO Chain No.	节距 Pitch		套筒类型 Bush type	滚子直径 Roller Dia	宽度 Width	销轴直径 Pin Dia	链板厚度 Plate Thickness	内链板直径 h2	销轴长度 Pin Length	拉伸载荷 Tensile	平均拉伸载荷 A.T.S	重量 Weight
	mm	inch		max mm	min mm	max mm	mm	max mm	max mm	KN	KN	kg/m
415	12.70	1/2"	Curled	7.77	4.76	3.96	1.20	10.30	12.15	9.00	10.80	0.33
420	12.70	1/2"	Curled	7.77	6.35	3.96	1.50	12.00	14.75	16.00	19.20	0.55
428	12.70	1/2"	Curled	8.51	7.75	4.45	1.60	11.80	16.85	17.80	21.36	0.69
520	15.875	5/8"	Curled	10.16	6.35	5.08	2.03	15.00	17.30	26.50	31.80	0.92
525	15.875	5/8"	Curled	10.16	7.94	5.08	2.03	15.00	19.40	26.50	31.80	1.06
530	15.875	5/8"	Curled	10.16	9.50	5.08	2.03	15.00	20.50	26.50	31.80	1.06

加强型 HEAVY DUTY

加强型链条采用加厚链板与高强度材质，抗拉耐磨、承载更强。
The reinforced chain is made of thickened chain plates and high-strength materials, which are highly resistant to tension and wear, and have greater load-bearing capacity.

套筒类型Bush: 有缝 Curled

颜 色 COLOR: 本色 镀金 镀铜 发黄 发蓝 发黑 镀镍 / 烤漆绿色 烤漆橙色 烤漆红色 烤漆黄色 烤漆黑色 烤漆蓝色 烤漆紫色

链条型号 DIN/ISO Chain No.	节距 Pitch		套筒类型 Bush type	滚子直径 Roller Dia	宽度 Width	销轴直径 Pin Dia	链板厚度 Plate Thickness	内链板直径 h2	销轴长度 Pin Length	拉伸载荷 Tensile	平均拉伸载荷 A.T.S	重量 Weight
	mm	inch		max mm	min mm	max mm	mm	max mm	max mm	KN	KN	kg/m
415H	12.70	1/2"	Curled	7.77	7.76	3.96	1.50	12.00	13.40	16.00	19.20	0.50
420H	12.70	1/2"	Curled	7.77	6.35	3.96	1.70	12.00	15.70	17.00	20.40	0.63
428H	12.70	1/2"	Curled	8.51	7.95	4.45	2.03	11.80	18.70	20.60	24.72	0.79
520H	15.875	5/8"	Curled	10.16	6.35	5.08	2.42	15.00	18.80	26.50	31.80	1.10
525H	15.875	5/8"	Curled	10.16	7.94	5.08	2.42	15.00	20.50	26.50	31.80	1.20
530H	15.875	5/8"	Curled	10.16	9.50	5.08	2.42	15.00	22.00	32.80	39.36	1.24

无缝套筒型 SOLID BUSH

超强特制强化链条，配备无缝套筒和硬化滚子，具有出色的耐磨性和延展性表现，运行时反应灵敏。
Super extra reinforced chains with solid bushing & hardened roller, Perform with excellent response to wear and elongation.

套筒类型Bush: 无缝Solid

颜 色 COLOR: 本色 镀金 镀铜 发黄 发蓝 发黑 镀镍 / 烤漆绿色 烤漆橙色 烤漆红色 烤漆黄色 烤漆黑色 烤漆蓝色 烤漆紫色

链条型号 DIN/ISO Chain No.	节距 Pitch		套筒类型 Bush type	滚子直径 Roller Dia	宽度 Width	销轴直径 Pin Dia	链板厚度 Plate Thickness	内链板直径 h2	销轴长度 Pin Length	拉伸载荷 Tensile	平均拉伸载荷 A.T.S	重量 Weight
	mm	inch		max mm	min mm	max mm	mm	max mm	max mm	KN	KN	kg/m
428S	12.70	1/2"	Solid	8.51	7.94	4.45	1.85	11.80	18.40	20.60	21.36	0.69
428HS	12.70	1/2"	Solid	8.51	7.94	4.45	2.03	11.80	18.75	23.80	24.72	0.79
520S	15.875	5/8"	Solid	10.14	6.35	5.08	2.03	15.00	19.10	26.50	31.80	0.89
530S	15.875	5/8"	Solid	10.14	9.53	5.08	2.03	15.00	22.10	26.50	31.80	1.06

O型密封圈/X型密封圈 O-RING/X-RING

有效阻隔粉尘、泥沙侵入，降低销轴与套筒磨损，提升传动稳定性。
Effectively prevent dust and sand from entering, reduce the wear of pins and sleeves, and enhance the stability of transmission.

套筒类型Bush: 无缝 Solid

颜 色 COLOR: 本色 镀金 镀铜 发黄 发蓝 发黑 镀镍 / 烤漆绿色 烤漆橙色 烤漆红色 烤漆黄色 烤漆黑色 烤漆蓝色 烤漆紫色

链条型号 DIN/ISO Chain No.	节距 Pitch		套筒类型 Bush type	滚子直径 Roller Dia	宽度 Width	销轴直径 Pin Dia	链板厚度 Plate Thickness	内链板直径 h2	销轴长度 Pin Length	拉伸载荷 Tensile	平均拉伸载荷 A.T.S	重量 Weight
	mm	inch		max mm	min mm	max mm	mm	max mm	max mm	KN	KN	kg/m
428-O	12.70	1/2"	Solid	8.51	7.75	4.45	1.60	12.00	-	20.10	24.12	0.72
428H-O	12.70	1/2"	Solid	8.51	7.94	4.45	2.00	12.30	21.60	22.00	26.40	0.85
520-O	12.70	1/2"	Solid	10.16	6.35	5.08	2.03	15.09	20.60	27.00	32.40	0.94
520H-O	15.875	5/8"	Solid	10.16	6.35	5.24	2.40	15.00	22.00	32.00	38.40	1.19
530-O	15.875	5/8"	Solid	10.16	9.50	5.08	2.03	15.09	23.80	28.00	33.60	1.11
530H-O	15.875	5/8"	Solid	10.16	9.50	5.24	2.40	15.00	25.40	34.00	40.80	1.20
428H-X	12.70	1/2"	Solid	8.51	7.85	4.45	2.00	12.30	21.60	23.80	26.40	1.00
520H-X	15.875	5/8"	Solid	10.16	6.35	5.24	2.40	15.00	22.00	34.00	38.40	1.21
525H-X	15.875	5/8"	Solid	10.16	7.94	5.24	2.40	15.09	23.80	34.00	33.60	1.35
530H-X	15.875	5/8"	Solid	10.16	9.50	5.24	2.40	15.00	25.40	34.00	40.80	1.39

正时链 TIMING CHAIN

传动精准、高强度低延长、耐磨抗疲劳和结构紧凑。
Transmission is precise, with high strength and low elongation, wear-resistant, fatigue-resistant and compact structure.

链条型号 DIN/ISO Chain No.	节距 Pitch	套筒类型 Bush type	销轴长度 Pin Length	内节内宽 Width	滚子直径 Roller Dia	破断载荷 U.T.S	内链板高度 h2	销轴长度 Pin Length	拉伸载荷 Tensile	重量 Weight
	mm		max mm	min mm	max mm	KN	max mm	max mm	KN	kg/m
25	6.350	Curled	7.90	3.18	3.30	3.50	6.00	2.31	4.20	0.15
25H	6.350	Curled	9.00	3.18	3.30	4.80	5.90	2.31	5.20	0.17
C25	6.350	Curled	9.00	3.18	3.30	4.80	5.90	2.31	5.20	0.18
05H-1	8.000	Curled	11.40	4.60	4.59	7.80	7.60	3.05	8.20	0.38
06BH	9.525	Curled	10.60	3.84	6.35	7.00	8.20	3.28	9.50	0.35
35-1	9.525	Curled	12.15	4.77	5.08	7.90	8.95	3.58	9.80	0.33
06B-1	9.525	Curled	13.20	5.72	6.35	8.90	8.20	3.28	10.00	0.41

链条型号 DIN/ISO Chain No.	节距 Pitch	销轴直径 Pin Dia	孔心到齿间距离 Distance from hole to tooth	宽度 Width	Plate depth	链板厚度 Plate Thickness	链板层数 Number of Plates	销轴长度 Pin Length	破断载荷 U.T.S	平均拉伸载荷 A.T.S	重量 Weight
	mm	mm	mm	mm	max mm	max mm	n	max mm	KN	KN	kg/m
CL04A2X3	6.35	2.7-2.52	3.92	3.10	6.72	1.03/0.8	5	6.20	5.00	5.50	0.173
CL04A2X4	6.35	2.7-2.52	3.92	5.18	6.72	1.03/0.8	7	8.40	7.60	8.20	0.248
CL04A2X5	6.35	2.7-2.52	3.92	7.25	6.72	1.03/0.8	9	11.00	9.50	10.50	0.340
CL04B2X3	6.35	2.40	3.92	3.10	6.70	1.03/0.8	5	6.20	5.20	5.50	0.169
CL04B2X4	6.35	2.40	3.92	5.18	6.70	1.03/0.8	7	8.40	7.80	8.20	0.242
CL04B2X5	6.35	2.40	3.92	7.25	6.70	1.03/0.8	9	10.60	10.40	10.50	0.315

巴西市场 BRAZIL MARKET

套链型号 SPROCKET KITS MODEL
FAZER 250 45T-15T
NXR 160 BROS / XRE 190 48T-16T
FAZER 150 41T-14T
YBR 150 FACTOR 16 39T-14T
HAOJUE DK 150 44T-14T
TITAN 125 2014-2018 43T-14T
NXR 150 BROS 49T-17T
NXR 125 BROS ES / KS 2003 54T-17T
POP 110 2016-2019 34T-14T
XTZ 125 48T-14T
XTZ 150 CROSSER 14~2022 41T-14T
YES 125 11~2016 43T-14T
TITAN 2000 44T-14T
TITAN FAN 2009 43T-14T
TITAN 150 43T-16T
TITAN 160 /FAN160 44T-15T
YBR 125 45T-14T

阿根廷市场 ARGENTINA MARKET

套链型号 SPROCKET KITS MODEL
HONDA BORSS NXR 125 54T-17T
HONDA BORSS NXR 150 50T-17T
HONDA CBX 250 TWISTER 37T-13T
YAMAHA YBR 125 45T-15T
HONDA TORNADO 250 38T-13T
YAMAHA NEW CRYPTON 37T-14T
SMASH 36T-14T
TITAN2000 44T-14T
STORM125 40T-15T
CRYPTON105 37T-15T
MOTOMEL SKUA150 44T-14T
MOTOMEL CG150 38T-15T
TITAN150 43T-16T
SKUA150 46T-17T

墨西哥市场 MEXICO MARKET

套链型号 SPROCKET KITS MODEL
HONDA CARGO 125 44T-14T
HONDA GL150 43T-16T
YAMAHA YBR 45T-14T
ITALIKA DM200 46T-15T
ITALIKA FT150 41T-15T
ITALIKA 125Z 38T-15T
ITALIKA FT150 39T-15T
ITALIKA FT150 39T-15T
ITALIKA DM150 42T-13T
ITALIKA CGL125 38T-15T
ITALIKA AT110 36T-14T
ITALIKA 150Z 41T-14T
VENTO CROSSMAX 250 50T-15T
ITALIKA 250Z 34T-13T
BAJAJ PULSAR NS200 39T-14T
HONDA NXR150 BROS 50T-17T
YAMAHA FZ16 40T-14T
HONDA XR150L 49T-17T
YAMAHA XTZ125 48T-14T
ITALIKA FT180 42T-15T
BAJAJ BOXER 150 42T-14T

越南市场 VIETNAM MARKET

套链型号 SPROCKET KITS MODEL
YAMAHA JUPITER V/JUPITER MX 36T-15T
SIRIUS 35T-15T
FUTURE 36T-14T
SIRIUS 36T-15T
WAVE DREAM 36T-14T
WAVE FUxFI 36T-14T
WAVE RSCN/DREAM 36T-14T
WAVE RSJP 36T-14T
EXCITER NEW 135 39T-15T
EXCITER 135 39T-15T
SIRIUS FI 40T-14T
WIN 40T-14T
TAURUS 41T-15T
Exciter 135 38T-14T
Sirius FI 40T-15T
Ex 150 42T-14T
WINNER 44T-15T

伊朗市场 IRAN MARKET

套链型号 SPROCKET KITS MODEL
CG125 38T-15T
CG150 42T-15T
CG150 42T-15T
APACHE 180 42T-15T
BOXER 150 42T-15T

印尼市场 INDONESIA MARKET

套链型号 SPROCKET KITS MODEL
SUPRA FIT NEW 36T-14T
MEGA PRO NEW 42T-14T
VEGA ZR/JUP Z NEW 40T-15T
JUPITER MX NEW 38T-14T
SMASH NEW 36T-14T
JUPITER Z 36T-15T
MEGA PRO/NEOTECH 46T-14T
REVO FIT NEW/ABS NEW/BLADE NEW 37T-14T
SUPRA FIT NEW(45T) 45T-12T/14T
SUPRA 40T-15T
SUPRA(45T) 45T-12T
V-IXION 42T-14T
V-IXION NEW 43T-14T
GRAND 36T-14T
SHOGUN 125 NEW 35T- 14T
SUPRA FIT NEW(40T) 40T-12T/14T
CBR150 46T-15T
CRF-150L 49T-15T
BYSON 40T-14T
JUPITER MX 39T-15T
KLX150 44T-14T
R-15 NEW 48T-14T
RXK NEW 37T-14T
SATRIA F150 43T-14T
SCORPIO Z 44T-15T
SUPRA X-125 F1 39T-14T
THUNDER 125 44T-14T
VERZA 41T-14T
VIXION RF1 155(LED) 47T-14T
WIN 41T-14T

哥伦比亚市场 COLOMBIA MARKET

套链型号 SPROCKET KITS MODEL
CB125F 43T-14T
VIVAS 35T-14T
AKT125 SL, EVO R3, NKD 38T-15T
PULSAR 200/180UG 39T-14T
AKT TTR180 40T-13T
AKT TTX180, CR5 40T-13T
FZ16 40T-14T
FZ16 / 2.0 BAND DISC BRAKE 40T-14T
AKT EVO NE125 41T-15T
BOXER CT 42T-13T
DISCOVER 100 42T-14T
HONDA CB110 42T-14T
YAMAHA SZR 42T-14T
AKT RTX 150 42T-15T
CB150 INVICTA HONDA 42T-15T
CONCAVE VICTORY MRX 125/150 43T-13T
HONDA CBF 125 43T-14T
LIBERO125 43T-15T
PULSAR135 43T-15T

国内市场 DOMESTIC MARKET

套链型号 SPROCKET KITS MODEL
DY100 36T-14T
WIN100 41T-14T
ZJ100 38T-14T
JD428 38T-14T
JD125 38T-15T
JD125 39T-15T
JD125 42T-15T
CG125 38T-15T
GS125 42T-14T
GN125 42T-14T
QJ125 38T-15T
QJ125 41T-15T
QJ125 43T-15T
QJ125 46T-15T
WY125 38T-15T
WY125C 38T-15T
JH125 41T-15T
JH125 42T-15T
JH125 43T-15T
JH125 46T-15T
FXD125 38T-15T
FXD125 41T-15T
FXD125 43T-15T
FXD125 46T-15T
CB125T 42T-15T
SY125 41T-15T
SRZ150 46T-15T
新大洲 39T-15T
银钢100 39T-15T
银钢125 42T-15T
新风锐 41T-15T
ZJ125太子 38T-15T
ZJ125太子 39T-15T
ZJ刀125 42T-15T