ZHEJIANG TOSVAL INDUSTRY CO.,LTD
浙江同兴阀门工业有限公司
No.16 Fengyu West Rd.Economic Development Zone,Yuhuan,Zhejiang China.
浙江省玉环市芦浦经济开发区风屿西路16号
T:0086-576-8730 8558 F:0086-576-8730 8585
E-mail:tosval@tosval.com Http://www.tosval.com

WhatsApp

WeChat

TOSVAL

PRODUCT CATALOG



ZHEJIANG
TOSVAL INDUSTRY CO.,LTD



About us

ZHEJIANG TOSVAL INDUSTRY CO., LTD. was established in the 1980s when the first generation began with the name as Yuhuan Tongxing Valve Co., Ltd, Our primary products include thousands of specifications in more than 20 series which includes brass ball valve, water meter valve, gas ball valve and angle valve, bibcock and pipe fittings, etc., our annual output capacity is about 50 million pieces.

After more than 30 years of experience in the valves industry, TOSVAL has been manufacturing and distributing quality brass valves at very attractive prices. In the meantime, we are expanding technical competencies for the purpose of getting more involved in R&D activities. With our technical capability growing, we are developing more items by our own and become a complete service system for a global professional valve manufacturer.

Certification



ISO45001:2018



ISO9001:2015



ISO14001:2015



EN 331-2015



EN 13828-2003



WRAS




ACS

Ball Valve



Art.TS 420 *Brass ball valve F/F / Standard bore PN25 / Stamp iron handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	8.5	44	37	180
3/4"	15	50	42	120
1"	19	58	52	72
1-1/4"	25	65	56	40
1-1/2"	32	79	66	24
2"	40	88	74	24
2-1/2"	49	107	87	8
3"	57	110	103	6
4"	70	138	113	4

Art.TS 2470 *Brass ball valve F/F / Reduce bore PN25 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	50	42	192
3/4"	13.5	50	43	120
1"	18	57	52	96
1-1/4"	23.5	65	62	48
1-1/2"	30	77	68	32
2"	37	91	75	24
2-1/2"	50	111	87	16
3"	58	126	118	8
4"	68	137	126	6

Art.TS 2471 *Brass ball valve F/F / Reduce bore PN30 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	50	32	192
3/4"	13.5	50	32	96
1"	18	57	54	60

Art.TS 2420 *Brass ball valve F/F / Full bore PN30 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	10	46.5	37	192
3/8"	10	46.5	37	192
1/2"	15	57.5	40	120
3/4"	20	65	48	96
1"	25	70	55	60

Art.TS 2472 *Brass ball valve F/M / Reduce bore PN30 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	58.5	42	192

Art.TS 2473 *Brass ball valve F/M / Full bore PN30 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	59	42	120

Art.TS 2414 *Brass ball valve F/F / Standard bore PN30 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	14	54	44	144
3/4"	18	57	52	120
1"	24	68	62	72
1-1/4"	30	76	72	42
1-1/2"	37	89	77	24
2"	48	101	92	16

Art.TS 2415 *Brass ball valve F/F / Full bore PN30 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	10	47	43	192
3/8"	10	47	43	192
1/2"	15	58	46	120
3/4"	20	64	55	96
1"	25	70	65	60
1-1/4"	32	86	75	40
1-1/2"	40	94	81	24
2"	50	109	91	16
2-1/2"	64	132	125	8
3"	73	146	132	6
4"	93	170	145	4

Art.TS 2416 *Brass ball valve F/F / Full bore PN30 / Aluminium lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	58	48	120
3/4"	20	65	58	96
1"	25	70	63	60
1-1/4"	32	86	74	40
1-1/2"	40	94	79	24
2"	50	110	99	16

Art.TS 2418 *Brass ball valve F/M / Full bore PN30 / Aluminium lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	63	48	120
3/4"	20	70	58	96
1"	25	79	62	60
1-1/4"	32	92	75	40
1-1/2"	40	101	80	24
2"	50	116	100	16

Art.TS 2421 *Brass ball valve F/M / Full bore PN30 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	10	51	43	192
3/8"	10	51	43	192
1/2"	15	63	46	120
3/4"	20	70	55	96
1"	25	79	65	60
1-1/4"	32	92	75	40
1-1/2"	40	101	81	24
2"	50	116	91	16
2-1/2"	64	144	125	8
3"	73	158	132	6
4"	90	188	145	4

Art.TS 2422 *Brass ball valve F/M / Full bore PN30 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	10	51	37	192
3/8"	10	51	37	192
1/2"	15	63	40	120
3/4"	20	70	48	96
1"	25	79	55	60

Art.TS 2430 *Brass ball valve M/M / Reduce bore PN30 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
3/4"	15	64	36	120

Art.TS 2300 *Brass ball valve F/F / Full bore PN50 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	10	53	46	144
3/8"	10	53	46	144
1/2"	15	65	52	96
3/4"	20	74	59	72
1"	25	85	68	48
1-1/4"	32	98	80	32
1-1/2"	40	106	87	24
2"	50	126	95	16

Art.TS 2305 *Brass ball valve F/M / Full bore PN50 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	10	59	46	144
3/8"	10	59	46	144
1/2"	15	67	52	96
3/4"	20	77	59	72
1"	25	90	68	48
1-1/4"	32	101	80	32
1-1/2"	40	112	87	24
2"	50	132	95	16

Art.TS 2315 *Brass ball valve F/M / Full bore PN50 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	65	45	96
3/4"	20	74	55	72
1"	25	85	58	48

Art.TS 2363 *Brass ball valve / Full bore PN30 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
3/4"	13.5	54	38	120

Art.TS 2365 *Brass ball valve F/M / Full bore PN30 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13.5	74	39	120
3/4"	17.5	76	46	100
1"	23.5	92	53	48
1-1/4"	32	107	63	36
1-1/2"	40	128	71	20

Art.TS 2370 *Brass ball valve F/M / Full bore PN30 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13.5	73	46	120
3/4"	18	76	53	100
1"	23.5	92	63	48
1-1/4"	32	107	72	36
1-1/2"	40	128	81	20
2"	50	146	91	16

Art.TS 600 *Brass ball valve F/F / Full bore PN20 / Stamp iron handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13.5	47	40	120
3/4"	17.5	56	44	120
1"	23	65	55	72
1-1/4"	30	75	68	40
1-1/2"	37	84	73	32
2"	48	100	83	20

Art.TS 300 *Brass ball valve F/F / Full bore PN20 / Stamp iron handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	8	43	38	192
3/8"	10	45	38	192
1/2"	15	52	42	120
3/4"	20	59	46	96
1"	25	70	63	60
1-1/4"	32	84	71	32
1-1/2"	40	94	78	24
2"	50	110	86	16
2-1/2"	64	140	131	8
3"	79	156	160	6
4"	99	185	174	4

Art.TS 400 *Brass ball valve F/F / Full bore PN20 / Aluminium lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	65	52	120

Art.TS 410 *Brass ball valve F/F / Reduce bore PN16 / Stamp iron handle*

Size	DN	Length	Height	Qty/Ctn
1/2"	10	46	32	180
3/4"	15	52	38	120
1"	20	58	43	72
1-1/4"	25	68	51	60
1-1/2"	32	82	56	48
2"	40	92	73	40

Art.TS 450 *Brass ball valve F/F / Standard bore PN25 / Stamp iron handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	12	48	46	144
3/4"	15	57	50	120
1"	20	65	56	72
1-1/4"	25	78	68	60
1-1/2"	32	91	75	40
2"	40	103	83	24

Art.TS 650 *Brass ball valve F/M / Full bore / Aluminium lever handle*






Size	DN	Length	Height	Qty/Ctn
1"	25	81.5	62	60

Art.TS 2701 *Brass ball valve F/F / Reduce bore PN25 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	12	51	43	120

Art.TS 1061 *Brass ball valve M/M / Full bore PN30 / Aluminium lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	54.5	49	120

Art.TS 1071 *Brass ball valve F/F / Full bore PN30 / Aluminium lever handle*

Size	DN	Length	Height	Qty/Ctn
3/4"	20	65	58	120

Art.TS 1091 *Brass ball valve F/M / Full bore PN30 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1"	25	75	64	72

Art.TS 2372N *Brass ball valve F/M / Full bore PN30 / Aluminium lever handle*






Size	DN	Length	Height	Qty/Ctn
1"	23.5	165	60	36
1-1/4"	32	199	75	16
1-1/2"	40	214	80	16

Art.TS 201 *Brass ball valve F/F / Full bore PN10 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	58	45	120
3/4"	20	66	50	72
1"	25	80	60	48
1-1/4"	32	92	72	32
1-1/2"	40	102	80	24
2"	50	120	86	16

Art.TS 202 *Brass ball valve F/F / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	14	58	39	120
3/4"	20	66	43	72
1"	25	80	57	48

Art.TS 3202 *Brass ball valve F/F / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	52	38	120
3/4"	20	57	41	100
1"	25	73	51	48

Art.TS 457 *Brass ball valve F/M / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
3/8"x1/4"	10	57	36	192
1/2"x1/2"	15	69	39	120

Art.TS 585 *Brass ball valve / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x9mm	10	46	40	120

Art.TS 590 *Brass ball valve F/F / Reduce bore / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x9mm	10	72.5	39	144

Art.TS 591 *Brass ball valve / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x9mm	10	72.5	39	144

Art.TS 2590 *Brass ball valve F/F / Reduce bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x10mm	10	69	36	120

Art.TS 3590 *Brass ball valve F/F / Reduce bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/4"x10mm	8	61.5	33	144
1/2"x10mm	10	65.5	36	120

Art.TS 301G *Brass ball valve F/F / Reduce bore PN10 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	8	47	43	180
3/8"	10	50	43	192

Art.TS 309 *Brass ball valve F/F / Full bore PN10 / Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
3/8"	10	45	51	180
1/2"	15	52	55	120
3/4"	20	59	58	96

Art.TS 401 *Brass ball valve F/F / Full bore / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	65	45	120

Art.TS 204N *Brass ball valve F/F / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
PEALPE1216x1/2"	10	61	36	120
PEALPE1620x3/4"	12	65.5	38	120
PEALPE2025x3/4"	15	73.5	43	60

Art.TS 204 *Brass ball valve / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
PEALPE1216x1/2"	15	65.5	39	120

Art.TS 360 *Brass ball valve / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
3/4"x16UNF-2A	10	75	36	160

Art.TS 361M *Brass ball valve / Full bore / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
PEALPE1418x1418	15	72	43	96

Art.TS 364 *Brass ball valve / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
PEALPE1216x3/4"	15	71	39	120

Art.TS 364N *Brass ball valve / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
PEALPE1216x3/4"	10	71.5	36	120
PEALPE1418x3/4"	14	74.5	39	144
PEALPE1620x3/4"	12	74.5	38	120
PEALPE2025x3/4"	20	85.5	43	70

Art.TS 368 *Brass ball valve / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
PEALPE1216x1216	10	74	39	120
PEALPE2025x2025	20	92	43	60

Art.TS 368N *Brass ball valve / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
PEALPE1216x1216	10	74.5	36	120
PEALPE1418x1418	15	75.5	39	100
PEALPE1620x1620	16	78	38	96
PEALPE2025x2025	20	91	43	60

Art.TS 621 *Brass ball valve / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"xM26x1.5 17mm	15	95	39	80
1/2"xM26x1.5 19mm	15	95	39	60
3/4"xM32x2 20mm	20	110	45	50

Art.TS 628P *Brass ball valve / Full bore PN10 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
PEALPE1216x3/4" 17mm	15	104	39	80
PEALPE2025x3/4" 17mm	15	112	39	50

Art.TS 629 *Brass ball valve / Reduce bore PN10 / Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"xG3/4"	13	95	54	80

Art.TS 669C *Brass ball valve / PN10 / Plastic lockable handle*






Size	DN	Length	Height	Qty/Ctn
G3/4"xG3/4"	12	88	37	80

Art.TS 902 *Brass ball valve F/M / Full bore PN20 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"IPS x M26x1.5 17mm	15	168	39	50

Art.TS 908 *Brass ball valve / Full bore PN20 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"CTSx1/4"	8	130	32	100

Art.TS 959 *Brass ball valve F/M / Reduce bore PN15 / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
PE20xG3/4"SCJ	12	93	37	50
PE32xG3/4"SCJ	12	103	37	50

Art.TS 959GN *Brass ball valve F/F / Full bore PN10 / Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
PE25xG3/4"	14	99	54	32
PE32xG3/4"	14	99	54	24

Art.TS 602 *Brass ball valve F/F / Standard bore PN20 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13.5	47	38	150
3/4"	17.5	56	41	120

Art.TS 702 *Brass ball valve F/F / Full bore / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	12	51	38	120

Art.TS 302 *Brass ball valve F/F / Full bore / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	8	42	37	192
3/8"	10	44	37	192
1/2"	15	52	40	120

Art.TS 3602 *Brass ball valve F/M / Full bore PN16 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13	50	36	100
3/4"	18	60	43	100
1"	25	71	48	60

Art.TS 321 *Brass ball valve F/M / Standard bore PN25 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	14	64	36	120
3/4"	18	77	39	100
1"	23.5	88	46	60

Art.TS 252 *Brass ball valve F/M / Full bore PN20 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	14	67	39	120

Art.TS 529 *Brass ball valve F/F / Reduce bore PN20 / Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	12	56.5	52	120

Art.TS 202W *Brass ball valve F/F / PN20 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	14	58	39	120

Art.TS 209 *Brass ball valve F/F / PN20 / Aluminium security handle*





Size	DN	Length	Height	Qty/Ctn
1/2"	14	58	54	120


Art.TS 259 *Brass ball valve F/M / Full bore PN20 / Aluminium security handle*



Size	DN	Length	Height	Qty/Ctn
1/2"	14	67	54	120

Art.TS 259JAU *Brass ball valve F/M / Standard bore PN20 / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	14	67	49	120

Art.TS 409 *Brass ball valve F/F / Full bore PN20 / Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	65	54	120

Art.TS 459 *Brass ball valve F/M / Full bore PN20 / Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	69	54	120

Art.TS 609 *Brass ball valve F/F / Standard bore PN20 / Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13.5	47	53	144
3/4"	17.5	56	56	120
1"	23	65	68	72
1-1/2"	37	84	85	24
2"	48	100	93	16

Art.TS 609JAU *Brass ball valve F/F / Standard bore PN20 / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13.5	47	48	150
3/4"	17.5	56	51	120

Art.TS 659 *Brass ball valve F/M / Full bore PN20 / Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
3/4"	20	64.5	49	120

Art.TS 709JAU *Brass ball valve F/F / Full bore PN20 / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	51	48	120

Art.TS 922 *Brass ball valve / Standard bore PN20 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"xG3/4"	13.5	58	40	120

Art.TS 929 *Brass ball valve / Standard bore PN20 / Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/4"	13.5	58	55	120
1/2"x7/8"	13.5	58	55	120
3/4"x1"	17.5	68	56	80
1"x1-1/4"	23	77	72	50

Art.TS 919 *Brass ball valve / Standard bore PN20 Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
PE16x3/4"	13.5	86	55	96
PE16x7/8"	13.5	86	55	96

Art.TS 919 *Brass ball valve / Standard bore PN20 / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
PE20x3/4"	13.5	87	55	80
PE20x7/8"	13.5	87	55	80

Art.TS 2919 *Brass ball valve / Standard bore PN20 / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
PE20x3/4"	15	94	50	80

Art.TS 929CR *Brass ball valve F/M / Full bore PN20 / Brass Security handle*






Size	DN	Length	Height	Qty/Ctn
3/4"x1/2"x3/4"	13.5	90	55	72

Art.TS 948 *Brass ball angle valve / Reduce bore PN25 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
PE20x1/2"	15	68	40	72

Art.TS 949 *Brass angle valve / Reduce bore PN25 / Aluminium security handle*






Size	DN	Length	Height	Qty/Ctn
PE20x7/8"	15	68	48	72

Art.TS BBJAU *Brass ball valve F/F / Full bore PN25 / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
PE25x3/4"	15	44.5	50	60
PE25x1"	20	61	53	48
PE40x1-1/2"	30	67	83	16
PE50x2"	40	72.5	88	10

Art.TS 918 *Brass ball valve / Full bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
PE16x1/2"	13.5	87	45	120

Art.TS 918 *Brass ball valve / Full bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
PE20x1/2"	13.5	87	45	120

Art.TS 928 *Brass ball valve F/M / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x1/2"	13.5	59	45	120

Art.TS 658 *Brass ball valve F/M / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
1"x1"	23.5	82	53	60

Art.TS 2001 *Brass ball valve with check core / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
3/4"x3/4"	15	65	42	80

Art.TS 2042 *Brass ball valve / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/4"	15	80	42	80

Art.TS 2051 *Brass ball valve F/M with check core / Full bore PN50 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
3/4"	15	82	42	60

Art.TS 2071 *Brass ball valve F/M with check core / Full bore PN50 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
3/4"	15	82	42	60

Art.TS FF02 *Brass ball valve / Full bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
3/4"x3/4"	15	79	45	60

Art.TS KK02 *Brass ball valve / Full bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
3/4"x3/4"	15	44.5	45	80

Art.TS BB02 *Brass ball valve / Full bore PN20 / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
PE25x3/4"	15	44.5	42	60
PE32x3/4"	15	44.5	42	40
PE32x3/4"	20	47	45.5	40
PE32x1"	20	50.5	45.5	20

Art.TS 3001 *Brass ball valve / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
3/4"x3/4"	15	90	44.5	60

Art.TS 3012 *Brass ball valve / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
3/4"x3/4"	15	90	63	60

Art.TS 938 *Brass ball valve / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
3/4"	15	78	48	72

Art.TS 2499 *Brass ball valve / Standard bore PN20 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/4"	15	96	38	80

Art.TS B481 *Brass ball valve / Reduce bore PN16*






Size	DN	Length	Height	Qty/Ctn
15mm	8	53	16	272

Art.TS B480 *Brass ball valve / Reduce bore PN16 / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
15mm	8	56	30	336

Art.TS B130/T *Brass ball valve / Full bore PN25 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
15mm	15	73	38	100

Art.TS B130 *Brass ball valve / Full bore PN25 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
15mm	15	70	42	120
22mm	20	78	55	72
28mm	25	88	66	48
35mm	32	102	78	24
42mm	40	116	82	20
54mm	50	130	97	10

Art.TS 2461F *Brass mini valve / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	8	39	31	300
3/8"	8	39	31	300
1/2"	10	43	32	216

Art.TS 3600 *Brass mini valve F/F / Reduce bore PN16 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	8	40	26	240
3/8"	8	40	26	240
1/2"	10	45	29	180

Art.TS 3601 *Brass mini valve F/M / Reduce bore PN16 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	8	40	26	240
3/8"	8	40	26	240
1/2"	10	45	29	180

Art.TS 2460 *Brass mini valve F/F / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	8	40	37	300
3/8"	8	40	37	300
1/2"	10	46	41	252

Art.TS 2465 *Brass mini valve F/M / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/8"	6	41	26	300
1/4"	8	41	27	300
3/8"	8	41	27	300
1/2	10	46	30	216

Art.TS 2466 *Brass mini valve F/M / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	8	40	27	300
3/8"	8	40	27	300
1/2"	15	46	30	252

Art.TS 805 *Brass mini valve F/M / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	46	28	216

Art.TS 4435 *Brass mini valve F/M / Reduce bore PN10*






Size	DN	Length	Height	Qty/Ctn
1/4"x3/8"	8	42	21	300

Art.TS 2474 *Brass valve boiler discharge / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
3/8"	10	66	31	120
1/2"	10	68	32	120

Art.TS 2475 *Brass valve boiler discharge / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	76	31	120
3/8"	10	71	31	120

Art.TS 2475T *Brass valve boiler discharge / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	76	31	120
3/8"	10	71	31	120

Art.TS 2477 *Brass valve boiler discharge / Reduce bore PN10 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	76	31	120
3/8"	10	71	31	120

Art.TS 2403 *Brass hidden valve F/F / PN16*






Size	F	L	H	Qty/Ctn
1/2"	12	56	161	36

Art.TS 383 *Brass hidden valve F/F / PN16*






Size	F	L	H	Qty/Ctn
1/2"	14.5	58	87	72

Art.TS 2400 *Brass hidden valve F/F / PN16*






Size	F	L	H	Qty/Ctn
1/2"	14.5	58	80	72

Art.TS 381G *Brass hidden valve F/F PN16*






Size	DN	L	H	Qty/Ctn
1/2"	15	62	79.5	72

Art.TS 2521 *Brass filter valve F/F / PN20*






Size	F	L	H	Qty/Ctn
1"	16.5	78	55	96

Art.TS 2522 *Brass filter valve M/M / PN20*






Size	L	H	Qty/Ctn
3/4"	83	43	120

Art.TS 2522F *Brass filter valve M/M / PN20*






Size	L	H	Qty/Ctn
3/4"xM10/1	83	43	120

Art.TS 191 *Brass spring check valve F/F / PN16*






Size	F	E	H	Qty/Ctn
1/2"	11.5	33	47	200
3/4"	12.5	42	51	120
1"	14	47	55	72
1-1/4"	16	57	68	60
1-1/2"	17	64	72	40
2"	19	81	77	24

Art.TS 2132G *Brass spring check valve F/F / PN16*






Size	DN	Length	Height	Qty/Ctn
3/4"	20		62.5	150

Art.TS 435 *Brass check valve F/F / PN25*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	47	31	160
3/4"	20	53	36	120
1"	25	63	41	72

Art.TS 308 *Brass ball valve F/F / Full bore / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	52	69	80
3/4"	20	55	71.5	72
1"	25	70	77	48

Art.TS 398 *Brass ball valve / Full bore / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
PE32x1/2"	15	82	69	40

Art.TS 3128 *Brass ball valve / Full bore / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/4"	12	70.6	68	60

Art.TS 3298 *Brass ball valve / Full bore / Brass security handle*






Size	DN	Length	Height	Qty/Ctn
PE32x3/4"	15	96	71	36
PE32x1-1/4"	25	117	78	24

Art.TS 1101 *Brass ball valve F/M / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
1"	25	75	70	48

Art.TS 1111 *Brass ball valve F/M / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
PE32x1"	25	110	74	24

Art.TS 1115 *Brass ball valve F/M / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
PE32x1"	20	102.5	74	24

Art.TS 1202 *Brass ball valve F/M / Standard bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
2"	50	120.5	100	12

Art.TS 1212 *Brass ball valve F/F / Full bore PN20 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
2"	50	120.5	100	12

Art.TS 4001F *Brass ball valve / Standard bore PN25 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x5/8"	14	100	50	36
1/2"x3/4"	14	101	50	36

Art.TS 4001M *Brass ball valve / Standard bore PN25 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
1"x1"	19	122	51	24

Art.TS 1 F/F *Brass plug valve F/F / PN10 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	56	50	120

Art.TS 1 F/M *Brass plug valve F/M / PN10 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	58	50	120

Art.TS 5000 *Brass gate valve / PN16 / Brass handle*






Size	DN	Length	Height	Qty/Ctn
63x63	50	213	243	4

Art.TS 2109 *Brass gate valve / PN16 / Iron handwheel*






Size	DN	Length	Height	Qty/Ctn
1/2"	13	41	68	120
3/4"	15	43	71	90
1"	20	51	80	64

Art.TS 2110 *Brass gate valve / PN16 / Aluminium handwheel*






Size	DN	Length	Height	Qty/Ctn
1/2"	13	41	73	120
3/4"	15	43	76	90
1"	20	51	85	64

Art.TS 2111 *Brass gate valve / PN16 / Castiron handwheel*






Size	DN	Length	Height	Qty/Ctn
1/2"	13	41	73	120
3/4"	15	43	76	90
1"	20	51	84	64

Art.TS 2468 *Brass ball valve F/M / Full bore PN10*






Size	DN	F	F1	L	H	Qty/Ctn
1/2"	10	10	10	42	45	144

Art.TS 2449 *Brass bibcock / PN8 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	56.5	67.5	80

Art. TS 7.350.0260 *Brass valve / PN20*






Size	Length	Height	Qty/Ctn
1/4"	55.5	33	180
1/2"	80	56.5	80

Art.TS JJ04 *Brass ball valve F/M / Full bore PN25 / Iron square handle*






Size	DN	Length	Height	Qty/Ctn
PE32xM55x3	25	101	88	20

Art.TS 2267 *Brass ball valve F/F / PN20*






Size	DN	Length	Qty/Ctn
1"x1-1/2"	18	52.5	112
1-1/4"x 2"	25	70	48

Art.TS 2772 *Brass push button Valve / PN16*






Size	Length	Height	Qty/Ctn
3/8"	58	56.5	150

Art.TS 2728 *Brass filter valve / PN16*






Size	Length	Height	Qty/Ctn
3/4"	140	49	12

Art.TS 2728K *Brass filter valve / PN16*






Size	Length	Height	Qty/Ctn
1/2"	162.5	52.5	12

Art.TS 2750 *Brass flange ball valve F/M / PN16*






Size	DN	L	H	Qty/Ctn
1/4"	13.5	60	60	192
3/8"	17.5	68	60	192

Art.TS 10998 *Brass valve*






Size	F	L	Qty/Ctn
2-1/2-14 UNS-2B	19	169	8

Angle Valve
Bibcock



Art.TS 2246 *Brass angle valve F/F / Reduce bore PN30 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13.5	28	39	120
3/4"	17.5	30.5	46	96
1"	25	43.5	55	48

Art.TS 2366 *Brass angle valve F/M/ Reduce bore PN30 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13.5	55	39	100
3/4"	17.5	57.5	46	80
1"	23.5	69	53	40

Art.TS 1584 *Brass angle valve F/M / PN20 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	6	40.5	43.5	120

Art.TS 1572 *Brass angle valve M/F/F / PN20 / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	6	53.5	43.5	120

Art.TS 2411 *Brass 3 ways angle valve F/F/F / Reduce bore PN10 / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/4"	10	50	38	150

Art.TS 2366B *Brass angle valve F/M / Reduce bore PN30 / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13.5	55	39	100
3/4"	17.5	57.5	46	80
1"	23.5	69	53	40

Art.TS 2248 *Brass angle valve / Reduce bore / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/8"	12	32	33	240

Art.TS 2578 *Brass angle valve / Reduce bore*






Size	DN	Length	Height	Qty/Ctn
1/2"	15	53	40.5	160

Art.TS 2579 *Brass angle valve / Reduce bore*






Size	DN	Length	Height	Qty/Ctn
1/2"	9	28	33	160

Art.TS 2580 *Brass angle valve / Reduce bore*






Size	DN	Length	Height	Qty/Ctn
1/2"	9	28	33	120

Art.TS 2255T *Angle valve / Reduce bore / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/4"	6	42.5	59	150

Art.TS 2255 *Brass angle valve / Reduce bore / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/4"	10	45	35	150

Art.TS 2255M *Brass angle valve / Reduce bore / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/4"	10	45	35	150

Art.TS 884 *Brass angle valve / Reduce bore / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/4"	10	46	35	144

Art.TS 885 *Brass angle valve / Reduce bore / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	9	45.5	35	100

Art.TS 3900 *Brass angle valve / Reduce bore / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x1/2"	8	59	30	100
1/2"x3/4"	8	59	30	100

Art.TS 2250/B *Brass angle valve / Reduce bore / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/8"	8	72	49	100

Art.TS 2251 *Brass angle valve / Reduce bore / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x10	8	82	84	100

Art.TS 2253S *Brass angle valve / Reduce bore / Plastic handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x1/2"	8	82	105	100

Art.TS 2500 *Brass bibcock / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	55	48	192

Art.TS 2510 *Brass bibcock / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	45	48	192

Art.TS 2256 *Brass angle valve / Reduce bore / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	12	32	42	144

Art.TS 2257 *Brass angle valve / Reduce bore / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x1/2"	12	45	42	144
1/2"x3/4"	12	45	42	144

Art.TS 2258 *Brass angle valve / Reduce bore / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x1/2"	12	32	42	144

Art.TS 2259 *Angle valve F/M / Reduce bore / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	12	32	42	144

Art.TS 2411DP *Angle valve M/M / Reduce bore / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
3/8"xM4	8	30.5	37	120

Art.TS 2478 *Brass stop bibcock / Brass handle*






Size	DN	Length	Height	Qty/Ctn
1/2"x3/4"	15	70	46	120

Art.TS 2567 *Brass bibcock / Brass handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	13	97	60	72

Art.TS 2570K *Brass bibcock / Brass lockable handle*






Size	Length	Height	Qty/Ctn
1/2"	100	51	72

Art.TS 2330 *Brass bibcock / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	82	40	120
3/4"	12	85	40	80

Art.TS 688 *Brass bibcock / Aluminium butterfly handle*






Size	DN	Length	Height	Qty/Ctn
1/2"X3/4"	10	88	37	120

Art.TS 690 *Brass bibcock / Aluminium lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"X3/4"	10	88	50	120

Art.TS 2410 *Brass bibcock / Steel lever handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	91	40	120
3/4"	12	105	42	72

Art.TS 2412 *Brass bibcock / Stampiron handle with lockable*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	95	35	120

Art.TS 242 *Zinc alloy bibcock / Stampiron handle with lockable*






Size	DN	Length	Height	Qty/Ctn
1/2"	10	80	83	180
3/4"	12	85	85	144

Art.TS 2320B *Brass bibcock / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
3/8"	12	94	42	96
1/2"	12	101	42	96
3/4"	13	107	43	72
1"	15	113	44	48

Art.TS 2320BR *Brass bibcock / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
3/8"	12	94	42	96
1/2"	12	101	42	96
3/4"	13	107	43	72
1"	15	113	44	48

Art.TS 2320N *Brass bibcock / Aluminium lever handle*






Size	DN	Length	Height	Qty/Ctn
3/8"	12	94	44	96
1/2"	12	101	44	96
3/4"	13	107	45	72
1"	15	113	46	48

Art.TS 2321B *Brass 3 Way ball bibcock / Aluminium handle*






Size	DN	Length	Height	Qty/Ctn
1/2"	12	107	42	60

Art.TS 2255P *Brass bibcock / Zinc alloy handle*






Size	DN	Length	Height	Qty/Ctn
1/2"X3/4"	10	61.5	38.5	96

Fitting



Art.TS 35113






Size	F	L	H	Qty/Ctn
3/8"	11	19.5	19.5	200
1/2"	12	21.5	21.5	200
3/4"	14	25.5	25.5	200
1"	15	33.5	33.5	200

Art.TS 35114






Size	F	L	H	Qty/Ctn
3/8"	12.5	22.5	22.5	200
1/2"	15	26.5	25.5	200
3/4"	16	28.5	29.5	200
1"	18	36.5	33.5	200

Art.TS 2603






Size	L	H	Qty/Ctn
3/8"	45	30	144
1/2"	49	32	144
3/4"	31.5	31.5	144
1"	40	40	144

Art.TS 2595






Size	F	L	H	Qty/Ctn
1/8"	11	17	17	960
1/4"	11	19.5	19.5	800
3/8"	13	24	23	480
1/2"	15	26.5	26.5	300
3/4"	16	30	30	224
1"	16	31.5	31.5	160
1-1/4"	18	44	44	72
1-1/2"	20	45.5	45.5	72
2"	22	55	55	36

Art.TS 2596






Size	F	L	H	Qty/Ctn
1/8"	10	17	17	960
1/4"	11	19.5	19.5	800
3/8"	13	23	23	480
1/2"	14	26.5	26.5	300
3/4"	14	30	30	224
1"	14.5	31.5	31.5	160
1-1/4"	17	44	44	72
1-1/2"	20	45.5	45.5	72
2"	22	55	55	36

Art.TS 2597






Size	F	L	H	Qty/Ctn
1/8"	10	17	17	960
1/4"	11	19.5	19.5	800
3/8"	13	23	23	480
1/2"	14	26.5	26.5	300
3/4"	14	30	30	224
1"	14.5	31.5	31.5	160
1-1/4"	17	44	44	72
1-1/2"	20	45.5	45.5	72
2"	22	55	55	36

Art.TS 2600






Size	F	L	H	Qty/Ctn
1/8"	11	21	14	1200
1/4"	10	28	18	672
3/8"	11	34	20	540
1/2"	13	32.5	23.5	320
3/4"	17	40	30	196
1"	16	47	30	126
1-1/4"	18	58	40.6	80
1-1/2"	20	64	45.4	48
2"	22	69	55	24

Art.TS 2601






Size	F	L	H	Qty/Ctn
1/8"	11	21	14	1200
1/4"	10	28	18	672
3/8"	11	34	20	540
1/2"	13	32.5	23.5	320
3/4"	17	40	30	196
1"	16	47	30	126
1-1/4"	18	58	40.6	80
1-1/2"	20	64	45.4	48
2"	22	69	55	24

Art.TS 2602






Size	F	L	H	Qty/Ctn
1/8"	11	21	14	1200
1/4"	10	28	18	672
3/8"	11	34	20	540
1/2"	13	32.5	23.5	320
3/4"	17	40	30	196
1"	16	47	30	126
1-1/4"	18	58	40.6	80
1-1/2"	20	64	45.4	48
2"	22	69	55	24

Art.TS 5116






Size	F	L	H	Qty/Ctn
1/2"	11	44	22	200
3/4"	13.5	52	26	200

Art.TS 2590






Size	F	L	H	Qty/Ctn
1/8"	11	34	17	560
1/4"	10	38	19.5	672
3/8"	12	43	21	384
1/2"	13	48	24	320
3/4"	14	50	25	180
1"	15	64	32	128
1-1/4"	18	84	42	80
1-1/2"	20	96	48	48
2"	23	117	58.5	24

Art.TS 2591






Size	F	L	H	Qty/Ctn
1/8"	11	34	17	560
1/4"	10	38	19.5	672
3/8"	12	43	21	384
1/2"	13	48	24	320
3/4"	14	50	25	180
1"	15	64	32	128
1-1/4"	18	84	42	80
1-1/2"	20	96	48	48
2"	23	117	58.5	24

Art.TS 2958






Size	Dn	L	F	Qty/Ctn
1"	25	72	12	120

Art.TS 592/S






Size	F	Length	Height	Qty/Ctn
3/4"	11	50	50	180
1"	15	64	64	100
1-1/4"	18	84	84	48

Art.TS 2221






Size	F	L	F	Qty/Ctn
1"	13	67	12	120

Art.TS 171






Size	Dn	L	F	Qty/Ctn
1"	25	93	12	100

Art.TS 620/L





Size	L	E	Qty/Ctn
1"	43	41	128
1-1/4"	50	56	80


Art.TS 2621



Size	L	E	Qty/Ctn
1"	43	41	128
1-1/4"	50	56	80

Art.TS 2615






Size	L	W	Qty/Ctn
1/2"x3/8"	21	24	960
3/4"x1/2"	18	27	896
1-1/4"x1"	23	42	144
1-1/2"x1"	24	49	96

Art.TS 2616






Size	L	W	Qty/Ctn
1/2"x3/8"	21	24	960
3/4"x1/2"	18	27	896
1-1/4"x1"	23	42	144
1-1/2"x1"	24	49	96

Art.TS 961






Size	L	H	Qty/Ctn
1/2"x1/4"	11	17	960
3/4"x1/2"	13	19	480
1"x3/4"	23	30	288

Art.TS 260114973






Size	L	W	Qty/Ctn
3/4"x1/4"	24	30	288

Art.TS 2606






Size	DN	L	W	Qty/Ctn
1/4“	8.5	22	15	1680
1/2“	15	26	21	800
3/4“	20	30	27	480
1”	26.5	33	34	288
1-1/4“	33.5	39	42	200
1-1/2“	40	39	48	144
2”	51	45	60	96

Art.TS 2605






Size	DN	L	W	Qty/Ctn
1/4“	8.5	22	15	1680
1/2“	15	26	21	800
3/4“	20	30	27	480
1”	26.5	33	34	288
1-1/4“	33.5	39	42	200
1-1/2“	40	39	48	144
2”	51	45	60	96

Art.TS 2610






Size	F	L	F1	Qty/Ctn
1/4"x3/8"	11	25	10	1120
1/2"x3/8"	11	24	8.5	960
3/4"x1/2"	11.5	29	11.5	480
1"x1/2"	13.5	31.5	11.5	324
1"x3/4"	14	35	14	300
1-1/4"x1"	20	44	18	144

Art.TS 610/S






Size	F	L	F1	Qty/Ctn
1/4"x3/8"	11	25	10	1120
1/2"x3/8"	11	24	8.5	960
3/4"x1/2"	11.5	29	11.5	480
1"x1/2"	13.5	31.5	11.5	324
1"x3/4"	14	35	14	300
1-1/4"x1"	20	44	18	144

Art.TS 2612






Size	F	F1	L	Qty/Ctn
1/2"X3/8"	15	13	36	640
1/2"x3/4"	17	14.5	38	392
3/4"x1"	21	16.5	44	180

Art.TS 2609






Size	F	Length	Height/(W)	Qty/Ctn
1"x1/4"	14	49	35	192
1"x1/2"	14	54	35	160
1-1/4"x1/4"	17	53	43	96
1-1/4"x1/2"	17	62	43	90
1-1/2"x1/4"	18	62	50	80
1-1/2"x1/2"	18	62	50	80
2"x1/4"	18	62	61	48
2"x1/2"	18	62	61	48

Art.TS 28728






Size	L	F	Qty/Ctn
3/4”x19	59	17	224

Art.TS 2608/C






Size	F	F1	L	Qty/Ctn
1"x1"	20	15	40	180

Art.TS 215030






Size	L	F	Qty/Ctn
1"xM22x1.5	47	12	216

Art.TS SSFCF






Size	L	W	Qty/Ctn
1/2"x3/8"	36	28	384

Art.TS 2260






Size	F	L	W	Qty/Ctn
1/2"	10	46	25	270
3/4"	10	54	30	168
1"	11	61	37	100
1-1/4"	15	69	48	64
1-1/2"	16.5	73	54.5	48

Art.TS 2263






Size	F	L	W	Qty/Ctn
1-1/4"x1"	14.5	58	48	72

Art.TS 2264






Size	F	L	W	Qty/Ctn
1"x1-1/2"	16.5	64	52	160

Art.TS 2N021






Size	F	L	E	Qty/Ctn
3/8"	10	47	26	330

Art.TS 2265






Size	F	L	W	Qty/Ctn
1/2"	9.5	51.5	37	210
3/4"	12	60.5	46	144
1"	12	71.5	53	80
1-1/4"	20	84.5	64	48

Art.TS 2270






Size	F1	L	W	Qty/Ctn
1/2"	23.5	83	31	180
3/4“	22	93	37	120
1”	24	94.5	46	72
1-1/4“	22	93	37	48
2”	24	94.5	46	24

Art.TS 27764






Size	F	L	W	Qty/Ctn
1"x25	8	52	37	270

Art.TS 27764P






Size	F	L	W	Qty/Ctn
1"x25	8	58	37	240

Art.TS 216310






Size	L	E	Qty/Ctn
20.2	51	24	528

Art.TS 215564






Size	L	E	Qty/Ctn
20.2	51	22	400

Art.TS 28366






Size	L	E	Qty/Ctn
38x26.3	61.5	38	180

Art.TS 2145






Size	F	L	W	Qty/Ctn
1/8“x10	7	30	11	2000
1/4“x6	8	31.5	15	2000
1/4“x10	9	37	15	1000
3/8”x20	10.5	40	22	648
1/2”x6”	9.5	37.5	16	720
1/2“x10	9.5	44	16	720
1/2“x15	9.5	44	18	672
1/2“x20	9.5	49.5	22	546
3/4“x14	10	44.5	22	672
3/4“x18	10	52	23	504
3/4”x20	10	52	23	528
3/4”x25	10	52.5	27	360
1“x20	13	54.5	28	270
1”x25	13	58	28	240
1“x30	11.5	54.5	31	210
1“x35	13.5	63	36	200
1-1/4”x25	14.5	59.5	28	150
1-1/4”x35	14.5	67	38	150
1-1/4“x40	15	69	42	144
1-1/2”x35	15.5	70	40	144
1-1/2”x40	14.5	72	44	150
1-1/2”x45	12.5	73	46.5	120
1-1/2”x50	14	74.5	52	80
2”x50	14	73	52	80
2“x60	14	84	62	60
2-1/2”x60	16	94	65	48
2-1/2”x70	16	98	77	40
3”x80	19	103	85	24
3“x90	18.5	110	92	24
4”x100	18	119	105	18

Art.TS 2146






Size	D	L	W	Qty/Ctn
3/8”x14.5	14.5	39	19	1000
1/2“x15	15	37	24	546
3/4“x19	25	44	32	360
3/4“x25	25	50	32	360
1”x19	30	45	37	270
1”x25	30	51	37	240
1”x30	30	53	37	240

Art.TS 2147






Size	D	L	W	Qty/Ctn
1/2”x20	20	39.5	26	560
3/4”x20	20	39.5	29	480
3/4”x25	25	45.5	29	250
1”x20	20	40.5	34	392
1”x25	25	46.5	34	300

Art.TS 2149






Size	D	L	W	Qty/Ctn
1”x19	19	52	37	288

Art.TS 2245






Size	D	L	W	Qty/Ctn
1/2”x12	12	39	24	792
1/2”x14	14	38	24	720
1/2”x15	15	43	24	720
1/2”x18	18	43	24	640
1/2”x20	20	44	24	640
3/8”x12	12	36	19	1080
3/8”x13	13	36	19	1080
3/8”x15	15	36	19	880
3/4”x20	20	45	28	396
3/4”x25	25	51	29	400
1”x25	25	51	36	320
1”x30	30	57	36	288
1-1/4”x30	30	57	46	192
1-1/4”x35	35	57	46	144
1-1/4”x40	40	63	46	144
1-1/2”x38	38	64	51	120
1-1/2”x40	40	64	51	120
2”x50	50	70	62	80

Art.TS 2180






Size	D	L	F	Qty/Ctn
1/2"x15	15	60	10	360
3/4"x20	20	66	10	210
1"x25	25	77	13	162
1"x30	30	84	12	96
1-1/4"x30	30	88.5	12	96
1-1/4"x35	35	87	12	96
1-1/4"x40	40	93	12	84
1-1/2"x40	40	96	13	70
1-1/2"x45	45	101	13	48
1-1/2"x50	50	109	13	40
2"x50	50	110	14	40
2"x60	60	134	17	24
2-1/2"x60	60	113	17	24

Art.TS 2200






Size	D	L	F	Qty/Ctn
3/4"x25	25	46	10	132
1"x25	25	46	13	120
1"x30	30	55	12	72
1-1/4"x30	30	59	12	72
1-1/4"x35	35	59	12	72
1-1/2"x40	40	59	13	45
2"x50	50	70	14	24

Art.TS 2275






Size	L	H	Qty/Ctn
1/2"	84.5	46	120

Art.TS 21034






Size	L	H	Qty/Ctn
℄20x3/8"	73	55	192

Art.TS 21145






Size	E	W	H	Qty/Ctn
1-1/4"	59	39	23	192

Art.TS 2639






Size	W	H	Qty/Ctn
2"	64	20	160
2-1/2"	80	24	96
3"	95	23	48

Art.TS 2636






Size	E	W	H	Qty/Ctn
1-1/4"	59	39	23	192

Art.TS 2280/2281






Size	E	F	H	Qty/Ctn
3/8"	36	52	57	350
1/2"	40	58	63	224
3/4"	47	66.5	72	144
1"	55.5	70	76	96
1-1/4"	65	76.5	83	72
1-1/2"	71.5	77.5	84	60
2"	83	95	102	30

Art.TS 2288






Size	E	F	H	Qty/Ctn
3/8"	36	52	57	350
1/2"	40	58	63	224
3/4"	47	66.5	72	144
1"	55.5	70	76	96
1-1/4"	65	77	83	72
1-1/2"	71.5	77.5	84	60
2"	83	95	102	30

Art.TS 2291/2292






Size	E	F	H	Qty/Ctn
3/8"	36	52	56	350
1/2"	40	58	63	224
3/4"	49	66.5	71	144
1"	55.5	70	75	96
1-1/4"	65	75.3	80	72
1-1/2"	71.5	77.5	83	60
2"	83	94	100	30

Art.TS 2282






Size	E	F	H	Qty/Ctn
1"	85	76.5	100	63
1-1/4"	90	77.5	104	54
1-1/2"	108	81	112.5	30

Art.TS 2284






Size	E	F	H	Qty/Ctn
3/8"	75	68	88.5	120
1/2"	90	74	98.5	90
3/4"	104	74	102.5	60
1"	108	83	113	48
1-1/4"	117	92	124	30
1-1/2"	133	101	136	24
2"	148	88	123	16

Art.TS 2535






Size	F	E	H	Qty/Ctn
3/8"	10	57	32	240
1/2"	10	57	34	240
3/4"	10	57	34	240
1"	10	57	34	240
1-1/4"	17	57	38	240
1-1/2"	15	57	34	240

Art.TS 2540






Size	F	E	H	Qty/Ctn
3/8"	9	57	33	240
1/2"	9	57	33	240
3/4"	9	57	33.5	240
1"	9	57	34	240
1-1/4"	8	57	40	240
1-1/2"	9.5	57	39	240

Art.TS 2545






Size	D	E	H	Qty/Ctn
∅13	13	57	49	240
∅15	15	57	57	240
∅18	18	57	51.5	240
∅20	20	57	52.3	240
∅25	25	57	60	216
∅30	30	57	60	180
∅35	35	57	70	150
∅40	40	57	68	120

Art.TS 2900






Size	F	L	H	Qty/Ctn
1/4"	11	51	25.5	448

Art.TS 2905






Size	F	L	H	Qty/Ctn
1/4"	11	51	23.5	448

Art.TS 2915






Size	F	L	H	Qty/Ctn
1/4"	11	49	25.5	504

Art.TS 2930






Size	F	L	H	Qty/Ctn
1/4"	11	25.5	25.5	672

Art.TS 2935






Size	F	L	H	Qty/Ctn
1/4"	11	25.5	23.5	768

Art.TS 2650






Size	L	F	F1	Qty/Ctn
1/2"x10	20	15	10	200
1/2"x15	25	15	10	200
1/2"x20	30	15	10	200
1/2"x25	35	15	10	200
1/2"x30	40	15	10	200
1/2"x40	50	15	10	200
1/2"x50	60	15	10	200

Art.TS 3502






Size	L	F	F1	Qty/Ctn
1/2"x10	20	8.5	10	200
1/2"x15	25	12	10	200
1/2"x20	34	17	14	200
1/2"x25	39	18	14	200
1/2"x30	44	18	14	200
1/2"x35	49	18	14	200
1/2"x40	54	18	14	200
1/2"x50	64	18	14	200
1/2"x60	74	18	14	200
1/2"x100	114	18	14	200
3/4"x10	20	8.5	10	200
3/4"x20	30	18	10	200
3/4"x30	40	18	10	200
3/4"x40	50	18	10	200
3/4"x50	60	18	10	200

Art.TS 2659






Size	L	F	Qty/Ctn
1/2"x50	50	15	500
1/2"x75	75	15	200
1/2"x100	100	15	200
1/2"x150	150	15	120
1/2"x200	200	15	100
1/2"x500	500	15	40
3/4"x50	50	15	300
3/4"x100	100	15	160
3/4"x150	150	15	100
3/4"x200	200	15	80
3/4"x500	500	15	20
1"x85	85	20	110

Art.TS 2660






Size	DN	L	Qty/Ctn
3/4"x40	20	40	420
3/4"x50xØ14.5	14.5	50	210
3/4"x50xØ20.5	20.5	50	350

Art.TS B41






Size	L	F	Qty/Ctn
3/4"-16-UNF-2B	28.4	11.9	800

Art.TS B48






Size	L	Qty/Ctn
3/4"-16UNF-2A	46	400

Art.TS B44






Size	L	H	Qty/Ctn
3/4"-16UNF-2A	62	31	240

Art.TS 906






Size	L	F	Qty/Ctn
1/2"CTSx3/8"	112	15.5	120
1/2"IPSx3/8"	115	15.5	96
1/2"IPSx1/2"	117	16.8	96

Art.TS 907






Size	L	F	Qty/Ctn
1/2"IPSx1/2"NPT	100	18	96
3/4"IPSx3/4"NPT	112	18	50
1"IPSx1"NPT	115	23	40
2"IPSx2"NPT	180	24	9

Art.TS 2658






Size	L	Qty/Ctn
2-1/4"x2"	97	240

Art.TS 102






Size	F	L	Qty/Ctn
PEALPE1216x1/2"	16	40	320

Art.TS 102N






Size	L	F	Qty/Ctn
PEALPE1216x1/2"	37.5	14	320
PEALPE1418x1/2"	38.5	15	280
PEALPE1620x1/2"	38	17	280
PEALPE1620x3/4"	40	16.5	240
PEALPE2025x1/2"	38	16	180
PEALPE2025x3/4"	37.5	16.5	120

Art.TS 101N






Size	L	Qty/Ctn
PEALPE1216x1216	47.2	240
PEALPE1418x1418	49	200
PEALPE1620x1620	48	200
PEALPE2025x2025	51	90

Art.TS 101PR






Size	F	L	Qty/Ctn
PEALPE2025x1216	26	54.5	320

Art.TS 101RN






Size	L	Qty/Ctn
PEALPE1620x1216	48	200
PEALPE2025x1216	50	120
PEALPE2025x1620	50	120

Art.TS 100N






Size	L	F	Qty/Ctn
PEALPE1216x3/4"	45.2	19	300

Art.TS GMC






Size	L	Qty/Ctn
PEALPE2025x3/4"	55	150

Art.TS 103N






Size	F	L	Qty/Ctn
PEALPE1216x1/2"	14	40.5	320
PEALPE1418x1/2"	14	41	196
PEALPE 1620x1/2"	16	43	240
PEALPE1620x3/4"	16.5	43.5	180
PEALPE2025x3/4	16	45	150

Art.TS 104N






Size	L	H	Qty/Ctn
PEALPE1216x1216	35	35	192
PEALPE1418x1418	34.5	34.5	160
PEALPE 1620x1620	36	36	120
PEALPE2025x2025	42	42	96

Art.TS 105N






Size	L	F	Qty/Ctn
PEALPE1216x1/2"	36	24	240
PEALPE1620x1/2"	37	26	192
PEALPE2025x3/4"	41	32	96


Art.TS 106N





Size	F	L	H	Qty/Ctn
PEALPE1216x1/2"	16	36	24	280


Art.TS 109



Size	L	H	Qty/Ctn
PEALPE1216x1216x1216	70	35	140
PEALPE2025x2025x2025	82	41	64

Art.TS 109N






Size	L	H	Qty/Ctn
PEALPE1216x1216x1216	67	34	140
PEALPE1418x1418x1418	69	34.5	120
PEALPE1620x1620x1620	72	36	120
PEALPE2025x2025x2025	82	41	64

Art.TS 109R






Size	L	H	Qty/Ctn
PEALPE2025x2025x1216	72	39	120

Art.TS 110N






Size	F	L	H	Qty/Ctn
PEALPE1216x1216x1/2"	16	73	25	140

Art.TS 105BM






Size	L	H	Qty/Ctn
PEALPE1418x1/2"	36	40	160

Art.TS 3000

Size	F	L	W	Qty/Ctn
PE16x1/2"	15	50	30	240
PE22x1/2"	16	51	32	240

Art.TS 3015






Size	L	W	W1	Qty/Ctn
PE16x16	69	30	30	120
PE20x16	66	35	30	120
PE20x21	65	35	35	120

Art.TS 8000






Size	F	L	W	Qty/Ctn
PE20x1/2"	13	47	31	288
PE22x1/2"	13	48.5	31	200
PE25x3/4"	16	55	38	200
PE32x1"	14.5	63	46	96
PE63x2"	20	88	86	30

Art.TS 8005






Size	F	L	W	Qty/Ctn
PE20x1/2"	13	48.5	31	288
PE22x1/2"	13	48.5	31	200
PE20x3/4"	15	50.5	31	200
PE25x3/4"	16	54	38	200
PE32x1"	14.5	63	46	96
PE63x2"	18	86	86	30

Art.TS 8015






Size	L	W	W1	Qty/Ctn
PE20x20	68	31	31	192
PE22x16	68	33	27	192
PE22x20	68	33	31	192
PE63x63	135	86	86	30

Art.TS 815






Size	L	H	Qty/Ctn
DN63x63	70	70	10

Art.TS 850






Size	L	H	Qty/Ctn
DN63x2"	140	85	6

Art.TS 30151






Size	DN	L	Qty/Ctn
22mmx22mm	22	46	160
5/8"x5/8"	15	43	224

Art.TS 3001






Size	F	L	Qty/Ctn
5/8"x1/2"	11.5	36	320

Art.TS 3005






Size	DN	L	Qty/Ctn
5/8"x1/2"	15	34	320

Art.TS 710F






Size	L	F	Qty/Ctn
1/2"	45	15	224

Art.TS 731






Size	L	Qty/Ctn
5/8"x5/8"	95	36
3/4"x3/4"	97	36
1"x1"	109	20

Art.TS 751






Size	F	L	H	Qty/Ctn
3/4"x3/4"	19	72	42	72
1"x1"	22	82	50	48

Art.TS M261






Size	L	W	Qty/Ctn
M26x1.5x3/4"-16UNF-2A	35	32	384

Art.TS M262






Size	L	F1	Qty/Ctn
M26x1.5x1/2"	55	16	225

Art.TS WMC






Size	L	F1	Qty/Ctn
1/2"x3/4"	50	16.5	288
1/2"x7/8"	50	16.5	280

Art.TS WMCF






Size	L	F1	Qty/Ctn
1/2"x3/4"	50	16	288
3/4"x1"	50	16	200

Art.TS 90GMCN






Size	DN	L	H	Qty/Ctn
3/4"	20	27	39.5	160
1-1/4"	32	37	66.2	48

Art.TS FP






Size	L	Qty/Ctn
3/4"	15.3	400

Art.TS AFNC






Size	L	H	Qty/Ctn
3/4"	60	42	160
1"	72.5	53	96

Art.TS 100P






Size	L	Qty/Ctn
PEALPE1216x3/4"-16UNF-2A	54	400

Art.TS 101P






Size	L	Qty/Ctn
PEALPE1216x1216	57	540
PEALPE2025x2025	74	250

Art.TS 102P






Size	Dn	L	Qty/Ctn
PEALPE1216x1/2"	16	48	420

Art.TS 103P






Size	F	L	Qty/Ctn
PEALPE1216X1/2"	16	51	420
PEALPE2025X1/2"	16	58.5	288

Art.TS 104P






Size	L	H	Qty/Ctn
PEALPE1216x1216	37	37	300
PEALPE1418x1418	38	38	250
PEALPE1620x1620	39	39	200
PEALPE2025x2025	50	50	100

Art.TS 106P






Size	F	L	H	Qty/Ctn
PEALPE1216x1/2"	16	43	33	320
PEALPE1418x1/2"	16	43	34	320
PEALPE1620x1/2"	16	42	36	200
PEALPE2025x1/2"	16	52	33	200

Art.TS 109P






Size	L	H	Qty/Ctn
PEALPE2025x2025x2025	100	50	60

Art.TS 109PR






Size	L	H	Qty/Ctn
PEALPE2025x2025x1216	94	42	120

Art.TS GMCP






Size	L	Qty/Ctn
PEALPE2025x3/4"	72	168

Art.TS 104P 2025XGMC






Size	DN	L	H	Qty/Ctn
PEALPE34-2025xGMC	20	58	40	120
84.4-2025xGMC	20	58	90.4	80

Art.TS 109P 2025xGMCx2025

Size	DN	L	H	Qty/Ctn
PEALPE2025xGMCx2025	20	116	90.4	40

Art.TS 109P 2025xG34xGMC






Size	DN	L	H	Qty/Ctn
84.4-G3/4"MALEx2025xGMC	20	11	90.4	40

Art.TS MANIFOLD DOUBLE 90-CLD






DN	L	H	Qty/Ctn
20	230	90.4	40

Art.TS QUADRUPLE MANIFOLD 90-CLD






DN	L	H	Qty/Ctn
20	230	90.4	20

Art.TS 2800






Size	L	E	Qty/Ctn
1/2"x1/2"	50	28	250
3/4"x3/4"	51.5	37	120
1"x3/4"	55	41	100
1"x1"	55	41	100

Art.TS 9102G






Size	L	E	Qty/Ctn
1"x3/4"	58.5	40	100

Art.TS 9112G






Size	L	E	Qty/Ctn
1"x1"	58.5	40	100

Art.TS 28747






Size	L	E	Qty/Ctn
1"x1"	54	60	60

Art.TS 29194






Size	L	E	Qty/Ctn
1"x3/4"	54	51.3	60

Art.TS 2936






Size	D	L	H	Qty/Ctn
1/8"x7	7	46	18.5	1000

Art.TS 21037






Size	L	H	Qty/Ctn
3/8"x12x10	45.5	8.5	1000

Art.TS 212933






Size	E	L	F	Qty/Ctn
1/4"	29.5	60.1	10	120

Art.TS 21628200000






Size	L	H	Qty/Ctn
3/4"	10	30	480

Art.TS 2799






Size	L	Qty/Ctn
1"	44	144

Art.TS 21032






Size	L	E	Qty/Ctn
M14	135	45	120

Art.TS 21302000






Size	L	E	Qty/Ctn
20.8	77	36	168

Art.TS 2235A






Size	F	H	Qty/Ctn
1"	10	70	240

Art.TS 2272






Size	L	E	Qty/Ctn
1"x25	60	86	80

Art.TS 901






Size	L	H	Qty/Ctn
3/4"	44	55	

Art.TS 921






Size	L	H	Qty/Ctn
3/4"x3/4"	34.5	32	
1"x1"	42.5	42	

Art.TS 971






Size	F	L	H	Qty/Ctn
3/4"x1"	21	38	38	300

Art.TS 951






Size	E	L	F	Qty/Ctn
3/4"x3/4"	15.5	36	36	288

Art.TS 741






Size	E	L	F	Qty/Ctn
1/2"x3/4"x60	20	60	32	288

Art.TS 151012






Size	L	Qty/Ctn
1"	44	144


Art.TS 280112





Size	L	E	Qty/Ctn
1/2"x1/2"	50	28	240


Art.TS 214005



L	H	Qty/Ctn
68	81.5	288

Art.TS 314005






L	H	Qty/Ctn
68	81.5	288

Art.TS 14005





L	H	Qty/Ctn
68	80	288